



2279601

Reviewed on: 21.12.2022 Printing date: 21.12.2022

SECTION 01: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- Trade name:
 Alowan India Oil
- Article number: 020
- CAS Number:
- 8001-99-8 • EC Number:
- 307-690-5
- No CAS EINECS: 97676-13-6
- 1.2 Relevant identified uses of the substance or mixture and uses advised against Application of the substance / the preparation Only for industrial use
- 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

GOLGEMMA TEL: +33(0)4.68.74.17.89 Route de FA email: fds@golgemma.com

11260 ESPERAZA

FRANCE

1.4 Emergency telephone number: FR-ORFILA (INRS):+33(0)1 45 42 59 59

SECTION 02: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



GHS05

Skin Corr. 1C - H314 Causes severe skin burns and eye damage. Eye Dam. 1 - H318 Causes serious eye damage.



GHS08

Asp. Tox. 1 - H304 May be fatal if swallowed and enters airways.



GHS02

Flam. Liq. 3 - H226 Flammable liquid and vapour.



GHS07

Acute Tox. 4 - H302 Harmful if swallowed.



GHS09

Aquatic Chronic 2 - H411 Toxic to aquatic life with long lasting effects.

- 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008
- Hazard pictograms

(continued on page 2)



CHEMICAL SAFETY DATA SHEET

according to 2020/878/EC (1907/2006/EC Article 31)

2279601

Reviewed on: 21.12.2022 Printing date: 21.12.2022

(continued of page 1)

PRODUCT: AJOWAN INDIA OIL



GHS05



GHS08



GHS02





GHS07 GHS09

Signal word

Danger

Hazard statements

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H314 Causes severe skin burns and eye damage.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 Keep container tightly closed.
P240 Ground and bond container and receiving equipment.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/ national/international regulations.

2.3 Other hazards

- Results of PBT and vPvB assessment
- PBT:
- Not applicable.
- vPvB: Not applicable.
- Determination of endocrine-disrupting properties
- Substance is not listed.

SECTION 03: Composition/information on ingredients

3.1 Substances

CAS No.

Description

Trachyspermum ammi (L.) Sprague (Syn: Carum 8001-99-8 copticum (L.) Benth. & Hook. f.)

- Identification number(s)
- EC number: 307-690-5
- Dangerous components:

	CAS Number	•	%
*	99-85-4	p-Mentha-1,4-diene	20,001-50,00
*		EC number: 202-794-6	
*		🕸 Asp. Tox. 1 - H304; 🚸 Flam. Liq. 3	
*		- H226	
*	89-83-8	thymol	20,001-50,00
*		EC number: 201-944-8	
*		♦ Skin Corr. 1B - H314, Eye Dam. 1 -	
*		H318; 💠 Acute Tox. 4 - H302; 🤄	
*		Aquatic Chronic 2 - H411	
*	99-87-6	p-cymene	20,001-50,00
*		EC number: 202-796-7	
*		🔗 Acute Tox. 3 - H331; 🚸 Asp. Tox. 1	
*		- H304; 🚸 Flam. Liq. 3 - H226; 🌜	
*		Aquatic Chronic 2 - H411	
*	79-92-5	camphene	5,001-10,00
*		EC number: 201-234-8	
*		🏇 Flam. Sol. 1 - H228; 🥸 Aquatic	
*		Acute 1 - H400, Aquatic Chronic 1 - H410	
		•	(continued on page 3)



Golgemma

CHEMICAL SAFETY DATA SHEET according to 2020/878/EC (1907/2006/EC Article 31)

2279601

Reviewed on: 21.12.2022 Printing date: 21.12.2022

		Printing date: 21.12.
PRODUCT :	AJOWAN INDIA OIL	
		(continued of page 2)
127-91-3	beta-Pinene	1,001- 5,00
	EC number: 204-872-5	
	😵 Asp. Tox. 1 - H304; 🚸 Flam. Liq. 3	
	- H226; 💠 Skin Irrit. 2 - H315, Skin	
	Sens. 1B - H317	
1139-30-6	Caryophyllene oxide	1,001- 5,00
	EC number: 214-519-7	
	Aquatic Chronic 2 - H411	
123-35-3	Myrcene	1,001- 5,00
	EC number: 204-622-5	, ,
	Asp. Tox. 1 - H304; Flam. Liq. 3	
	- H226; 💠 Skin Irrit. 2 - H315, Eye	
	Irrit. 2 - H319	
80-56-8	pin-2(3)-ene	1,001- 5,00
00-30-0	EC number: 201-291-9	1,001- 3,00
	& Asp. Tox. 1 - H304; 🊸 Flam. Liq. 3	
	- H226;	
	Irrit. 2 - H315, Skin Sens. 1B - H317	
555-10-2	beta-Phellandrene	0,101-1,00
	EC number: 209-081-9	
	♦ Asp. Tox. 1 - H304; ♦ Flam. Liq. 3	
	- H226	
499-75-2	carvacrol	0,101-1,00
	EC number: 207-889-6	
	Acute Tox. 4 - H302, Skin Irrit. 2 -	
	H315, Eye Irrit. 2 - H319, Skin Sens. 1B -	
	H317	
562-74-3	4-Carvomenthenol	0,101-1,00
	EC number: 209-235-5	
	Acute Tox. 4 - H302, Skin Irrit. 2 -	
	H315, Eye Irrit. 2 - H319	
99-86-5	1-isopropyl-4-methylcyclohexa-1,3-diene	0,101-1,00
	EC number: 202-795-1	
	♦ Asp. Tox. 1 - H304; ♦ Flam. Liq. 3	
	- H226; 🕚 Acute Tox. 4 - H302, Skin	
	Sens. 1 - H317; 🅸 Aquatic Chronic 2 -	
	H411	
	Oral: ATE = 1680 mg/kg	
5989-27-5	d-limonene	0,101-1,00
	EC number: 227-813-5	
	🕸 Asp. Tox. 1 - H304; 🚸 Flam. Liq. 3	
	- H226; 💠 Skin Irrit. 2 - H315, Skin	
	Sens. 1B - H317; 🅸 Aquatic Acute 1 -	
	H400; Aquatic Chronic 3 - H412	
586-62-9	Terpinolene	0,101-1,00
300-02-9	EC number: 209-578-0	0,101-1,00
	& Asp. Tox. 1 - H304; \$\frac{\psi}{\psi}\$ Skin Sens.	
	1B - H317; Aquatic Acute 1 - H400,	
	•	
	Aquatic Chronic 1 - H410	



Page: 4 / 11

2279601

Reviewed on: 21.12.2022 Printing date: 21.12.2022

PRODUCT: AJOWAN INDIA OIL

SECTION 04: First aid measures

(continued of page 3)

4.1 Description of first aid measures

General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Seek immediate medical advice.

After inhalation:

Supply fresh air and to be sure call for a doctor.

After skin contact:

If skin irritation continues, consult a doctor.

• After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Call for a doctor immediately.

Information for doctor:

4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 05: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents:

CO2, sand, extinguishing powder. Do not use water.

Use fire extinguishing methods suitable to surrounding conditions.

 For safety reasons unsuitable extinguishing agents: Water with full jet

5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- 5.3 Advice for firefighters
- Protective equipment:

Do not inhale explosion gases or combustion gases.

Additional information

Cool endangered receptacles with water spray.

SECTION 06: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Keep away from ignition sources.

6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

6.3 Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

ΕU

(continued on page 5)



Page: 5 / 11

2279601

Reviewed on: 21.12.2022 Printing date: 21.12.2022

PRODUCT: AJOWAN INDIA OIL

SECTION 07: Handling and storage

(continued of page 4)

7.1 Precautions for safe handling

Keep receptacles tightly sealed.

Keep away from heat and direct sunlight.

Ensure good ventilation/exhaustion at the workplace.

Handle with care. Avoid jolting, friction and impact.

Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

7.2 Conditions for safe storage, including any incompatibilities Storage:

Requirements to be met by storerooms and receptacles:

Store only in the original receptacle.

Prevent any seepage into the ground.

Use only receptacles specifically permitted for this substance/ product.

- Information about storage in one common storage facility: Not required.
- Further information about storage conditions:

Keep container tightly sealed.

Protect from heat and direct sunlight.

Store receptacle in a well ventilated area.

7.3 Specific end use(s)

No further relevant information available.

SECTION 08: Exposure controls/personal protection

8.1 Control parameters

- Ingredients with limit values that require monitoring at the workplace: Not required.
- Additional information:

The lists valid during the making were used as basis.

8.2 Exposure controls

- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eves.

- · Respiratory protection:
- Use suitable respiratory protective device in case of insufficient ventilation.
- Protection of hands:

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the

chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection

Safety glasses

ΕU

(continued on page 6)





2279601

Reviewed on: 21.12.2022 Printing date: 21.12.2022

PRODUCT: AJOWAN INDIA OIL

ECTION 09: Physical and chemica	properties	
9.1 Information on basic physical and chen	nical properties	
General Information		
Physical state	Fluid	
Colour:	light yellow to orange	
Odour:	aromatic	
Odour threshold:	Not determined.	
Boiling point or initial boiling point and boiling range	Not determined.	
Flammability	Not determined.	
Lower and upper explosion limit		
Lower:	Not determined.	
Upper:	Not determined.	
Flash point:	52,0 °C NFT 60-103 CC	
Decomposition temperature:	Not determined.	
pH	Not determined.	
Viscosity:		
Kinematic viscosity	Not determined.	
Dynamic:	Not determined.	
Solubility		
water:	Not determined.	
Partition coefficient n-octanol/water (log	Not determined.	
Vapour pressure:	Not determined.	
Density and/or relative density		
Density:	Not determined.	
Relative density	0,8900 0,915	
Vapour density	Not determined.	
9.2 Other information	No further relevant information available.	
Appearance:		
Form:	fluid	
Important information on protection of hea	Ith and environment, and on safety.	
Auto-ignition temperature:	Not determined.	
Explosive properties:	Not determined.	
Solvent content:		
Solids content:	0,00 %	
Change in condition		
Evaporation rate	Not determined.	
Information with regard to physical hazard		
Explosives	not applicable	
Flammable gases	not applicable	
Aerosols	not applicable	
Oxidising gases	not applicable	
Gases under pressure	not applicable	
Flammable liquids	Flammable liquid and vapour.	
Flammable solids	not applicable	
Self-reactive substances and mixtures	not applicable	
Pyrophoric liquids	not applicable	
Pyrophoric solids	not applicable	
Self-heating substances and mixtures	not applicable	
Substances and mixtures, which emit flammable gases in contact with water	not applicable	

Page: 7 / 11



CHEMICAL SAFETY DATA SHEET

according to 2020/878/EC (1907/2006/EC Article 31)

2279601

Reviewed on: 21.12.2022 Printing date: 21.12.2022

		(continued of page 6)
Oxidising liquids	not applicable	(communication program)
Oxidising solids	not applicable	
Organic peroxides	not applicable	
Corrosive to metals	not applicable	
Desensitised explosives	not applicable	

SECTION 10: Stability and reactivity

10.1 Reactivity

No further relevant information available.

- 10.2 Chemical stability
- 10.3 Possibility of hazardous reactions

No dangerous reactions known.

10.4 Conditions to avoid

No further relevant information available.

10.5 Incompatible materials:

No further relevant information available.

10.6 Hazardous decomposition products:

Not determined.

* SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity
- Harmful if swallowed.

LD/LC50 values relevant for classification:

ISO LD/LC

89-83-8 thymol
Oral, LD50: 980 mg/kg (rat)
79-92-5 camphene
Oral, LD50: 5000 mg/kg (rat)
Dermal, LD50: 2500 mg/kg (Rabbit)

1139-30-6 Caryophyllene oxide Oral, LD50: >5000 mg/kg (rat) (Moreno 1978)

499-75-2 carvacrol Oral, LD50: 810 mg/kg (rat)

- * 99-86-5 p-mentha-1,3-diene
- Oral, LD50: 1680 mg/kg (ATE)
- 5989-27-5 (R)-p-mentha-1,8-diene
- Oral, LD50: 4400 mg/kg (rat)
 - Primary irritant effect:
- Skin corrosion/irritation
 - Causes severe skin burns and eye damage.
 - Serious eye damage/irritation
 - Strong irritant with the danger of severe eye injury.
- Causes serious eye damage.
 - Respiratory or skin sensitisation
 - No sensitizing effects known.
 - Germ cell mutagenicity
 - 1139-30-6 Caryophyllene oxide
 - OECD 471 AMES: NEGATIVE (in vitro) (Richold and al, 1979)
 - Carcinogenicity
 - Not determined.
 - Reproductive toxicity
 - Not determined.
 - STOT-single exposure Not determined.

(continued on page 8)



Page: 8 / 11

2279601

Reviewed on: 21.12.2022 Printing date: 21.12.2022

(continued of page 7)

PRODUCT: AJOWAN INDIA OIL

STOT-repeated exposure

Not determined.

Aspiration hazard

May be fatal if swallowed and enters airways.

May be fatal if swallowed and enters airways. · Subacute to chronic toxicity:

Not determined.

11.2 Information on other hazards

Endocrine disrupting properties

Substance is not listed.

SECTION 12: Ecological information

12.1 Toxicity

• Aquatic toxicity:

99-87-6 p-cymene LD50: 1,63 mg/l (fish) (OECD 203)

123-35-3 Myrcene LD50: 0,51 mg/l (fish) (OECD 203) CE50/48h: 0,65 mg/l (daphnia)

5989-27-5 (R)-p-mentha-1,8-diene

LD50: 0,71 mg/l (fish) (OECD 203)

12.2 Persistence and degradability

No further relevant information available.

· Behaviour in environmental systems: Not determined.

12.3 Bioaccumulative potential

No further relevant information available.

12.4 Mobility in soil

No further relevant information available.

12.5 Results of PBT and vPvB assessment

• PBT:

Not applicable.

vPvB:

Not applicable.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.6 Other adverse effects

No further relevant information available.

• Ecotoxical effects: Not determined.

Remark:

Toxic for fish

Additional ecological information:

General notes:

Toxic for aquatic organisms

The material is harmful to the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Must be specially treated adhering to official regulations.

- Uncleaned packaging:
- Recommendation:

Disposal must be made according to official regulations.

ΕU

(continued on page 9)





2279601

Reviewed on: 21.12.2022

Printing date: 21.12.2022

(continued of page 8)

PRODUCT: AJOWAN INDIA OIL

SECTION 14: Transport information

14.1 UN number or ID number

ADR UN2924 **IMDG** UN2924 IATA UN2924

14.2 UN proper shipping name

2924 FLAMMABLE LIQUID, CORROSIVE, N.O.S. (TRACHYSPERMUM AMMI) **ADR** FLAMMABLE LIQUID, CORROSIVE, N.O.S. (TRACHYSPERMUM AMMI) **IMDG** IATA FLAMMABLE LIQUID, CORROSIVE, N.O.S. (TRACHYSPERMUM AMMI)

14.3 Transport hazard class(es)

ADR

Class 3 (FC) Flammable liquids.

Label







IMDG

Class 3 Flammable liquids.

Label







IATA

Class 3 Flammable liquids.

Label





14.4 Packing group

ADR Ш **IMDG** Ш IATA Ш

14.5 Environmental hazards:

Marine pollutant: Yes

14.6 Special precautions for user

Warning: Flammable liquids.

Danger code (Kemler): 38 **EMS Number:** F-E,S-C

14.7 Maritime transport in bulk according to IMO instruments Not applicable.

Transport/Additional information: Not applicable.

ADR

Excepted quantities (EQ): E1 Limited quantities (LQ) 5L 3 **Transport category**

(continued on page 10)



Page: 10 / 11

2279601

Reviewed on: 21.12.2022 Printing date: 21.12.2022

(continued of page 9)

PRODUCT: AJOWAN INDIA OIL

Tunnel restriction code

D/E

IMDG

Limited quantities (LQ) 5L **Excepted quantities (EQ)**

• UN "Model Regulation":

UN 2924 FLAMMABLE LIQUID, CORROSIVE, N.O.S. (TRACHYSPERMUM AMMI), 3

(8), III, ENVIRONMENTALLY HAZARDOUS

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II
- Substance is not listed.
 - REGULATION (EU) 2019/1148
 - Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))
 - Substance is not listed.
 - Annex II REPORTABLE EXPLOSIVES PRECURSORS
 - Substance is not listed.
 - Regulation (EC) No 273/2004 on drug precursors
 - Substance is not listed.
 - · Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors
- Substance is not listed.
 - National regulations:
 - · Waterhazard class:

Generally not hazardous for water.

15.2 Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

The information in this safety data sheet is based on the state of our knowledge at the date indicated. The information in this sheet must be regarded as a description of the safety requirements for the product, they are not to be considered a warranty or quality specification and have no contractual value on properties and application areas thereof. The information contained in this safety data sheet relate to the specific material designated and may not be valid with respect to the product associated with another product or process, unless it is specified in the text of this document.

The required information complies with EU regulations in force. It does not exempt the user from knowing and applying all the national regulations in force.

Relevant phrases

H226 Flammable liquid and vapour. H228 Flammable solid. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways.

H314 Causes severe skin burns and eye damage. H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage.

H319 Causes serious eye irritation. H331 Toxic if inhaled.

H400 Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects. H410 H411 Toxic to aquatic life with long lasting effects.

Harmful to aquatic life with long lasting effects. H412

Minimum training in occupational risk prevention is recommended for personnel who will handle this product, in the purpose of facilitating the understanding and interpretation of this form of safety data in the same way as the labeling of the product.

(continued on page 11)



Page : 11 / 11

2279601

Reviewed on: 21.12.2022 Printing date: 21.12.2022

PRODUCT: AJOWAN INDIA OIL

(continued of page 10)

· Abbreviations and acronyms:

IFRA:International Fragrance Association IOFI:International Organization of the Flavor Industry IFRA:International Fragrance Association IOFI:International Organization of the Flavor Industry

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation DOT: US Department of Transportation

IATA: International Air Transport Association IATA: International Air Transport Association

ICAO: International Civil Aviation Organisation ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative vPvB: very Persistent and very Bioaccumulative

CE50: effective concentration at 50% ErC50:concentration of test substance which results in a 50 percent reduction in either growth rate (ErC50)relative to the control within 72hrs exposure.

Sources

IFRA/IOFI Labelling Manual, REACH registration dossier, supplier information

• * Data compared to the previous version altered.