



2891100

Reviewed on: 08.07.2024 Printing date: 08.07.2024

## SECTION 01: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- Trade name: CAMPHOR OIL
- Article number:
  - 205
- CAS Number:
  - 8008-51-3
- EC Number:
  - 295-980-1
- No CAS EINECS:

92201-50-8

- 1.2 Relevant identified uses of the substance or mixture and uses advised against Application of the substance / the preparation Only for industrial use
- 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

GOLGEMMA TEL: +33(0)4.68.74.17.89 Route de FA email: fds@golgemma.com

11260 ESPERAZA

**FRANCE** 

1.4 Emergency telephone number: FR-ORFILA (INRS):+33(0)1 45 42 59 59

## SECTION 02: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



GHS08

Muta. 2 - H341 Suspected of causing genetic defects. Carc. 1B - H350 May cause cancer. STOT SE 2 - H371 May cause damage to organs. Asp. Tox. 1 - H304 May be fatal if swallowed and enters airways.



GHS02

Flam. Liq. 3 - H226 Flammable liquid and vapour.



GHS07

Acute Tox. 4 - H332 Harmful if inhaled. Skin Irrit. 2 - H315 Causes skin irritation. Skin Sens. 1 - H317 May cause an allergic skin reaction.



GHS09

Aquatic Chronic 2 - H411 Toxic to aquatic life with long lasting effects.

- 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008
- Hazard pictograms

(continued on page 2)





2891100

Reviewed on: 08.07.2024 Printing date: 08.07.2024

(continued of page 1)

(continued on page 3)

**PRODUCT: CAMPHOR OIL** 









GHS08

GHS02 GHS07

Signal word

Danger

Hazard statements

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H332 Harmful if inhaled.

H341 Suspected of causing genetic defects.

H350 May cause cancer.

H371 May cause damage to organs.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements
P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

Skin Irrit. 2 - H315, Eye Irrit. 2 -

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/ national/international regulations.

#### 2.3 Other hazards

- Results of PBT and vPvB assessment
- PBT:

Not applicable.

- vPvB:
- Not applicable.
- Determination of endocrine-disrupting properties None of the ingredients is listed.

## SECTION 03: Composition/information on ingredients

### 3.1 Substances

#### CAS No. Description

8008-51-3 Cinnamomum camphora (L.) J.Presl

- Identification number(s)
- EC number: 295-980-1

<ul> <li>Dangerous</li> </ul>	components:	
CAS Number		%
76-22-2	CAMPHOR	20,001-50,00
	EC number: 200-945-0	
	🏇 Flam. Sol. 2 - H228; 🕩 Acute Tox.	
	4 - H302, Acute Tox. 4 - H332; 🚸 STOT SE	
	2 - H371	
94-59-7	5-allyl-1,3-benzodioxole	10,001-20,00
	EC number: 202-345-4	
	🕸 Muta. 2 - H341, Carc. 1B - H350; 🕚	
	Acute Tox. 4 - H302	
470-82-6	Eucalyptol	10,001-20,00
	EC number: 207-431-5	
	🚸 Flam. Liq. 3 - H226; 🕚 Skin Sens.	
	1B - H317	
98-55-5	p-menth-1-en-8-ol	5,001-10,00
	EC number: 202-680-6	



2891100

Reviewed on: 08.07.2024 Printing date: 08.07.2024

		(continued of page 2
78-70-6	H319 <b>LINALOOL</b>	5,001-10,00
	EC number: 201-134-4	
	Skin Irrit. 2 - H315, Eye Irrit. 2 -	
562-74-3	H319, Skin Sens. 1B - H317 p-Menth-1-en-4-ol	5,001-10,00
362-74-3	EC number: 209-235-5  Acute Tox. 4 - H302, Acute Tox. 4 -	5,001-10,00
	H332, Skin Irrit. 2 - H315, Eye Irrit. 2 - H319, Skin Sens. 1B - H317, STOT SE 3 - H336	
5989-27-5	d-limonene	5,001-10,00
	EC number: 227-813-5	
	- H226; 💠 Skin Irrit. 2 - H315, Skin	
	Sens. 1B - H317; 🅸 Aquatic Acute 1 -	
	H400 (M=1); Aquatic Chronic 3 - H412	
555-10-2	beta-Phellandrene	1,001- 5,000
	EC number: 209-081-9	
	- H226	
87-44-5	BETA-CARYOPHYLLENE	1,001- 5,000
	EC number: 201-746-1  Asp. Tox. 1 - H304; Skin Sens.	
7040 44 4	1B - H317	4 004 5 000
7212-44-4	Nerolidol (isomer unspecified)  EC number: 230-597-5  Skin Sens. 1B - H317; Aquatic	1,001- 5,000
	Acute 1 - H400 (M=1), Aquatic Chronic 1 -	
	H410 (M=1)	
80-56-8	ALPHA-PINENE	1,001- 5,000
	EC number: 201-291-9	
	Asp. Tox. 1 - H304;  Flam. Liq. 3	
	- H226; 🕂 Acute Tox. 4 - H302, Skin	
	Irrit. 2 - H315, Skin Sens. 1B - H317	4 004 = 000
3387-41-5	sabinene EC number: 222-212-4	1,001- 5,000
	• Acute Tox. 4 - H302	
79-92-5	camphene	1,001- 5,000
	EC number: 201-234-8	, ,
	🏵 Flam. Sol. 1 - H228; 🕚 Eye Irrit.	
	2 - H319; 🌜 Aquatic Acute 1 - H400 (M=1)	
	, Aquatic Chronic 1 - H410 (M=1)	
123-35-3	Myrcene	1,001- 5,000
	EC number: 204-622-5	
	<ul> <li>✓ Asp. Tox. 1 - H304;</li> <li>✓ Flam. Liq. 3</li> <li>- H226;</li> <li>✓ Skin Irrit. 2 - H315, Eye</li> </ul>	
	•	
13877-91-3	Irrit. 2 - H319  3,7-Dimethyl-1,3,6-octatriene	1,001- 5,000
	EC number: 237-641-2	.,551 0,550
	🕸 Asp. Tox. 1 - H304; 🚸 Flam. Liq. 3	(continued on page 4



Page: 4 / 13

2891100

Reviewed on: 08.07.2024 Printing date: 08.07.2024

PRODUCT :	CAMPHOR OIL	
	^ ^	(continued of page 3)
	- H226; 🕚 Skin Irrit. 2 - H315; 🔖	
	Aquatic Acute 1 - H400 (M=1), Aquatic	
	Chronic 2 - H411	
99-87-6	p-cymene	1,001- 5,000
	EC number: 202-796-7	
	Acute Tox. 3 - H331; 🚱 Asp. Tox. 1	
	- H304; 🚸 Flam. Liq. 3 - H226; 💠	
	Aquatic Chronic 2 - H411	
127-91-3	BETA-PINENE	1,001- 5,000
	EC number: 204-872-5	
	Asp. Tox. 1 - H304; Flam. Liq. 3	
	- H226; 💠 Skin Irrit. 2 - H315, Skin	
	Sens. 1B - H317	
507-70-0	I-Borneol	1,001- 5,000
	EC number: 208-080-0	
	🏇 Flam. Sol. 2 - H228; 💠 Skin Irrit.	
	2 - H315	
99-83-2	Alpha phellandrene	1,001- 5,000
	EC number: 202-792-5	
	🕸 Asp. Tox. 1 - H304; 🚸 Flam. Liq. 3	
	- H226	
586-62-9	TERPINOLENE	0,101-1,000
	EC number: 209-578-0	
	Asp. Tox. 1 - H304; 🔱 Skin Sens.	
	1B - H317; 🤄 Aquatic Acute 1 - H400	
	(M=1), Aquatic Chronic 1 - H410 (M=1)	
106-24-1	GERANIOL	0,101-1,000
	EC number: 203-377-1	
	Eye Dam. 1 - H318; 🕚 Skin Irrit. 2	
	- H315, Skin Sens. 1 - H317	
99-86-5	1-isopropyl-4-methylcyclohexa-1,3-diene	0,101-1,000
	EC number: 202-795-1	
	♦ Asp. Tox. 1 - H304; ♦ Flam. Liq. 3	
	- H226; 🕚 Acute Tox. 4 - H302, Skin	
	Sens. 1 - H317; 🥸 Aquatic Chronic 2 -	
	H411	
99-85-4	p-Mentha-1,4-diene	0,101-1,000
	EC number: 202-794-6	
	🕸 Asp. Tox. 1 - H304; 🚸 Flam. Liq. 3	
	- H226	
93-15-2	METHYL EUGENOL	0,101-1,000
	EC number: 202-223-0	
	Acute Tox. 4 - H302;  Muta. 2 -	
	H341, Carc. 2 - H351	
106-25-2	Nerol	0,101-1,000
	EC number: 203-378-7	
	Skin Irrit. 2 - H315, Eye Irrit. 2 -	
	H319, Skin Sens. 1B - H317	



Page: 5 / 13

2891100

Reviewed on: 08.07.2024 Printing date: 08.07.2024

(continued of page 4)

PRODUCT: CAMPHOR OIL

## SECTION 04: First aid measures

4.1 Description of first aid measures

• General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Seek immediate medical advice.

• After inhalation:

Supply fresh air and to be sure call for a doctor.

After skin contact:

If skin irritation continues, consult a doctor.

Immediately wash with water and soap and rinse thoroughly.

After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Seek immediate medical advice.

Information for doctor:

 $4.2 \; \text{Most important symptoms and effects, both acute and delayed}$ 

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

## SECTION 05: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents:

CO2, sand, extinguishing powder. Do not use water.

Use fire extinguishing methods suitable to surrounding conditions.

For safety reasons unsuitable extinguishing agents:

Water with full jet

5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- 5.3 Advice for firefighters
- Protective equipment:

Mount respiratory protective device.

Do not inhale explosion gases or combustion gases.

Additional information

 ${\it Cool endangered receptacles with water spray.}$ 

## SECTION 06: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Keep away from ignition sources.

6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

6.3 Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

ΕU

Page: 6 / 13

2891100

Reviewed on: 08.07.2024 Printing date: 08.07.2024

**PRODUCT: CAMPHOR OIL** 

(continued of page 5)

## SECTION 07: Handling and storage

#### 7.1 Precautions for safe handling

Keep receptacles tightly sealed.
Keep away from heat and direct sunlight.

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Handle with care. Avoid jolting, friction and impact.

Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

#### 7.2 Conditions for safe storage, including any incompatibilities Storage:

• Requirements to be met by storerooms and receptacles:

Store only in the original receptacle.

Prevent any seepage into the ground.

Use only receptacles specifically permitted for this substance/ product.

- Information about storage in one common storage facility: Not required.
- Further information about storage conditions:

Keep container tightly sealed.

Protect from heat and direct sunlight.

Store receptacle in a well ventilated area.

### 7.3 Specific end use(s)

No further relevant information available.

## SECTION 08: Exposure controls/personal protection

#### 8.1 Control parameters

- Ingredients with limit values that require monitoring at the workplace: Not required.
- Additional information:

The lists valid during the making were used as basis.

#### 8.2 Exposure controls

- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the skin.

Respiratory protection:

Use suitable respiratory protective device in case of insufficient ventilation.

Filter P3

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Suitable respiratory protective device recommended.

Protection of hands:

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection

Safety glasses

Body protection:

Impervious protective clothing

**Boots** 





2891100

Reviewed on: 08.07.2024 Printing date: 08.07.2024

PRODUCT: CAMPHOR OIL

SECTION 09: Physical and chemical p	(continued of pa properties
9.1 Information on basic physical and chemic	
General Information	ai properties
Physical state	Fluid
Colour:	colourless to pale yellow
Odour:	aromatic
Odour threshold:	Not determined.
Melting point/freezing point:	179,0 °C
<u> </u>	
Boiling point or initial boiling point and boiling range	204,0 °C
Flammability	Not determined.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	43,0 °C NFT 60-103 CC
Decomposition temperature:	Not determined.
pH	Not determined.
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
water:	Not determined.
Partition coefficient n-octanol/water (log	Not determined.
value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density:	Not determined.
Relative density	0,9350 0,9600 D20/20
Vapour density	Not determined.
9.2 Other information	No further relevant information available.
Appearance:	No farther followard information available.
Form:	liquid to semi-crystallized
Important information on protection of health	
Auto-ignition temperature:	
-	Not determined.
Explosive properties:	Not determined.
Solvent content:	0.00.0/
Solids content:	0,00 %
Change in condition	
Evaporation rate	<=1,0
Information with regard to physical hazard cl	asses
Explosives	not applicable
Flammable gases	not applicable
Aerosols	not applicable
Oxidising gases	not applicable
Gases under pressure	not applicable
Flammable liquids	Flammable liquid and vapour.
Flammable solids	not applicable
Self-reactive substances and mixtures	not applicable
Pyrophoric liquids	not applicable
Pyrophoric solids	not applicable
Self-heating substances and mixtures	not applicable





## CHEMICAL SAFETY DATA SHEET

## according to 2020/878/EC (1907/2006/EC Article 31)

2891100

Reviewed on: 08.07.2024 Printing date: 08.07.2024

PRODUCT: CAMPHO
-----------------

		(continued of page 7)
Substances and mixtures, which emit flammable gases in contact with water	not applicable	
Oxidising liquids	not applicable	
Oxidising solids	not applicable	
Organic peroxides	not applicable	
Corrosive to metals	not applicable	
Desensitised explosives	not applicable	

## SECTION 10: Stability and reactivity

10.1 Reactivity

No further relevant information available.

10.2 Chemical stability

10.3 Possibility of hazardous reactions

No dangerous reactions known.

10.4 Conditions to avoid

No further relevant information available.

10.5 Incompatible materials:

No further relevant information available.

10.6 Hazardous decomposition products:

Not determined.

## SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity
- LD/LC50 values relevant for classification:

ISO LD/LC

8008-51-3 Cinnamomum camphora (L.) J.Presl

Oral, LD50: 5100 mg/kg (rat) Dermal, LD50: >=5000 mg/kg (Rabbit)

76-22-2 CAMPHOR

Oral, LD50: >5000 mg/kg (rat) (Opdyke 1978) Dermal, LD50: >1000 mg/kg (mouse) (NTP 1998)

94-59-7 safrole

Oral, LD50: 1950 mg/kg (rat) Dermal, LD50: >5000 mg/kg (Rabbit)

470-82-6 Eucalyptol

Oral, LD50: 3849 mg/kg (mouse) (Jiao Xu, 2014)

98-55-5 p-menth-1-en-8-ol

Oral, LD50: 4300 mg/kg (rat)

78-70-6 LINALOOL

Oral, LD50: 2790 mg/kg (rat) Dermal, LD50: 5610 mg/kg (Rabbit)

5989-27-5 (R)-p-mentha-1,8-diene

Oral, LD50: 4400 mg/kg (rat)

87-44-5 BETA-CARYOPHYLLENE

Oral, LD50: > 5000 mg/kg (rat) (Hart and Wong 1971)

7212-44-4 Nerolidol (isomer unspecified)

Oral, LD50: >5000 mg/kg (rat) (RIFM 1973) Oral, LD50: 9626 mg/kg (mouse) (RIFM 1967) Dermal, LD50: >5000 mg/kg (Rabbit) (RIFM 1973)

**79-92-5 camphene** Oral, LD50: 5000 mg/kg (rat)

Dermal, LD50: 2500 mg/kg (Rabbit)

99-83-2

Alpha phellandrene

(continued on page 9)



## CHEMICAL SAFETY DATA SHEET

Page: 9 / 13

## according to 2020/878/EC (1907/2006/EC Article 31)

2891100

Reviewed on: 08.07.2024 Printing date: 08.07.2024

(continued of page 8)

**PRODUCT: CAMPHOR OIL** 

Oral, LD50: > 5700 mg/kg (rat) (Moreno 1972)

**ALPHA-TERPINENE** 

Oral, LD50: 1680 mg/kg (ATE)

93-15-2 **METHYL EUGENOL** 

Oral, LD50: 810 mg/kg (rat) (Beroza and al., 1975)

Primary irritant effect:

Skin corrosion/irritation

Irritant to skin and mucous membranes.

Causes skin irritation.

Serious eye damage/irritation

7212-44-4 Nerolidol (isomer unspecified)

Irritation of eyes, OECD 405 DRAIZE: NOT CLASSIFIED (Rabbit) (RIFM

· Respiratory or skin sensitisation Sensitization possible through skin contact.

· Germ cell mutagenicity

**CAMPHOR** 76-22-2

OECD 471 AMES: NEGATIVE (in vitro) (Anderson and Styles 1978)

Eucalyptol

OECD 471 AMES: NEGATIVE (in vitro) (Haworth, 1983)

78-70-6 LINALOOL

OECD 471 AMES: NEGATIVE (in vitro) (Letizia and al., 2007)

**BETA-CARYOPHYLLENE** 87-44-5

OECD 471 AMES: NEGATIVE (in vitro) (Heck and al., 1989)

Suspected of causing genetic defects.

Carcinogenicity

76-22-2 **CAMPHOR** 

Micronoyau: NEGATIVE (mouse) (NTP 1999)

78-70-6 LINALOOL

Micronoyau: NEGATIVE (mouse) (in vivo, Letizia and al., 2007)

Micronoyau: NEGATIVE (in vitro) (DiSotto and al., 2011)

May cause cancer.

· Reproductive toxicity

Not determined.

STOT-single exposure

May cause damage to organs.

STOT-repeated exposure

Not determined.

Aspiration hazard

May be fatal if swallowed and enters airways.

May be fatal if swallowed and enters airways.

Subacute to chronic toxicity:

**CAMPHOR** 76-22-2

Oral, NOAEL: >800 mg/kg (rat) (fetal toxicity GD 6 to 15, NTP 1992)

LINALOOL

Oral, NOAEL: 200 mg/kg (rat) (maternal toxicity, Politano and al.,

**BETA-CARYOPHYLLENE** 

Oral, NOAEL: 700 mg/kg (rat) (90 days Schmitt 2016)

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

## SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity:

8008-51-3 Cinnamomum camphora (L.) J.Presl

CE50/48h: 112,2 mg/l (daphnia) **CAMPHOR** CE50/48h: 26,82 mg/l (daphnia) ErC50(0-72h): 23,8 mg/l (algae)

**LINALOOL** 

LD50: 27,8 mg/l (fish) ((OECD 203) RIFM 1991)

(continued on page 10)



Page: 10 / 13

2891100

Reviewed on: 08.07.2024 Printing date: 08.07.2024

PRODUCT: CAMPHOR OIL

(continued of page 9)

ErC50(0-72h): 156,7 mg/l (algae)

ErC50(0-48h): 59 mg/l (daphnia) ((OECD 202) 5989-27-5 (R)-p-mentha-1,8-diene

LD50: 0,71 mg/l (fish) (OECD 203)

123-35-3 Myrcene

LD50: 0,51 mg/l (fish) (OECD 203) CE50/48h: 0,65 mg/l (daphnia)

99-87-6 p-cymene

LD50: 1,63 mg/l (fish) (OECD 203) 93-15-2 **METHYL EUGENOL** 

CE50/48h: 38 mg/l (daphnia) (Ministry of the Environment of Japan 2018)

ErC50(0-72h): 22 mg/l (algae) (Ministry of the Environment of Japan

2018)

96h-LC50: 14 mg/l (fish) (Ministry of the Environment of Japan 2018)

#### 12.2 Persistence and degradability

No further relevant information available.

 Behaviour in environmental systems: Not determined.

## 12.3 Bioaccumulative potential

No further relevant information available.

#### 12.4 Mobility in soil

No further relevant information available.

## 12.5 Results of PBT and vPvB assessment

• PBT:

Not applicable.

vPvB:

Not applicable.

## 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

## 12.6 Other adverse effects

No further relevant information available.

- Ecotoxical effects:
- Not determined.
- Remark:
  - Toxic for fish
- Additional ecological information:
- General notes:

Toxic for aquatic organisms

The material is harmful to the environment.

## SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

- Recommendation
  - Must be specially treated adhering to official regulations.
- Uncleaned packaging:
- Recommendation:

Disposal must be made according to official regulations.

## SECTION 14: Transport information

14.1 UN number or ID number

. ADR UN1197
. IMDG UN1197
. IATA UN1197

14.2 UN proper shipping name

. **ADR** 1197 EXTRACTS, LIQUID

(continued on page 11)



Page: 11 / 13

2891100

Reviewed on: 08.07.2024 Printing date: 08.07.2024

(continued of page 10)

PRODUCT: CAMPHOR OIL

EXTRACTS, LIQUID (CINNAMOMUM CAMPHORA)

IATA EXTRACTS, LIQUID

14.3 Transport hazard class(es)

. ADR

. IMDG

. Class

3 (F1) Flammable liquids.

. Label





IMDG

Class

3 Flammable liquids.

Label





IATA

Class

3 Flammable liquids.

Label



14.4 Packing group

. ADR III . IMDG III

14.5 Environmental hazards:

. Marine pollutant: Yes

14.6 Special precautions for user

Warning: Flammable liquids.

Danger code (Kemler):

. **EMS Number:** F-E,S-D

 $14.7\ \mbox{Maritime}$  transport in bulk according to IMO instruments  $\mbox{Not}$  applicable.

• Transport/Additional information:

. ADR

Excepted quantities (EQ):
 Limited quantities (LQ)
 Transport category
 Tunnel restriction code

. IMDG

Limited quantities (LQ)Excepted quantities (EQ)E1

• UN "Model Regulation":

UN 1197 EXTRACTS, LIQUID, 3, III, ENVIRONMENTALLY HAZARDOUS

Page: 12 / 13

2891100

Reviewed on: 08.07.2024 Printing date: 08.07.2024

**PRODUCT: CAMPHOR OIL** 

(continued of page 11)

## SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II None of the ingredients is listed.
- REGULATION (EU) 2019/1148
- Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

- Regulation (EC) No 273/2004 on drug precursors 94-59-7 safrole: 1
- Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors 94-59-7 safrole: 1
- · National regulations:
- Additional classification according to Decree on Hazardous Materials, Annex II:

Carcinogenic hazardous material group I (extremely dangerous). Carcinogenic hazardous material group II (very dangerous).

Carcinogenic hazardous material group III (dangerous).

- Information about limitation of use:
  - Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.
- Technical instructions (air):
- Class Share in %

68,00

• Waterhazard class:

Generally not hazardous for water.

15.2 Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

The information in this safety data sheet is based on the state of our knowledge at the date indicated. The information in this sheet must be regarded as a description of the safety requirements for the product, they are not to be considered a warranty or quality specification and have no contractual value on properties and application areas thereof. The information contained in this safety data sheet relate to the specific material designated and may not be valid with respect to the product associated with another product or process, unless it is specified in the text of this document.

The required information complies with EU regulations in force. It does not exempt the user from knowing and applying all the national regulations in force.

Relevant phrases

recevant pine	1505
H226	Flammable liquid and vapour.
H228	Flammable solid.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness.
H341	Suspected of causing genetic defects.
H350	May cause cancer.
H351	Suspected of causing cancer.
H371	May cause damage to organs.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

(continued on page 13)



Page: 13 / 13

2891100

Reviewed on: 08.07.2024 Printing date: 08.07.2024

#### **PRODUCT: CAMPHOR OIL**

#### Training hints

(continued of page 12)

Minimum training in occupational risk prevention is recommended for personnel who will handle this product, in the purpose of facilitating the understanding and interpretation of this form of safety data in the same way as the labeling of the product.

#### • Abbreviations and acronyms:

IFRA:International Fragrance Association IOFI:International Organization of the Flavor Industry

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

#### Sources

IFRA/IOFI Labelling Manual, REACH registration dossier, supplier information

• \* Data compared to the previous version altered.