


2340003

CHEMICAL SAFETY DATA SHEET according to 2020/878/EC (1907/2006/EC Article 31)





2340003

| | | Printing date: 27.03.2025 |
|--|--|---------------------------|
| PRODUCT : | PINE SYLVESTER needle OIL | |
| H304 May be f H315 Causes of H317 May cau H410 Very tox Precautionar P210 Keep aw P233 Keep cor P240 Ground a P301+P310 IF P403+P235 St P501 Dispose 2.3 Other haza Results of PI PBT: Not applicable VPVB: Not applicable | se an allergic skin reaction. sic to aquatic life with long lasting effects. y statements ay from heat, hot surfaces, sparks, open flames and other igniti- ntainer tightly closed. and bond container and receiving equipment. SWALLOWED: Immediately call a POISON CENTER/ doctor. sore in a well-ventilated place. Keep cool. of contents/container in accordance with local/regional/ national ards BT and vPvB assessment s. | |
| | composition/information on ingredients | |
| 3.1 Substances | | |
| CAS No. | Description | |
| 8023-99-2 • Identificatio • EC number: 281-679-2 | | |
| Dangerous of | components: | |
| * CAS Number | | % |
| 80-56-8 | ALPHA-PINENE EC number: 201-291-9 | 50,001-100 |
| 127-91-3 | Irrit. 2 - H315, Skin Sens. 1B - H317 BETA-PINENE EC number: 204-872-5 Skin Irrit. 2 - H315, Skin | 20,001-50,00 |
| 13466-78-9 | Sens. 1B - H317 delta-3-Carene EC number: 236-719-3 � Asp. Tox. 1 - H304; ♥ Flam. Liq. 3 - H226; ♥ Skin Irrit. 2 - H315, Skin | 10,001-20,00 |
| * 5989-27-5 | Sens. 1B - H317 d-limonene EC number: 227-813-5 � Asp. Tox. 1 - H304; ♥ Flam. Liq. 3 - H226; ♥ Skin Irrit. 2 - H315, Skin Sens. 1B - H317; ♥ Aquatic Acute 1 - | 5,001-10,00 |
| * 123-35-3 | H400 (M=1); Aquatic Chronic 3 - H412 Myrcene EC number: 204-622-5 | 1,001- 5,000 |
| F 11 | 🚸 Asp. Tox. 1 - H304; 🚸 Flam. Liq. 3 | (continued on page 3) |



2340003

Reviewed on: 27.03.2025 Printing date: 27.03.2025

| Printing date | : 27.03.2025 |
|---------------|--------------|
|---------------|--------------|

| PRODUCT : | PINE SYLVESTER needle OIL | |
|------------------|---|-----------------------|
| | <u>^</u> | (continued of page 2) |
| | - H226; 🕚 Skin Irrit. 2 - H315, Eye | |
| | Irrit. 2 - H319 | |
| 87-44-5 | BETA-CARYOPHYLLENE | 1,001- 5,000 |
| | EC number: 201-746-1 | |
| | 🚸 Asp. Tox. 1 - H304; 🚸 Skin Sens. | |
| | 1B - H317 | |
| 79-92-5 | camphene | 1,001- 5,000 |
| | EC number: 201-234-8 | |
| | 🚸 Flam. Sol. 1 - H228; 🔱 Eye Irrit. | |
| | 2 - H319; 🌜 Aquatic Acute 1 - H400 (M=1) | |
| | , Aquatic Chronic 1 - H410 (M=1) | |
| 475-20-7 | longifolene | 1,001- 5,000 |
| | EC number: 207-491-2 Isp. Tox. 1 - H304; 🚸 Skin Irrit. | |
| | | |
| | 2 - H315, Skin Sens. 1B - H317; 🚸 | |
| | Aquatic Acute 1 - H400 (M=10), Aquatic | |
| | Chronic 1 - H410 (M=10) | |
| 99-86-5 | 1-isopropyl-4-methylcyclohexa-1,3-diene EC number: 202-795-1 | 0,101-1,000 |
| | 🕹 Asp. Tox. 1 - H304; 🚸 Flam. Liq. 3 | |
| | - H226; 🌵 Acute Tox. 4 - H302, Skin | |
| | Sens. 1 - H317; 😵 Aquatic Chronic 2 - | |
| | | |
| <u> </u> | H411 | 0.404.4.000 |
| 99-87-6 | p-cymene EC number: 202-796-7 | 0,101-1,000 |
| | Acute Tox. 3 - H331; Asp. Tox. 1 | |
| | - H304; | |
| | Aquatic Chronic 2 - H411 | |
| 586-62-9 | TERPINOLENE | 0,101-1,000 |
| | EC number: 209-578-0 | 0,101 1,000 |
| | Asp. Tox. 1 - H304; Skin Sens. | |
| | 1B - H317; 🚯 Aquatic Acute 1 - H400 | |
| | (M=1), Aquatic Chronic 1 - H410 (M=1) | |

SECTION 04: First aid measures

- 4.1 Description of first aid measures
- General information:
- Seek immediate medical advice.
- After inhalation: Supply fresh air and to be sure call for a doctor.
- After skin contact:
- If skin irritation continues, consult a doctor.
- Immediately wash with water and soap and rinse thoroughly. • After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing:
- Seek immediate medical advice.
- Information for doctor:

 $4.2\ \text{Most}$ important symptoms and effects, both acute and delayed No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

(continued on page 4)



2340003

| | (continued of page 3 |
|--|----------------------|
| No further relevant information available. | |
| ECTION 05: Firefighting measures | |
| 5.1 Extinguishing media | |
| Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water. | |
| Use fire extinguishing methods suitable to surrounding conditions. | |
| For safety reasons unsuitable extinguishing agents: Water with full jet | |
| | |
| 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. | |
| | |
| 5.3 Advice for firefightersProtective equipment: | |
| Do not inhale explosion gases or combustion gases. | |
| Additional information Cool endangered receptacles with water spray. | |
| | |
| ECTION 06: Accidental release measures | |
| 6.1 Personal precautions, protective equipment and emergency procedures | |
| Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation | |
| Keep away from ignition sources. | |
| 6.2 Environmental precautions: | |
| Do not allow product to reach sewage system or any water course. | |
| Inform respective authorities in case of seepage into water course or sewage system. | |
| 6.3 Methods and material for containment and cleaning up: | |
| Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. | |
| C 4 Deference to other costions | |
| 6.4 Reference to other sections See Section 7 for information on safe handling. | |
| See Section 8 for information on personal protection equipment. See Section 13 for disposal information. | |
| | |
| ECTION 07: Handling and storage | |
| 7.1 Precautions for safe handling | |
| Keep receptacles tightly sealed. | |
| Keep away from heat and direct sunlight. Ensure good ventilation/exhaustion at the workplace. | |
| Handle with care. Avoid jolting, friction and impact. | |
| Information about fire - and explosion protection: Keep ignition sources away - Do not smoke. | |
| Protect against electrostatic charges. | |
| 7.2 Conditions for safe storage, including any incompatibilities | |
| Storage: • Requirements to be met by storerooms and recentacles: | |
| Requirements to be met by storerooms and receptacles: Store only in the original receptacle. | |
| Prevent any seepage into the ground. Use only receptacles specifically permitted for this substance/ product. | |
| Information about storage in one common storage facility: | |
| Not required. • Further information about storage conditions: | |
| Keep container tightly sealed. | |
| Protect from heat and direct sunlight. Store receptacle in a well ventilated area. | |
| | |
| | |
| 7.3 Specific end use(s) No further relevant information available. | |



2340003

| | (continued of page 4) |
|---|--|
| SECTION 08 | : Exposure controls/personal protection |
| 8.1 Contro | l parameters |
| Ingredient Not require | ents with limit values that require monitoring at the workplace: ired. |
| | al information: |
| The lists | valid during the making were used as basis. |
| | ure controls |
| | al protection measures, such as personal protective equipment protective and hygienic measures: |
| | I precautionary measures are to be adhered to when handling chemicals. |
| | ay from foodstuffs, beverages and feed. |
| | tely remove all soiled and contaminated clothing nds before breaks and at the end of work. |
| | ntact with the skin. |
| • | tory protection: ble respiratory protective device in case of insufficient ventilation. |
| | on of hands: |
| Protectiv | |
| Due to r | e material has to be impermeable and resistant to the product/ the substance/ the preparation. nissing tests no recommendation to the glove material can be given for the product/ the preparation/ t mixture. |
| SelectionMateria | of the glove material on consideration of the penetration times, rates of diffusion and the degradation of gloves |
| varies fr | ction of the suitable gloves does not only depend on the material, but also on further marks of quality ar m manufacturer to manufacturer. |
| | tion time of glove material It break through time has to be found out by the manufacturer of the protective gloves and has to b |
| | e protection |
| Body pi | |
| | us protective clothing |

| SECTION 09: | Physical and cher | nical properties |
|-------------|-------------------|------------------|
| | | |

| Fluid | |
|---------------------------|--|
| colourless to pale yellow | |
| turpentine | |
| Not determined. | |
| 255,0 °C | |
| Not determined. | |
| | |
| Not determined. | |
| Not determined. | |
| 40,0 °C NFT 60-103 CC | |
| Not determined. | |
| Not determined. | |
| | |
| Not determined. | |
| Not determined. | |
| | |
| Not determined. | |
| Not determined. | |
| Not determined. | |
| | colourless to pale yellow turpentine Not determined. 255,0 °C Not determined. Not determined. 40,0 °C NFT 60-103 CC Not determined. |



2340003

Reviewed on: 27.03.2025

| Printing date: 27.0 | 3.2025 |
|---------------------|--------|
|---------------------|--------|

| | (continued of pa |
|--|--|
| Density and/or relative density | |
| Density: | Not determined. |
| Relative density | 0,8550 0,870 D20/20 |
| Vapour density | Not determined. |
| 9.2 Other information | No further relevant information available. |
| Appearance: | |
| Form: | fluid |
| Important information on protection of heal | th and environment, and on safety. |
| Auto-ignition temperature: | Not determined. |
| Explosive properties: | Not determined. |
| Solvent content: | |
| Solids content: | 0,00 % |
| Change in condition | |
| Evaporation rate | Not determined. |
| Information with regard to physical hazard | classes |
| Explosives | not applicable |
| Flammable gases | not applicable |
| Aerosols | not applicable |
| Oxidising gases | not applicable |
| Gases under pressure | not applicable |
| Flammable liquids | Flammable liquid and vapour. |
| Flammable solids | not applicable |
| Self-reactive substances and mixtures | not applicable |
| Pyrophoric liquids | not applicable |
| Pyrophoric solids | not applicable |
| Self-heating substances and mixtures | not applicable |
| Substances and mixtures, which emit flammable gases in contact with water | not applicable |
| Oxidising liquids | not applicable |
| Oxidising solids | not applicable |
| Organic peroxides | not applicable |
| Corrosive to metals | not applicable |
| Desensitised explosives | not applicable |

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: Not determined.



2340003

Reviewed on: 27.03.2025 Printing date: 27.03.2025

| | | Printing date: 27.03.202 |
|--|---|--------------------------|
| PRODUCT : | PINE SYLVESTER needle OIL | |
| | | (continued of page 6) |
| SECTION 11: | Toxicological information | |
| | ation on hazard classes as defined in Regulation (EC) No 1272/2008 | |
| Acute to>LD/LC50 | values relevant for classification: | |
| | ISO LD/LC | |
| 8023-99-2 | Pinus sylvestris L. | |
| |): >=5000 mg/kg (rat) D50: >=3000 mg/kg (Rabbit) | |
| 13466-78-9 | delta-3-Carene | |
| | (P) a monthe 1.8 diana | |
| 5989-27-5 Oral, LD50 | (R)-p-mentha-1,8-diene b: 4400 mg/kg (rat) | |
| 87-44-5 | BETA-CARYOPHYLLENE | |
| Oral, LD50 79-92-5 | : > 5000 mg/kg (rat) (Hart and Wong 1971) camphene | |
| Oral, LD50 |): 5000 mg/kg (rat) | |
| | D50: 2500 mg/kg (Rabbit) ALPHA-TERPINENE | |
| |): 1680 mg/kg (ATE) | |
| , | rritant effect: osion/irritation | |
| | skin and mucous membranes. | |
| | n irritation. ye damage/irritation | |
| No irritatir | | |
| | ory or skin sensitisation on possible through skin contact. | |
| | I mutagenicity | |
| 87-44-5 | | |
| Carcinoge | AMES: NEGATIVE (in vitro) (Heck and al., 1989) enicity | |
| Not detern | | |
| Not detern | tive toxicity nined. | |
| STOT-sin Not detern | gle exposure | |
| STOT-rep | peated exposure | |
| Not detern • Aspiration | | |
| May be fat | al if swallowed and enters airways. | |
| | al if swallowed and enters airways. to chronic toxicity: | |
| 87-44-5 | BETA-CARYOPHYLLENE | |
| | EL: 700 mg/kg (rat) (90 days Schmitt 2016) rmation on other hazards | |
| Endocrine | e disrupting properties | |
| None of | the ingredients is listed. | |
| | | |
| SECTION 12: | Ecological information | |
| 12.1 Toxicit | У | |
| Aquatic t | | |
| 8023-99-2 CE50/48h | Pinus sylvestris L. 21,995 mg/l (daphnia) (OECD 202 / EU Method C.2) | |
| ErC50(0-7 | 2h): 13 mg/l (algae) (OECD 201) | |
| | 29,173 mg/l (fish) (OECD 203 / EU Method C.1) (P) n months 1.8 diana | |
| 5989-27-5 LD50: 0,7 | (R)-p-mentha-1,8-diene 1 mg/l (fish) (OECD 203) | |
| 123-35-3 | Myrcene | |

(continued on page 8)



2340003

Reviewed on: 27.03.2025

| RODUCT : | PINE SYLVESTER needle OIL |
|--|---|
| 12 2 Doroio | (continued of page stence and degradability |
| | elevant information available. |
| | ur in environmental systems: |
| Not deter | rmined. |
| | ccumulative potential |
| No further re | elevant information available. |
| 12.4 Mobil | |
| No further re | elevant information available. |
| 12.5 ResulPBT: | Its of PBT and vPvB assessment |
| Not appli | icable. |
| vPvB: | |
| Not appli | |
| | crine disrupting properties does not contain substances with endocrine disrupting properties. |
| | r adverse effects |
| | r adverse effects elevant information available. |
| Ecotoxic | |
| Not deter | |
| | nal ecological information: |
| General The mate | rioles: erial is harmful to the environment. |
| 13.1 Waste • Recomm | e treatment methods nendation specially treated adhering to official regulations. |
| 13.1 Waste Recomm Must be s Uncleand Recomm | e treatment methods nendation specially treated adhering to official regulations. ed packaging: |
| 13.1 Waste Recomm Must be s Unclean Recomm Disposal | e treatment methods nendation specially treated adhering to official regulations. ed packaging: nendation: |
| 13.1 Waste • Recomm Must be s • Unclean • Recomm Disposal ECTION 14 14.1 UN nu | e treatment methods nendation specially treated adhering to official regulations. ed packaging: nendation: must be made according to official regulations. : Transport information umber or ID number |
| 13.1 Waste • Recomm Must be s • Unclean • Recomm Disposal ECTION 14 14.1 UN nu • ADR | e treatment methods nendation specially treated adhering to official regulations. ed packaging: nendation: must be made according to official regulations. : Transport information umber or ID number UN1272 |
| 13.1 Waste • Recomm Must be s • Unclean • Recomm Disposal ECTION 14 14.1 UN nu • ADR • IMDG | e treatment methods nendation specially treated adhering to official regulations. ed packaging: nendation: must be made according to official regulations. : Transport information umber or ID number UN1272 UN1272 |
| 13.1 Waste • Recomm Must be s • Unclean • Recomm Disposal ECTION 14 14.1 UN nu • ADR • IMDG • IATA | e treatment methods nendation specially treated adhering to official regulations. ed packaging: nendation: must be made according to official regulations. : Transport information umber or ID number UN1272 UN1272 UN1272 UN1272 |
| 13.1 Wasta • Recomm Must be s • Unclean • Recomm Disposal ECTION 14 14.1 UN nu • ADR • IMDG • IATA 14.2 UN pr | e treatment methods nendation specially treated adhering to official regulations. ed packaging: nendation: must be made according to official regulations. : Transport information umber or ID number UN1272 UN1272 UN1272 over shipping name |
| 13.1 Wasta • Recomm Must be s • Unclean • Recomm Disposal ECTION 14 14.1 UN nu • ADR • IMDG • IATA 14.2 UN pr • ADR | e treatment methods nendation specially treated adhering to official regulations. ed packaging: nendation: must be made according to official regulations. : Transport information umber or ID number UN1272 UN1272 UN1272 IVN1272 IVN1272 IVN1272 IVN1272 IVN1272 IVN1272 IVN1272 |
| 13.1 Waste • Recomm Must be s • Unclean • Recomm Disposal ECTION 14 14.1 UN nu • ADR • IMDG • IATA 14.2 UN pr • ADR • IMDG | e treatment methods nendation specially treated adhering to official regulations. ed packaging: nendation: must be made according to official regulations. : Transport information umber or ID number UN1272 UN1272 UN1272 UN1272 IN1272 IN1272 IN1272 IN1272 IN1272 IN1272 IN1272 IN1272 |
| 13.1 Waste • Recomm Must be s • Unclean • Recomm Disposal ECTION 14 14.1 UN nu • ADR • IMDG • IATA • IMDG • IATA | e treatment methods nendation specially treated adhering to official regulations. ed packaging: nendation: must be made according to official regulations. : Transport information umber or ID number UN1272 UN1272 UN1272 UN1272 IN12 |
| 13.1 Waste • Recomm Must be s • Unclean • Recomm Disposal ECTION 14 14.1 UN nu • ADR • IMDG • IATA • IMDG • IATA | e treatment methods nendation specially treated adhering to official regulations. ed packaging: nendation: must be made according to official regulations. : Transport information umber or ID number UN1272 UN1272 UN1272 UN1272 IN1272 IN1272 IN1272 IN1272 IN1272 IN1272 IN1272 IN1272 |
| 13.1 Waste • Recomm Must be s • Unclean • Recomm Disposal ECTION 14 14.1 UN nu • ADR • IMDG • IATA 14.2 UN pr • ADR • IMDG • IATA 14.3 Trans | e treatment methods nendation specially treated adhering to official regulations. ed packaging: nendation: must be made according to official regulations. : Transport information umber or ID number UN1272 UN1272 UN1272 UN1272 IN12 |
| 13.1 Waste • Recomm Must be s • Unclean • Recomm Disposal ECTION 14 14.1 UN nu • ADR • IMDG • IATA 14.2 UN pr • ADR • IMDG • IATA 14.3 Trans • ADR | e treatment methods nendation specially treated adhering to official regulations. ed packaging: nendation: must be made according to official regulations. : Transport information umber or ID number UN1272 UN1272 UN1272 UN1272 Troper shipping name 1272 PINE OIL PINE OIL PINE OIL PINE OIL Sport hazard class(es) |
| 13.1 Waste • Recomm Must be s • Unclean • Recomm Disposal • Recomm Disposal • Recomm • ADR • IMDG • IATA • IATA • IATA • IATA • IATA • IATA • IATA • IATA • IATA • Class | e treatment methods nendation specially treated adhering to official regulations. ed packaging: nendation: must be made according to official regulations. : Transport information umber or ID number UN1272 UN1272 UN1272 UN1272 UN1272 Toper shipping name 1272 PINE OIL PINE OIL PINE OIL Sport hazard class(es) 3 (F1) Flammable liquids. |
| 13.1 Wasta • Recomm Must be s • Unclean • Recomm Disposal • Recomm Disposal • Recomm • Recomm • Recomm • Recomm • NADR • IMDG • IATA 14.2 UN pr • ADR • IMDG • IATA 14.3 Trans • ADR • Class • Label | e treatment methods nendation specially treated adhering to official regulations. ed packaging: nendation: must be made according to official regulations. : Transport information umber or ID number UN1272 UN1272 UN1272 UN1272 UN1272 Toper shipping name 1272 PINE OIL PINE OIL PINE OIL Sport hazard class(es) 3 (F1) Flammable liquids. |
| 13.1 Waste Recomm Must be s Unclean Recomm Disposal CECTION 14 14.1 UN nu ADR I4.1 UN nu ADR IMDG IATA 14.2 UN pr ADR IATA 14.3 Trans ADR Class | e treatment methods nendation specially treated adhering to official regulations. ed packaging: nendation: must be made according to official regulations. : Transport information umber or ID number UN1272 UN1272 UN1272 UN1272 UN1272 Toper shipping name 1272 PINE OIL PINE OIL PINE OIL Sport hazard class(es) 3 (F1) Flammable liquids. |



2340003

Reviewed on: 27.03.2025 Printing date: 27.03.2025

| . Label | 3 | (continued of page 8 |
|--|----------------------------------|----------------------|
| . Labei | | |
| IATA | ▼ ∨ | |
| . Class | 3 Flammable liquids. | |
| . Label | 3 | |
| 14.4 Packing group . ADR | 3 | |
| IMDG | III | |
| . IATA | III | |
| 14.5 Environmental hazards . Marine pollutant: | Yes | |
| Danger code (Kemler): | 30 | |
| EMS Number: | F-E,S-E | |
| 14.6 Special precautions for Warning: Flammable liquids. | user | |
| 14.7 Maritime transport in b Not applicable. | ulk according to IMO instruments | |
| Transport/Additional information ADR | mation: | |
| Excepted quantities (EQ): | E1 | |
| . Limited quantities (LQ) | 5L | |
| . Transport category | 3 | |
| . Tunnel restriction code | D/E | |
| . IMDG | | |
| . Limited quantities (LQ) | 5L | |
| Excepted quantities (EQ) | E1 | |
| UN "Model Regulation": | /IRONMENTALLY HAZARDOUS | |

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II None of the ingredients is listed.
- REGULATION (EU) 2019/1148
- Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))
- None of the ingredients is listed.
 Annex II REPORTABLE EXPLOSIVES PRECURSORS None of the ingredients is listed.
- Regulation (EC) No 273/2004 on drug precursors None of the ingredients is listed.
- Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors None of the ingredients is listed.

(continued on page 10)



2340003

CHEMICAL SAFETY DATA SHEET according to 2020/878/EC (1907/2006/EC Article 31)

> Reviewed on: 27.03.2025 Printing date: 27.03.2025

PRODUCT : PINE SYLVESTER needle OIL (continued of page 9) National regulations: Technical instructions (air): Class Share in % Waterhazard class: Generally not hazardous for water. 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out. SECTION 16: Other information The information in this safety data sheet is based on the state of our knowledge at the date indicated. The information in this sheet must be regarded as a description of the safety requirements for the product, they are not to be considered a warranty or quality specification and have no contractual value on properties and application areas thereof. The information contained in this safety data sheet relate to the specific material designated and may not be valid with respect to the product associated with another product or process, unless it is specified in the text of this document. The required information complies with EU regulations in force. It does not exempt the user from knowing and applying all the national regulations in force. Relevant phrases H226 Flammable liquid and vapour. H228 Flammable solid. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H331 Toxic if inhaled. H400 Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. H410 H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. Training hints Minimum training in occupational risk prevention is recommended for personnel who will handle this product, in the purpose of facilitating the understanding and interpretation of this form of safety data in the same way as the labeling of the product. Abbreviations and acronyms: IFRA:International Fragrance Association IOFI:International Organization of the Flavor Industry ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ICAO: International Civil Aviation Organisation GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Sources IFRA/IOFI Labelling Manual, REACH registration dossier, supplier information • * Data compared to the previous version altered.