



## CHEMICAL SAFETY DATA SHEET according to 2020/878/EC (1907/2006/EC Article 31)

2289404

Reviewed on: 03.09.2024 Printing date: 03.09.2024

#### SECTION 01: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- Trade name: BERGAMOT peel ORGANIC oil
- Article number:

B120

- CAS Number: 8007-75-8
- EC Number:
- 289-612-9
- · No CAS EINECS:

89957-91-5

- 1.2 Relevant identified uses of the substance or mixture and uses advised against Application of the substance / the preparation Only for industrial use
- 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

TEL: +33(0)4.68.74.17.89 **GOLGEMMA** Route de FA email: fds@golgemma.com

11260 ESPERAZA

**FRANCE** 

1.4 Emergency telephone number: FR-ORFILA (INRS):+33(0)1 45 42 59 59

#### SECTION 02: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



GHS08

Asp. Tox. 1 - H304 May be fatal if swallowed and enters airways.



GHS02

Flam. Liq. 3 - H226 Flammable liquid and vapour.



GHS07

Skin Irrit. 2 - H315 Causes skin irritation. Skin Sens. 1 - H317 May cause an allergic skin reaction.



GHS09

Aquatic Chronic 1 - H410 Very toxic to aquatic life with long lasting

- 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008
- Hazard pictograms







GHS07



GHS09

GHS02 GHS08

Signal word

Danger

Hazard statements

(continued on page 2)





## according to 2020/878/EC (1907/2006/EC Article 31)

2289404

Reviewed on: 03.09.2024 Printing date: 03.09.2024

(continued of page 1)

## PRODUCT: BERGAMOT peel ORGANIC oil

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H410 Very toxic to aquatic life with long lasting effects.

- Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 Keep container tightly closed.

P240 Ground and bond container and receiving equipment.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/ national/international regulations.

#### 2.3 Other hazards

- · Results of PBT and vPvB assessment
- PBT:

Not applicable.

- vPvB:
- Not applicable.
- Determination of endocrine-disrupting properties None of the ingredients is listed.

## SECTION 03: Composition/information on ingredients

#### 3.1 Substances

#### CAS No. Description

8007-75-8 Citrus bergamia Risso et Poiteau

- Identification number(s)
- EC number: 289-612-9
- Dangerous components:

	<ul> <li>Dangerous c</li> </ul>	omponents:	
*	CAS Number		%
*	5989-27-5	<b>d-limonene</b> EC number: 227-813-5  ♣ Asp. Tox. 1 - H304; ♠ Flam. Liq. 3 - H226; ♦ Skin Irrit. 2 - H315, Skin	20,001-50,00
		Sens. 1B - H317; 4 Aquatic Acute 1 - H400 (M=1); Aquatic Chronic 3 - H412	
	115-95-7	EC number: 204-116-4  Skin Irrit. 2 - H315, Eye Irrit. 2 -	20,001-50,00
	78-70-6	H319, Skin Sens. 1 - H317  LINALOOL  EC number: 201-134-4  Skin Irrit. 2 - H315, Eye Irrit. 2 -	10,001-20,00
*	127-91-3	H319, Skin Sens. 1B - H317 <b>BETA-PINENE</b> EC number: 204-872-5  ♣ Asp. Tox. 1 - H304; ♠ Flam. Liq. 3  - H226; ♠ Skin Irrit. 2 - H315, Skin	5,001-10,00
* * *	99-85-4	Sens. 1B - H317 <b>p-Mentha-1,4-diene</b> EC number: 202-794-6  Asp. Tox. 1 - H304;  Flam. Liq. 3	5,001-10,00
* *	470-82-6	- H226 <b>Eucalyptol</b> EC number: 207-431-5	1,001- 5,000
			(continued on page 3)



# Golgemma

## CHEMICAL SAFETY DATA SHEET according to 2020/878/EC (1907/2006/EC Article 31)

2289404

Reviewed on: 03.09.2024 Printing date: 03.09.2024

		(continued of page 2)
	🚸 Flam. Liq. 3 - H226; 🔱 Skin Sens.	, ,
	1B - H317	
80-56-8	ALPHA-PINENE	1,001- 5,000
	EC number: 201-291-9	
	🕸 Asp. Tox. 1 - H304; 🚸 Flam. Liq. 3	
	- H226; 💠 Acute Tox. 4 - H302, Skin	
	Irrit. 2 - H315, Skin Sens. 1B - H317	
123-35-3	Myrcene	1,001- 5,000
	EC number: 204-622-5	, ,
	Asp. Tox. 1 - H304; Flam. Liq. 3	
	- H226; 🕚 Skin Irrit. 2 - H315, Eye	
	Irrit. 2 - H319	
495-61-4	I-,betaBisabolene	0,101-1,000
	EC number: 610-461-5	3,101 1,000
	Asp. Tox. 1 - H304;  \$\frac{1}{V}\$ Skin Irrit.	
	2 - H315, Skin Sens. 1 - H317	
99-87-6	p-cymene	0,101-1,000
00 0. 0	EC number: 202-796-7	3,101 1,000
	Acute Tox. 3 - H331; � Asp. Tox. 1	
	- H304; 🏵 Flam. Liq. 3 - H226; 🤄	
	Aquatic Chronic 2 - H411	
5392-40-5	CITRAL	0,101-1,000
3332-40-3	EC number: 226-394-6	0, 101-1,000
	Skin Irrit. 2 - H315, Eye Irrit. 2 -	
	-	
105-87-3	H319, Skin Sens. 1B - H317 GERANYL ACETATE	0,101-1,000
103-07-3	EC number: 203-341-5	0, 101-1,000
	Skin Irrit. 2 - H315, Skin Sens. 1B -	
	H317; Aquatic Chronic 3 - H412	
141-12-8	Neryl acetate	0,101-1,000
141-12-0	EC number: 205-459-2	0, 10 1-1,000
	Skin Irrit. 2 - H315, Skin Sens. 1B -	
	H317	
87-44-5	BETA-CARYOPHYLLENE	0,101-1,000
	EC number: 201-746-1	3,121 1,000
	Asp. Tox. 1 - H304;  Skin Sens.	
	1B - H317	
586-62-9	TERPINOLENE	0,101-1,000
	EC number: 209-578-0	, ,
	Asp. Tox. 1 - H304;  Skin Sens.	
	1B - H317; 🕸 Aquatic Acute 1 - H400	
	(M=1), Aquatic Chronic 1 - H410 (M=1)	
106-22-9	CITRONELLOL	0,101-1,000
100-22-3	EC number: 203-375-0	0, 10 1- 1,000
	Skin Irrit. 2 - H315, Eye Irrit. 2 -	
	H319, Skin Sens. 1B - H317	
562-74-3	p-Menth-1-en-4-ol	0,101-1,000
JUZ-14-J	p-wenth-1-en-4-or EC number: 209-235-5	0, 10 1-1,000
	• Acute Tox. 4 - H302, Acute Tox. 4 -	
	H332, Skin Irrit. 2 - H315, Eye Irrit. 2 -	
	11332, Skill IIII. 2 - 11313, Eye IIII. 2 -	(continued on page 4)





## CHEMICAL SAFETY DATA SHEET according to 2020/878/EC (1907/2006/EC Article 31)

2289404

Reviewed on: 03.09.2024 Printing date: 03.09.2024

PRODUCT: BERGAMOT peel ORGANIC oil

(continued of page 3)

H319, Skin Sens. 1B - H317, STOT SE 3 - H336

1-isopropyl-4-methylcyclohexa-1,3-diene
EC number: 202-795-1

Asp. Tox. 1 - H304; ← Flam. Liq. 3

- H226; ← Acute Tox. 4 - H302, Skin

Sens. 1 - H317; ← Aquatic Chronic 2 -

## SECTION 04: First aid measures

- 4.1 Description of first aid measures
- General information:

Seek immediate medical advice.

- After inhalation:
- Supply fresh air and to be sure call for a doctor.

H411

- After skin contact:
- If skin irritation continues, consult a doctor.
- Immediately wash with water and soap and rinse thoroughly.
- After eye contact:
  - Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing:
- Seek immediate medical advice.
- Information for doctor:
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

## SECTION 05: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents:
  - CO2, sand, extinguishing powder. Do not use water.
- Use fire extinguishing methods suitable to surrounding conditions.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire.
- 5.3 Advice for firefighters
- Protective equipment:
  - Do not inhale explosion gases or combustion gases.
- · Additional information
  - Cool endangered receptacles with water spray.

## SECTION 06: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources.

#### 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system.

6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

(continued on page 5)



## CHEMICAL SAFETY DATA SHEET according to 2020/878/EC (1907/2006/EC Article 31)

Page: 5 / 11

2289404

Reviewed on: 03.09.2024 Printing date: 03.09.2024

#### **PRODUCT: BERGAMOT peel ORGANIC oil**

(continued of page 4)

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### SECTION 07: Handling and storage

#### 7.1 Precautions for safe handling

Keep receptacles tightly sealed.

Keep away from heat and direct sunlight.

Ensure good ventilation/exhaustion at the workplace.

Handle with care. Avoid jolting, friction and impact.

• Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

#### 7.2 Conditions for safe storage, including any incompatibilities Storage:

Requirements to be met by storerooms and receptacles:

Store only in the original receptacle.

Prevent any seepage into the ground.

Use only receptacles specifically permitted for this substance/ product.

- Information about storage in one common storage facility:
  - Not required.
- Further information about storage conditions:

Keep container tightly sealed.

Protect from heat and direct sunlight.

Store receptacle in a well ventilated area.

#### 7.3 Specific end use(s)

No further relevant information available.

## SECTION 08: Exposure controls/personal protection

#### 8.1 Control parameters

- Ingredients with limit values that require monitoring at the workplace: Not required.
- Additional information:

The lists valid during the making were used as basis.

#### 8.2 Exposure controls

- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Respiratory protection:

Use suitable respiratory protective device in case of insufficient ventilation.

Protection of hands:

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection

Safety glasses

Body protection:

Impervious protective clothing

(continued on page 6)





## CHEMICAL SAFETY DATA SHEET according to 2020/878/EC (1907/2006/EC Article 31)

2289404

Reviewed on: 03.09.2024 Printing date: 03.09.2024

(continued on page 7)

PRODUCT: BERGAMOT peel ORGANIC oil

(continued of page 5)
Boots

SECTION 09: Physical and chemical properties 9.1 Information on basic physical and chemical properties **General Information** Physical state Fluid Colour: green-yellow Odour: characteristic **Odour threshold:** Not determined. Boiling point or initial boiling point and 237.0 °C boiling range Flammability Not determined. Lower and upper explosion limit 0.70 % Lower: Upper: 6,10 % Flash point: 59,0 °C NFT 60-103 CC Decomposition temperature: Not determined. Not determined Viscosity: Kinematic viscosity Not determined. Not determined. Dynamic: Solubility water: Not determined. Partition coefficient n-octanol/water (log Not determined. value) Vapour pressure: Not determined. Density and/or relative density Density: Not determined. 0,8650 0,884 D20/20 Relative density Vapour density Not determined. 9.2 Other information No further relevant information available. Appearance: Form: liquid / may contain a deposit Important information on protection of health and environment, and on safety. Auto-ignition temperature: Not determined. Not determined **Explosive properties:** Solvent content: Solids content: 0,00 % Change in condition **Evaporation rate** Not determined. Information with regard to physical hazard classes **Explosives** not applicable Flammable gases not applicable Aerosols not applicable Oxidising gases not applicable Gases under pressure not applicable Flammable liquids Flammable liquid and vapour. Flammable solids not applicable Self-reactive substances and mixtures not applicable not applicable Pyrophoric liquids Pyrophoric solids not applicable





## according to 2020/878/EC (1907/2006/EC Article 31)

2289404

Reviewed on: 03.09.2024 Printing date: 03.09.2024

PRODUCT:	BERGAMOT	peel ORGANIC oil
----------	----------	------------------

		(continued of page 6)
Self-heating substances and mixtures	not applicable	
Substances and mixtures, which emit flammable gases in contact with water	not applicable	
Oxidising liquids	not applicable	
Oxidising solids	not applicable	
Organic peroxides	not applicable	
Corrosive to metals	not applicable	
Desensitised explosives	not applicable	

## SECTION 10: Stability and reactivity

10.1 Reactivity

No further relevant information available.

10.2 Chemical stability

10.3 Possibility of hazardous reactions

No dangerous reactions known.

10.4 Conditions to avoid

No further relevant information available.

10.5 Incompatible materials:

No further relevant information available.

10.6 Hazardous decomposition products:

Not determined.

## SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity
- LD/LC50 values relevant for classification:

ISO LD/LC

8007-75-8 Citrus bergamia Risso et Poiteau

Oral, LD50: 10000 mg/kg (rat)

Dermal, LD50: 20000 mg/kg (Rabbit)

5989-27-5 (R)-p-mentha-1,8-diene

Oral, LD50: 4400 mg/kg (rat)

**78-70-6 LINALOOL** Oral, LD50: 2790 mg/kg (rat)

Dermal, LD50: 5610 mg/kg (Rabbit) 470-82-6 Eucalyptol

Oral, LD50: 3849 mg/kg (mouse) (Jiao Xu, 2014)

**5392-40-5 CITRAL** Oral, LD50: 4960 mg/kg (rat)

105-87-3 GERANYL ACETATE

Oral, LD50: >4000 mg/kg (rat) (NTP 1987)

\* 87-44-5 BETA-CARYOPHYLLENE

Oral, LD50: > 5000 mg/kg (rat) (Hart and Wong 1971)

106-22-9 CITRONELLOL

Oral, LD50: 3450 mg/kg (rat)

Dermal, LD50: 2650 mg/kg (Rabbit)

**99-86-5 ALPHA-TERPINENE**Oral, LD50: 1680 mg/kg (ATE)

• Primary irritant effect:

Skin corrosion/irritation

Irritant to skin and mucous membranes.

Causes skin irritation.

• Serious eye damage/irritation No irritating effect.

(continued on page 8)





#### according to 2020/878/EC (1907/2006/EC Article 31)

2289404

Reviewed on: 03.09.2024 Printing date: 03.09.2024

#### **PRODUCT: BERGAMOT peel ORGANIC oil**

(continued of page 7)

 Respiratory or skin sensitisation Sensitization possible through skin contact.

Germ cell mutagenicity

115-95-7 LINALYL ACETATE

OECD 471 AMES: NEGATIVE (in vitro) (RIFM 1989)

LINALOOL

OECD 471 AMES: NEGATIVE (in vitro) (Letizia and al., 2007)

470-82-6 Eucalyptol

OECD 471 AMES: NEGATIVE (in vitro) (Haworth, 1983)

105-87-3 **GERANYL ACETATE** OECD 471 AMES: NEGATIVE (in vitro) (NTP 1987) **BETA-CARYOPHYLLENE** 87-44-5

OECD 471 AMES: NEGATIVE (in vitro) (Heck and al., 1989)

Carcinogenicity

78-70-6 LINALOOL

Micronoyau: NEGATIVE (mouse) (in vivo, Letizia and al., 2007) Micronoyau: NEGATIVE (in vitro) (DiSotto and al., 2011)

**GERANYL ACETATE** 

Micronoyau: NEGATIVE (mouse) (in vivo, Shelby 1993)

Reproductive toxicity

Not determined.

STOT-single exposure

Not determined.

STOT-repeated exposure

Not determined.

Aspiration hazard

May be fatal if swallowed and enters airways. May be fatal if swallowed and enters airways.

· Subacute to chronic toxicity:

LINALYL ACETATE 115-95-7

Oral, NOAEL: 250 mg/kg (rat) (90days, RIFM 1980)

78-70-6 LINALOOL

Oral, NOAEL: 200 mg/kg (rat) (maternal toxicity, Politano and al.,

2008)

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

## SECTION 12: Ecological information

12.1 Toxicity

· Aquatic toxicity:

8007-75-8 Citrus bergamia Risso et Poiteau

CE50/48h: 6,2 mg/l (daphnia)

5989-27-5 (R)-p-mentha-1,8-diene

LD50: 0,71 mg/l (fish) (OECD 203)

115-95-7 LINALYL ACETATE

ErC50(0-72h): 9,6 mg/l (algae) (RIFM 2015) ErC50(0-48h): 15 mg/l (daphnia) (RIFM 2015)

96h-LC50: 11 mg/l (fish) (RIFM 1998)

LINALOOL

LD50: 27,8 mg/l (fish) ((OECD 203) RIFM 1991)

ErC50(0-72h): 156,7 mg/l (algae) ErC50(0-48h): 59 mg/l (daphnia) ((OECD 202)

123-35-3 Myrcene

LD50: 0,51 mg/l (fish) (OECD 203) CE50/48h: 0,65 mg/l (daphnia)

99-87-6 p-cymene

LD50: 1,63 mg/l (fish) (OECD 203)

12.2 Persistence and degradability

No further relevant information available.

Behaviour in environmental systems: Not determined.

(continued on page 9)





## according to 2020/878/EC (1907/2006/EC Article 31)

2289404

Reviewed on: 03.09.2024 Printing date: 03.09.2024

(continued of page 8)

## PRODUCT: BERGAMOT peel ORGANIC oil

#### 12.3 Bioaccumulative potential

No further relevant information available.

#### 12.4 Mobility in soil

No further relevant information available.

#### 12.5 Results of PBT and vPvB assessment

- PBT:
  - Not applicable.
- vPvB:

Not applicable.

#### 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

#### 12.6 Other adverse effects

No further relevant information available.

- Ecotoxical effects:
  - Not determined.
- Additional ecological information:
- · General notes:

The material is harmful to the environment.

## SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

- Recommendation
- Must be specially treated adhering to official regulations.
- Uncleaned packaging:
- Recommendation:

Disposal must be made according to official regulations.

## SECTION 14: Transport information

14.1 UN number or ID number

. ADR UN1197
. IMDG UN1197
. IATA UN1197

14.2 UN proper shipping name

. ADR 1197 EXTRACTS, LIQUID

. IMDG EXTRACTS, LIQUID (CITRUS BERGAMIA RISSO ET POITEAU)

. IATA EXTRACTS, LIQUID

14.3 Transport hazard class(es)

. ADR

. Class 3 (F1) Flammable liquids.

Label



IMDG

Class 3 Flammable liquids.

Label



(continued on page 10)



## CHEMICAL SAFETY DATA SHEET according to 2020/878/EC (1907/2006/EC Article 31)

Page: 10 / 11

2289404

Reviewed on: 03.09.2024 Printing date: 03.09.2024

(continued of page 9)

## PRODUCT: BERGAMOT peel ORGANIC oil

IATA

Class 3 Flammable liquids.

. Label



14.4 Packing group

. ADR ||| . IMDG ||| . IATA |||

14.5 Environmental hazards:

. Marine pollutant: Yes

14.6 Special precautions for user

Warning: Flammable liquids.

Danger code (Kemler): 30

. **EMS Number:** F-E,S-D

 $14.7\ \mbox{Maritime}$  transport in bulk according to IMO instruments Not applicable.

• Transport/Additional information:

. ADR

Excepted quantities (EQ): E1
Limited quantities (LQ) 5L
Transport category 3
Tunnel restriction code D/E

IMDG

Limited quantities (LQ)Excepted quantities (EQ)

• UN "Model Regulation":

UN 1197 EXTRACTS, LIQUID, 3, III, ENVIRONMENTALLY HAZARDOUS

## SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II None of the ingredients is listed.
- REGULATION (EU) 2019/1148
- Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

- Annex II REPORTABLE EXPLOSIVES PRECURSORS
   None of the ingredients is listed.
- Regulation (EC) No 273/2004 on drug precursors None of the ingredients is listed.
- Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors None of the ingredients is listed.
- · National regulations:
- Technical instructions (air):
  - Class Share in %

(continued on page 11)

ΕU





## CHEMICAL SAFETY DATA SHEET according to 2020/878/EC (1907/2006/EC Article 31)

2289404

Reviewed on: 03.09.2024 Printing date: 03.09.2024

#### **PRODUCT: BERGAMOT peel ORGANIC oil**

· Waterhazard class:

(continued of page 10)

Generally not hazardous for water.

15.2 Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

The information in this safety data sheet is based on the state of our knowledge at the date indicated. The information in this sheet must be regarded as a description of the safety requirements for the product, they are not to be considered a warranty or quality specification and have no contractual value on properties and application areas thereof. The information contained in this safety data sheet relate to the specific material designated and may not be valid with respect to the product associated with another product or process, unless it is specified in the text of this document.

The required information complies with EU regulations in force. It does not exempt the user from knowing and applying all the national regulations in force.

#### Relevant phrases

	• Kelevant pi	Relevant pinases		
	H226	Flammable liquid and vapour.		
*	H302	Harmful if swallowed.		
*	H304	May be fatal if swallowed and enters airways.		
*	H315	Causes skin irritation.		
*	H317	May cause an allergic skin reaction.		
*	H319	Causes serious eye irritation.		
*	H331	Toxic if inhaled.		
*	H332	Harmful if inhaled.		
*	H336	May cause drowsiness or dizziness.		
*	H400	Very toxic to aquatic life.		
*	H410	Very toxic to aquatic life with long lasting effects.		
*	H411	Toxic to aquatic life with long lasting effects.		
*	H412	Harmful to aquatic life with long lasting effects.		

Minimum training in occupational risk prevention is recommended for personnel who will handle this product, in the purpose of facilitating the understanding and interpretation of this form of safety data in the same way as the labeling of the product.

#### Abbreviations and acronyms:

IFRA: International Fragrance Association IOFI: International Organization of the Flavor Industry

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

ICAO: International Civil Aviation Organisation GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

#### Sources

IFRA/IOFI Labelling Manual, REACH registration dossier, supplier information

• \* Data compared to the previous version altered.