



### CHEMICAL SAFETY DATA SHEET

### according to 2020/878/EC (1907/2006/EC Article 31)

2583303

Reviewed on: 13.05.2025 Printing date: 13.05.2025

#### SECTION 01: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

- Trade name:
  - HO WOOD ORGANIC OIL
- Article number:
- B136
- CAS Number:
  - 8022-91-1
- EC Number:
  - 294-760-2
- No CAS EINECS:
  - 91745-89-0
- 1.2 Relevant identified uses of the substance or mixture and uses advised against Application of the substance / the preparation Only for industrial use
- 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

GOLGEMMA TEL: +33(0)4.68.74.17.89 Route de FA email: fds@golgemma.com

11260 ESPERAZA

**FRANCE** 

1.4 Emergency telephone number: FR-ORFILA (INRS):+33(0)1 45 42 59 59

#### SECTION 02: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



GHS07

Skin Irrit. 2 - H315 Causes skin irritation.

Eye Irrit. 2 - H319 Causes serious eye irritation.

Skin Sens. 1 - H317 May cause an allergic skin reaction.

#### 2.2 Label elements

- Labelling according to Regulation (EC) No 1272/2008
- Hazard pictograms



#### GHS07

- Signal word
  - Warning
- Hazard statements
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
  - Precautionary statements
- P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
- P264 Wash thoroughly after handling.
  P272 Contaminated work clothing should not be allowed out of the workplace.
- P280 Wear protective gloves.
  P302+P352 IF ON SKIN: Wash with plenty of water.
- \* P501 Dispose of contents/container in accordance with local/regional/ national/international regulations.

#### 2.3 Other hazards

- Results of PBT and vPvB assessment
- PBT:
- Not applicable.
- vPvB:

Not applicable.

(continued on page 2)



Page: 2/9

2583303

Reviewed on: 13.05.2025 Printing date: 13.05.2025

#### PRODUCT: HO WOOD ORGANIC OIL

Determination of endocrine-disrupting properties
 None of the ingredients is listed.

(continued of page 1)

#### SECTION 03: Composition/information on ingredients

3.1 Substances

CAS No. Description

8022-91-1 Cinnamomum camphora var. linaloolifera Y.Fujita

- Identification number(s)
- EC number: 294-760-2
- Dangerous components:

CAS Number

78-70-6 LINALOOL 50,001-100

EC number: 201-134-4

Skin Irrit. 2 - H315, Eye Irrit. 2 -

H319, Skin Sens. 1B - H317

13877-91-3 3,7-Dimethyl-1,3,6-octatriene 0,101-1,000

EC number: 237-641-2

Asp. Tox. 1 - H304; Flam. Liq. 3

- H226; Skin Irrit. 2 - H315; Aquatic Acute 1 - H400 (M=1), Aquatic

Chronic 2 - H411

5989-27-5 d-limonene 0,101-1,000

EC number: 227-813-5

Asp. Tox. 1 - H304; Flam. Liq. 3

- H226; Skin Irrit. 2 - H315, Skin Sens. 1B - H317; Aquatic Acute 1 - H400 (M=1); Aquatic Chronic 3 - H412

#### SECTION 04: First aid measures

- 4.1 Description of first aid measures
- General information:

Seek immediate medical advice.

- After inhalation:
  - Supply fresh air and to be sure call for a doctor.
- After skin contact:

If skin irritation continues, consult a doctor.

Immediately wash with water and soap and rinse thoroughly.

Immediately rinse with water.

- After eye contact:
  - Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing:
  - Seek immediate medical advice.
- Information for doctor:
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

ΕU



Page: 3 / 9

2583303

Reviewed on: 13.05.2025 Printing date: 13.05.2025

**PRODUCT: HO WOOD ORGANIC OIL** 

(continued of page 2)

#### SECTION 05: Firefighting measures

#### 5.1 Extinguishing media

Suitable extinguishing agents:

CO2, sand, extinguishing powder. Do not use water.

Use fire extinguishing methods suitable to surrounding conditions.

For safety reasons unsuitable extinguishing agents: Water with full jet

## 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

#### 5.3 Advice for firefighters

- Protective equipment:
- Do not inhale explosion gases or combustion gases.
- Additional information Cool endangered receptacles with water spray.

#### SECTION 06: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Keep away from ignition sources.

#### 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

- 6.3 Methods and material for containment and cleaning up:
- Dispose contaminated material as waste according to item 13.
- Ensure adequate ventilation.

#### 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### SECTION 07: Handling and storage

#### 7.1 Precautions for safe handling

Keep receptacles tightly sealed.

Keep away from heat and direct sunlight.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Handle with care. Avoid jolting, friction and impact.

• Information about fire - and explosion protection: Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

#### 7.2 Conditions for safe storage, including any incompatibilities Storage:

Requirements to be met by storerooms and receptacles:

Store only in the original receptacle. Use only receptacles specifically permitted for this substance/ product.

Information about storage in one common storage facility: Not required.

Further information about storage conditions:

Keep container tightly sealed.

Protect from heat and direct sunlight.

Store receptacle in a well ventilated area.

#### 7.3 Specific end use(s)

No further relevant information available.





### CHEMICAL SAFETY DATA SHEET

#### according to 2020/878/EC (1907/2006/EC Article 31)

2583303

Reviewed on: 13.05.2025 Printing date: 13.05.2025

**PRODUCT: HO WOOD ORGANIC OIL** 

(continued of page 3)

#### SECTION 08: Exposure controls/personal protection

#### 8.1 Control parameters

- Ingredients with limit values that require monitoring at the workplace: Not required.
- Additional information:

The lists valid during the making were used as basis.

#### 8.2 Exposure controls

- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.

- Do not inhale gases / fumes / aerosols.
- Do not inhale dust / smoke / mist.
- Avoid contact with the eyes.
  - Respiratory protection:

Use suitable respiratory protective device in case of insufficient ventilation.

- In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
  - Protection of hands:

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Eye/face protection
  - Safety glasses
  - Safety glasses
  - Body protection:

Impervious protective clothing

Boots

#### SECTION 09: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

**General Information** 

Physical state Fluid

Colour: colourless to pale yellow

Odour:

Odour threshold: Not determined. Boiling point or initial boiling point and Not determined. boiling range

Flammability

Not determined. Lower and upper explosion limit

Lower: Not determined. Upper: Not determined.

NFT 60-103 CC Flash point: 70.0 °C

**Decomposition temperature:** Not determined. Not determined.

Viscosity:

Kinematic viscosity Not determined Dynamic: Not determined

Solubility

(continued on page 5)



Page: 5 / 9

2583303

Reviewed on: 13.05.2025 Printing date: 13.05.2025

#### **PRODUCT: HO WOOD ORGANIC OIL**

(continued of page 4)

Not determined. water: Partition coefficient n-octanol/water (log Not determined

value)

Vapour pressure:

Not determined.

Density and/or relative density

Density: Not determined 0,8540 0,8650 D20/20 Relative density Vapour density Not determined.

9.2 Other information

No further relevant information available.

Appearance:

Form:

Not determined.

Important information on protection of health and environment, and on safety.

Auto-ignition temperature: Not determined. **Explosive properties:** Not determined

Solvent content:

Solids content: 0.00 %

Change in condition

**Evaporation rate** Not determined.

Information with regard to physical hazard classes

**Explosives** not applicable Flammable gases not applicable **Aerosols** not applicable Oxidising gases not applicable Gases under pressure not applicable Flammable liquids not applicable Flammable solids not applicable Self-reactive substances and mixtures not applicable **Pyrophoric liquids** not applicable Pyrophoric solids not applicable not applicable Self-heating substances and mixtures Substances and mixtures, which emit not applicable

flammable gases in contact with water

**Oxidising liquids** not applicable **Oxidising solids** not applicable Organic peroxides not applicable Corrosive to metals not applicable Desensitised explosives not applicable

#### SECTION 10: Stability and reactivity

10.1 Reactivity

No further relevant information available.

10.2 Chemical stability

10.3 Possibility of hazardous reactions

No dangerous reactions known.

10.4 Conditions to avoid

No further relevant information available.

10.5 Incompatible materials:

No further relevant information available.

10.6 Hazardous decomposition products:

Not determined.





2583303

Reviewed on: 13.05.2025 Printing date: 13.05.2025

PRODUCT: HO WOOD ORGANIC OIL

(continued of page 5)

#### SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

• LD/LC50 values relevant for classification:

ISO LD/LC

8022-91-1 Cinnamomum camphora var. linaloolifera Y.Fujita

Oral, LD50: 3270 mg/kg (rat)

Dermal, LD50: >=5000 mg/kg (Rabbit)

78-70-6 LINALOOL

Oral, LD50: 2790 mg/kg (rat) Dermal, LD50: 5610 mg/kg (Rabbit)

5989-27-5 (R)-p-mentha-1,8-diene

Oral, LD50: 4400 mg/kg (rat)

Primary irritant effect:

• Skin corrosion/irritation

Irritant to skin and mucous membranes.

Causes skin irritation.

• Serious eye damage/irritation

Irritating effect.

Causes serious eye irritation.

Respiratory or skin sensitisation

Sensitization possible through skin contact.

• Germ cell mutagenicity

78-70-6 LINALOOL

OECD 471 AMES: NEGATIVE (in vitro) (Letizia and al., 2007)

Carcinogenicity

78-70-6 LINALOOL

Micronoyau: NEGATIVE (mouse) (in vivo, Letizia and al., 2007)

Micronoyau: NEGATIVE (in vitro) (DiSotto and al., 2011)

Reproductive toxicity

Not determined.

 STOT-single exposure Not determined.

STOT-repeated exposure

Not determined.

Aspiration hazard Not determined.

· Subacute to chronic toxicity:

78-70-6 LINALOOL

Oral, NOAEL: 200 mg/kg (rat) (maternal toxicity, Politano and al.,

2008)

11.2 Information on other hazards

• Endocrine disrupting properties

None of the ingredients is listed.

### SECTION 12: Ecological information

#### 12.1 Toxicity

Aquatic toxicity:

8022-91-1 Cinnamomum camphora var. linaloolifera Y.Fujita

CE50/48h: 111,10 mg/l (daphnia)

78-70-6 LINALOOL

LD50: 27,8 mg/l (fish) ((OECD 203) RIFM 1991)

ErC50(0-72h): 156,7 mg/l (algae)

ErC50(0-48h): 59 mg/l (daphnia) ((OECD 202) 5989-27-5 (R)-p-mentha-1,8-diene

LD50: 0,71 mg/l (fish) (OECD 203)

#### 12.2 Persistence and degradability

No further relevant information available.

Behaviour in environmental systems:
 Not determined.

#### 12.3 Bioaccumulative potential

(continued on page 7)



Page: 7 / 9

2583303

Reviewed on: 13.05.2025 Printing date: 13.05.2025

(continued of page 6)

#### PRODUCT: HO WOOD ORGANIC OIL

No further relevant information available.

12.4 Mobility in soil

No further relevant information available.

12.5 Results of PBT and vPvB assessment

• PBT:

Not applicable.

vPvB:

Not applicable.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

No further relevant information available.

• Ecotoxical effects: Not determined.

#### SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
- Recommendation
- Must be specially treated adhering to official regulations.
- Uncleaned packaging:
- · Recommendation:

Disposal must be made according to official regulations.

### SECTION 14: Transport information

14.1 UN number or ID number

ADR Not classifiedIMDG Not classifiedIATA Not classified

14.2 UN proper shipping name

ADR Not classifiedIMDG Not classifiedIATA Not classified

14.3 Transport hazard class(es)

ADR

. Class Not classified

IMDG

. Class Not classified

. IATA

. Class Not classified

14.4 Packing group

ADR Not classifiedIMDG Not classifiedIATA Not classified

14.5 Environmental hazards:

Not applicable.

14.6 Special precautions for user

Not applicable.

14.7 Maritime transport in bulk according to IMO instruments Not applicable.

ΕU



Page: 8 / 9

2583303

Reviewed on: 13.05.2025 Printing date: 13.05.2025

PRODUCT: HO WOOD ORGANIC OIL

(continued of page 7)

#### SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II None of the ingredients is listed.
- REGULATION (EU) 2019/1148
- Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

- Regulation (EC) No 273/2004 on drug precursors None of the ingredients is listed.
- Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors None of the ingredients is listed.
- · National regulations:
- Technical instructions (air):
- Class Share in %
   I 0,02
- Waterhazard class:

Generally not hazardous for water.

15.2 Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

#### SECTION 16: Other information

The information in this safety data sheet is based on the state of our knowledge at the date indicated. The information in this sheet must be regarded as a description of the safety requirements for the product, they are not to be considered a warranty or quality specification and have no contractual value on properties and application areas thereof. The information contained in this safety data sheet relate to the specific material designated and may not be valid with respect to the product associated with another product or process, unless it is specified in the text of this document.

The required information complies with EU regulations in force. It does not exempt the user from knowing and applying all the national regulations in force.

Relevant phrases

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

Training hints

Minimum training in occupational risk prevention is recommended for personnel who will handle this product, in the purpose of facilitating the understanding and interpretation of this form of safety data in the same way as the labeling of the product.

- Date of previous version:
- 04.09.2024
- Version number of previous version:

1.00

· Abbreviations and acronyms:

IFRA:International Fragrance Association IOFI:International Organization of the Flavor Industry

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

(continued on page 9)





2583303

Reviewed on: 13.05.2025 Printing date: 13.05.2025

#### PRODUCT: HO WOOD ORGANIC OIL

ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Sources

IFRA/IOFI Labelling Manual,REACH registration dossier, supplier information

• \* Data compared to the previous version altered.

(continued of page 8)