


2878100

CHEMICAL SAFETY DATA SHEET according to 2020/878/EC (1907/2006/EC Article 31)





2878100

Reviewed on: 16.05.2024 Printing date: 16.05.2024

RODUCT :	CEDARWOOD ORGANIC OIL	
 PBT: Not applicabl vPvB: Not applicabl Determinat 		(continued of page 1)
ECTION 03: 0	Composition/information on ingredients	
3.1 Substance CAS No.	-	
8023-85-6 • Identificatic • EC number 295-985-9		
Dangerous	components:	
CAS Number		%
469-61-4	alpha-Cedrene EC number: 207-418-4 � Asp. Tox. 1 - H304; � Aquatic	1,001- 5,000
	Acute 1 - H400 (M=10), Aquatic Chronic 1 - H410 (M=10)	
475-20-7	longifolene EC number: 207-491-2 ♦ Asp. Tox. 1 - H304; ♦ Skin Irrit.	0,101-1,000
	2 - H315, Skin Sens. 1B - H317; 🚯	
	Aquatic Acute 1 - H400 (M=10), Aquatic	

SECTION 04: First aid measures

- 4.1 Description of first aid measures
- General information:
- Seek immediate medical advice.
- After inhalation:
- Supply fresh air and to be sure call for a doctor. • After skin contact:
- If skin irritation continues, consult a doctor.
- After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. After swallowing:
- Seek immediate medical advice.
- Information for doctor:

4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 05: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water. Use fire extinguishing methods suitable to surrounding conditions.
- For safety reasons unsuitable extinguishing agents: Water with full jet

(continued on page 3)



according

2878100

CHEMICAL SAFETY DATA SHEET according to 2020/878/EC (1907/2006/EC Article 31)

	CEDARWOOD ORGANIC OIL	of page (
5.2 Special	hazards arising from the substance or mixture (continued	or page 2
Formation of	toxic gases is possible during heating or in case of fire.	
5 3 Advice	for firefighters	
	e equipment:	
	nale explosion gases or combustion gases.	
	al information	
Cool enda	ngered receptacles with water spray.	
ECTION 06:	: Accidental release measures	
	al precautions, protective equipment and emergency procedures	
	ive equipment. Keep unprotected persons away. Jate ventilation	
	rom ignition sources.	
. ,	5	
	imental precautions:	
	product to reach sewage system or any water course. active authorities in case of seepage into water course or sewage system.	
inoni respe	care automics in case of seepage into water course of sewage system.	
	s and material for containment and cleaning up:	
Dispose cont	aminated material as waste according to item 13.	
6.4 Referer	nce to other sections	
	7 for information on safe handling.	
	8 for information on personal protection equipment.	
See Section	13 for disposal information.	
ECTION 07:	: Handling and storage	
7.1 Precaut	tions for safe handling	
keep recepta	icles tightly sealed.	
Keep away fr	rom heat and direct sunlight.	
Keep away fr Ensure good	om heat and direct sunlight. ventilation/exhaustion at the workplace.	
Keep away fr Ensure good Handle with	om heat and direct sunlight. ventilation/exhaustion at the workplace. care. Avoid jolting, friction and impact.	
Keep away fr Ensure good Handle with Informat	om heat and direct sunlight. ventilation/exhaustion at the workplace.	
Keep away fr Ensure good Handle with Informat Keep ignit	om heat and direct sunlight. ventilation/exhaustion at the workplace. care. Avoid jolting, friction and impact. ion about fire - and explosion protection:	
Keep away fr Ensure good Handle with Informat Keep ignit Protect ag	rom heat and direct sunlight. ventilation/exhaustion at the workplace. care. Avoid jolting, friction and impact. ion about fire - and explosion protection: cion sources away - Do not smoke. jainst electrostatic charges.	
 Keep away fr Ensure good Handle with a Informat Keep ignit Protect ag 7.2 Condition 	rom heat and direct sunlight. ventilation/exhaustion at the workplace. care. Avoid jolting, friction and impact. ion about fire - and explosion protection: tion sources away - Do not smoke.	
Keep away fr Ensure good Handle with 0 • Informat Keep ignit Protect ag 7.2 Conditio Storage:	rom heat and direct sunlight. ventilation/exhaustion at the workplace. care. Avoid jolting, friction and impact. ion about fire - and explosion protection: cion sources away - Do not smoke. jainst electrostatic charges. ons for safe storage, including any incompatibilities	
 Keep away fr Ensure good Handle with 0 Informat Keep ignit Protect ag 7.2 Condition Storage: Requiren Store only 	rom heat and direct sunlight. ventilation/exhaustion at the workplace. care. Avoid jolting, friction and impact. ion about fire - and explosion protection: tion sources away - Do not smoke. lainst electrostatic charges. ons for safe storage, including any incompatibilities nents to be met by storerooms and receptacles: / in the original receptacle.	
 Keep away fr Ensure good Handle with a Informat Keep ignit Protect ag 7.2 Condition Storage: Requiren Store only Prevent ar 	rom heat and direct sunlight. ventilation/exhaustion at the workplace. care. Avoid jolting, friction and impact. ion about fire - and explosion protection: tion sources away - Do not smoke. lainst electrostatic charges. ons for safe storage, including any incompatibilities nents to be met by storerooms and receptacles: / in the original receptacle. hy seepage into the ground.	
 Keep away fr Ensure good Handle with a Informat Keep ignit Protect ag 7.2 Condition Storage: Requiren Store only Prevent ar Use only r 	rom heat and direct sunlight. ventilation/exhaustion at the workplace. care. Avoid jolting, friction and impact. ion about fire - and explosion protection: tion sources away - Do not smoke. lainst electrostatic charges. ons for safe storage, including any incompatibilities nents to be met by storerooms and receptacles: / in the original receptacle. ny seepage into the ground. receptacles specifically permitted for this substance/ product.	
 Keep away fr Ensure good Handle with a Informat Keep ignit Protect ag 7.2 Condition Storage: Requiren Store only Prevent ar Use only r 	rom heat and direct sunlight. ventilation/exhaustion at the workplace. care. Avoid jolting, friction and impact. ion about fire - and explosion protection: tion sources away - Do not smoke. lainst electrostatic charges. ons for safe storage, including any incompatibilities nents to be met by storerooms and receptacles: / in the original receptacle. ny seepage into the ground. receptacles specifically permitted for this substance/ product. ion about storage in one common storage facility:	
 Keep away fr Ensure good Handle with a Informat Keep ignit Protect ag 7.2 Conditions Storage: Requirent Store only Prevent ar Use only r Informat Not requir Further i 	rom heat and direct sunlight. ventilation/exhaustion at the workplace. care. Avoid jolting, friction and impact. ion about fire - and explosion protection: ion sources away - Do not smoke. ainst electrostatic charges. ons for safe storage, including any incompatibilities ments to be met by storerooms and receptacles: / in the original receptacle. my seepage into the ground. receptacles specifically permitted for this substance/ product. ion about storage in one common storage facility: red. nformation about storage conditions:	
 Keep away fr Ensure good Handle with 0 Informat Keep ignit Protect ag 7.2 Condition Storage: Requiren Store only Prevent ar Use only Prevent ar Use only r Informat Not requir Further i Keep cont 	rom heat and direct sunlight. ventilation/exhaustion at the workplace. care. Avoid jolting, friction and impact. ition about fire - and explosion protection: ition sources away - Do not smoke. jainst electrostatic charges. ons for safe storage, including any incompatibilities nents to be met by storerooms and receptacles: / in the original receptacle. ny seepage into the ground. receptacles specifically permitted for this substance/ product. ion about storage in one common storage facility: red. nformation about storage conditions: rainer tightly sealed.	
 Keep away fr Ensure good Handle with 0 Informat Keep ignit Protect ag 7.2 Conditions Storage: Requiren Store only Prevent ar Use only Prevent ar Use only revent ar Not requirent Not requirent Keep cont Protect from 	rom heat and direct sunlight. ventilation/exhaustion at the workplace. care. Avoid jolting, friction and impact. ition about fire - and explosion protection: ition sources away - Do not smoke. jainst electrostatic charges. ons for safe storage, including any incompatibilities nents to be met by storerooms and receptacles: / in the original receptacle. hy seepage into the ground. receptacles specifically permitted for this substance/ product. ition about storage in one common storage facility: red. nformation about storage conditions: iainer tightly sealed. om heat and direct sunlight.	
 Keep away fr Ensure good Handle with 0 Informat Keep ignit Protect ag 7.2 Conditions Storage: Requiren Store only Prevent ar Use only Prevent ar Use only revent ar Not requirent Not requirent Keep cont Protect from 	rom heat and direct sunlight. ventilation/exhaustion at the workplace. care. Avoid jolting, friction and impact. ition about fire - and explosion protection: ition sources away - Do not smoke. jainst electrostatic charges. ons for safe storage, including any incompatibilities nents to be met by storerooms and receptacles: / in the original receptacle. ny seepage into the ground. receptacles specifically permitted for this substance/ product. ion about storage in one common storage facility: red. nformation about storage conditions: rainer tightly sealed.	
 Keep away fr Ensure good Handle with devith devith devith devith devith devith devith devith devit dev	rom heat and direct sunlight. ventilation/exhaustion at the workplace. care. Avoid jolting, friction and impact. ion about fire - and explosion protection: ion sources away - Do not smoke. ainst electrostatic charges. ons for safe storage, including any incompatibilities ments to be met by storerooms and receptacles: v in the original receptacle. hy seepage into the ground. receptacles specifically permitted for this substance/ product. ion about storage in one common storage facility: red. nformation about storage conditions: aimer tightly sealed. om heat and direct sunlight. eptacle in a well ventilated area. c end use(s)	
 Keep away fr Ensure good Handle with devints Informat Keep ignit Protect ag 7.2 Conditions Storage: Requiren Store only Prevent ar Use only r Informat Not requir Further i Keep cont Protect fross Store received 7.3 Specific 	rom heat and direct sunlight. ventilation/exhaustion at the workplace. care. Avoid jolting, friction and impact. ion about fire - and explosion protection: tion sources away - Do not smoke. jainst electrostatic charges. ons for safe storage, including any incompatibilities nents to be met by storerooms and receptacles: y in the original receptacle. hy seepage into the ground. receptacles specifically permitted for this substance/ product. ion about storage in one common storage facility: red. nformation about storage conditions: ainer tightly sealed. om heat and direct sunlight. eptacle in a well ventilated area.	
 Keep away fr Ensure good Handle with devints Informat Keep ignit Protect ag 7.2 Conditions Storage: Requiren Store only Prevent ar Use only r Informat Not requir Further i Keep cont Protect fross Store received 7.3 Specific 	rom heat and direct sunlight. ventilation/exhaustion at the workplace. care. Avoid jolting, friction and impact. ion about fire - and explosion protection: ion sources away - Do not smoke. ainst electrostatic charges. ons for safe storage, including any incompatibilities ments to be met by storerooms and receptacles: v in the original receptacle. hy seepage into the ground. receptacles specifically permitted for this substance/ product. ion about storage in one common storage facility: red. nformation about storage conditions: aimer tightly sealed. om heat and direct sunlight. eptacle in a well ventilated area. c end use(s)	
 Keep away fr Ensure good Handle with of Informat Keep ignit Protect ag 7.2 Conditions Storage: Requirens Store only Prevent ar Use only r Informat Not requir Further i Keep cont Protect froc Store received 7.3 Specific No further re 	rom heat and direct sunlight. ventilation/exhaustion at the workplace. care. Avoid jolting, friction and impact. ion about fire - and explosion protection: ion sources away - Do not smoke. ainst electrostatic charges. ons for safe storage, including any incompatibilities ments to be met by storerooms and receptacles: v in the original receptacle. hy seepage into the ground. receptacles specifically permitted for this substance/ product. ion about storage in one common storage facility: red. nformation about storage conditions: aimer tightly sealed. om heat and direct sunlight. eptacle in a well ventilated area. c end use(s)	
 Keep away fr Ensure good Handle with of Informat Keep ignit Protect ag 7.2 Conditions Storage: Requirens Store only Prevent ar Use only r Informat Not requir Further i Keep cont Protect froc Store received 7.3 Specific No further received 	rom heat and direct sunlight. ventilation/exhaustion at the workplace. care. Avoid joiting, friction and impact. ition about fire - and explosion protection: ition sources away - Do not smoke. aainst electrostatic charges. ons for safe storage, including any incompatibilities ments to be met by storerooms and receptacles: v in the original receptacle. hy seepage into the ground. receptacles specifically permitted for this substance/ product. ition about storage in one common storage facility: red. nformation about storage conditions: aainer tightly sealed. om heat and direct sunlight. aptacle in a well ventilated area. c end use(s) levant information available.	
Keep away fr Ensure good Handle with of Informat Reep ignit Protect ag 7.2 Conditio Storage: Requiren Store only Prevent ar Use only r Informat Not requir Further i Keep cont Protect fro Store rece 7.3 Specific No further re	<pre>rom heat and direct sunlight. ventilation/exhaustion at the workplace. care. Avoid jolting, friction and impact. ion about fire - and explosion protection: ion sources away - Do not smoke. jainst electrostatic charges. ons for safe storage, including any incompatibilities nents to be met by storerooms and receptacles: / in the original receptacle. ny seepage into the ground. receptacles specifically permitted for this substance/ product. ion about storage in one common storage facility: red. nformation about storage conditions: ainer tightly sealed. om heat and direct sunlight. eptacle in a well ventilated area. c end use(s) levant information available. Exposure controls/personal protection</pre>	
Keep away fr Ensure good Handle with o Informat Keep ignit Protect ag 7.2 Conditio Storage: Requiren Store only Prevent ar Use only Prevent ar Use only Further i Keep cont Protect fro Store rece 7.3 Specific No further re ECTION 083	rom heat and direct sunlight. ventilation/exhaustion at the workplace. care. Avoid joiting, friction and impact. ition about fire - and explosion protection: ition sources away - Do not smoke. aainst electrostatic charges. ons for safe storage, including any incompatibilities ments to be met by storerooms and receptacles: v in the original receptacle. hy seepage into the ground. receptacles specifically permitted for this substance/ product. ition about storage in one common storage facility: red. nformation about storage conditions: aainer tightly sealed. om heat and direct sunlight. septacle in a well ventilated area. c end use(s) levant information available.	
 Keep away fr Ensure good Handle with of Informat Keep ignit Protect ag 7.2 Condition Storage: Requiren Store only Prevent ar Use only of Informat Not requiren Further i Keep cont Protect from Store receives 7.3 Specific No further re 7.3 Specific No further re 8.1 Control Ingredien Not requirent 	<pre>rom heat and direct sunlight. ventilation/exhaustion at the workplace. care. Avoid jolting, friction and impact. ion about fire - and explosion protection: tion sources away - Do not smoke. ainst electrostatic charges. ons for safe storage, including any incompatibilities nents to be met by storerooms and receptacles: / in the original receptacle. ny seepage into the ground. receptacles specifically permitted for this substance/ product. ion about storage in one common storage facility: red. nformation about storage conditions: ainer tightly sealed. om heat and direct sunlight. eptacle in a well ventilated area. c end use(s) elevant information available.</pre>	
 Keep away fr Ensure good Handle with devith dev	<pre>rom heat and direct sunlight. ventilation/exhaustion at the workplace. care. Avoid jolting, friction and impact. ion about fire - and explosion protection: tion sources away - Do not smoke. painst electrostatic charges. ons for safe storage, including any incompatibilities ments to be met by storerooms and receptacles: y in the original receptacle. ny seepage into the ground. receptacles specifically permitted for this substance/ product. ion about storage in one common storage facility: red. nformation about storage conditions: tainer tightly sealed. om heat and direct sunlight. eptacle in a well ventilated area. c end use(s) levant information available. parameters nts with limit values that require monitoring at the workplace: red. al information:</pre>	
 Keep away fr Ensure good Informat Keep ignit Protect ag 7.2 Conditions Storage: Requirenn Store only Prevent ar Use only r Informat Not requir Further i Keep cont Protect fro Store rece 7.3 Specific No further re CTION 083 8.1 Control Ingrediet Not requir Additionad 	<pre>rom heat and direct sunlight. ventilation/exhaustion at the workplace. care. Avoid jolting, friction and impact. ion about fire - and explosion protection: tion sources away - Do not smoke. ainst electrostatic charges. ons for safe storage, including any incompatibilities nents to be met by storerooms and receptacles: / in the original receptacle. ny seepage into the ground. receptacles specifically permitted for this substance/ product. ion about storage in one common storage facility: red. nformation about storage conditions: ainer tightly sealed. om heat and direct sunlight. eptacle in a well ventilated area. c end use(s) elevant information available.</pre>	
 Keep away fr Ensure good Handle with devith devit devi	<pre>image of the second secon</pre>	



2878100

PRODUCT : CEDARWOOD ORGANIC OIL
(continued of page 3)
 Individual protection measures, such as personal protective equipment
 General protective and hygienic measures:
The usual precautionary measures are to be adhered to when handling chemicals.
Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work.
 Respiratory protection: Use suitable respiratory protective device in case of insufficient ventilation.
Protection of hands:
Protective gloves
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
 Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
Penetration time of glove material
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
Eye/face protection Safety glasses
Body protection:
Impervious protective clothing Boots

9.1 Information on basic physical and chemic	cal properties
General Information	
Physical state	Fluid
Colour:	orange-yellow to brown-yellow, orange to brown
Odour:	woody
Odour threshold:	Not determined.
Boiling point or initial boiling point and boiling range	Not determined.
Flammability	Not determined.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	100,0 °C NFT 60-103 CC
Ignition temperature:	235,00 °C
Decomposition temperature:	Not determined.
рН	Not determined.
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
water:	Not determined.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density:	Not determined.
Relative density	0,9270 0,940 (D20/20)
Vapour density	Not determined.
9.2 Other information	No further relevant information available.
Appearance:	
Form:	fluid



2878100

Reviewed on: 16.05.2024 Printing date: 16.05.2024

Printing date: 16.05.202

		(continued of page 4)
Auto-ignition temperature:	Not determined.	
Explosive properties:	Not determined.	
Solvent content:		
Solids content:	0,00 %	
Change in condition		
Evaporation rate	Not determined.	
nformation with regard to physical hazard o	lasses	
Explosives	not applicable	
Flammable gases	not applicable	
Aerosols	not applicable	
Oxidising gases	not applicable	
Gases under pressure	not applicable	
Flammable liquids	not applicable	
Flammable solids	not applicable	
Self-reactive substances and mixtures	not applicable	
Pyrophoric liquids	not applicable	
Pyrophoric solids	not applicable	
Self-heating substances and mixtures	not applicable	
Substances and mixtures, which emit flammable gases in contact with water	not applicable	
Oxidising liquids	not applicable	
Oxidising solids	not applicable	
Organic peroxides	not applicable	
Corrosive to metals	not applicable	
Desensitised explosives	not applicable	

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: Not determined.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

- Acute toxicity
- LD/LC50 values relevant for classification:
- Not determined. Primary irritant effect:
- Skin corrosion/irritation
- No irritant effect.
- Serious eye damage/irritation No irritating effect.
- Respiratory or skin sensitisation No sensitizing effects known.



2878100


RODUCT : CEDARWOOD ORGANIC OIL	
	(continued of page
Germ cell mutagenicity Net determined	
Not determined.	
Carcinogenicity Not determined.	
Reproductive toxicity Not determined.	
STOT-single exposure	
Not determined.	
STOT-repeated exposure	
Not determined.	
Aspiration hazard	
May be fatal if swallowed and enters airways.	
May be fatal if swallowed and enters airways.	
Subacute to chronic toxicity:	
Not determined.	
 11.2 Information on other hazards 	
Endocrine disrupting properties	
None of the ingredients is listed.	
ECTION 12: Ecological information	
12.1 Toxicity	
Aquatic toxicity:	
8023-85-6 Cedrus atlantica (Endl.) Manetti ex Carrière	
CE50/48h: 21,995 mg/l (daphnia) (OECD 202 / EU Method C.2)	
ErC50(0-72h): 13 mg/l (algae) (OECD 201)	
96h-LC50: 29,173 mg/l (fish) (OECD 203 / EU Method C.1)	
469-61-4 alpha-Cedrene	
LD50: 0,099 mg/l (daphnia)	
12.2 Persistence and degradability	
No further relevant information available.	
Behaviour in environmental systems:	
Not determined.	
12.3 Bioaccumulative potential	
No further relevant information available.	
12.4 Mobility in soil	
No further relevant information available.	
12 E Deculte of DPT and VDVP accessment	
12.5 Results of PBT and vPvB assessment	
PBT: Not applicable	
Not applicable.	
 vPvB: Not applicable. 	
12.6 Endocrine disrupting properties	
The product does not contain substances with endocrine disrupting properties.	
The product does not contain outstances with chaotine distupting properties.	
12.6 Other adverse effects	
No further relevant information available.	
Ecotoxical effects:	
Not determined.	
Remark:	
Toxic for fish	
Additional ecological information:	
General notes:	
Toxic for aquatic organisms	
The material is harmful to the environment.	



2878100

Reviewed on: 16.05.2024 Printing date: 16.05.2024

(continued on page 8)





2878100

Reviewed on: 16.05.2024 Printing date: 16.05.2024

		(continued of page 7)
Warning: Miscellaneous dangerou . Danger code (Kemler):	is substances and articles. 90	· · · · · · · · · · · · · · · · · · ·
. EMS Number:	F-A,S-F	
14.7 Maritime transport in bu Not applicable.	Ik according to IMO instruments	
 Transport/Additional inforr ADR 	nation:	
Excepted quantities (EQ):	E1	
Limited quantities (LQ)	5L	
. Transport category	3	
IMDG		
Limited quantities (LQ)	5L	
Excepted quantities (EQ)	E1	
 UN "Model Regulation": UN 3082 ENVIRONMENTALLY I ATLANTICA), 9, III 	HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CEDRUS	

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture • DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical

- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrica and electronic equipment - Annex II None of the ingredients is listed.
- REGULATION (EU) 2019/1148
- Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))
- None of the ingredients is listed.
 Annex II REPORTABLE EXPLOSIVES PRECURSORS None of the ingredients is listed.
- Regulation (EC) No 273/2004 on drug precursors None of the ingredients is listed.
- Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors None of the ingredients is listed.
- National regulations:
- Technical instructions (air):
- Class Share in % I
- Waterhazard class: Generally not hazardous for water.

15.2 Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

The information in this safety data sheet is based on the state of our knowledge at the date indicated. The information in this sheet must be regarded as a description of the safety requirements for the product, they are not to be considered a warranty or quality specification and have no contractual value on properties and application areas thereof. The information contained in this safety data sheet relate to the specific material designated and may not be valid with respect to the product associated with another product or process, unless it is specified in the text of this document.

The required information complies with EU regulations in force. It does not exempt the user from knowing and applying all the national regulations in force.

- Relevant phrases
 - H304 May be fatal if swallowed and enters airways.
 - H315 Causes skin irritation.
 - H317 May cause an allergic skin reaction.

(continued on page 9)



2878100

CHEMICAL SAFETY DATA SHEET according to 2020/878/EC (1907/2006/EC Article 31)

PRODUCT :	CEDARWOOD ORGANIC OIL
	(continued of page 8)
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
• Training I	nints
purpose o	rraining in occupational risk prevention is recommended for personnel who will handle this product, in the facilitating the understanding and interpretation of this form of safety data in the same way as the the product.
 Abbreviat 	tions and acronyms:
	national Fragrance Association IOFI: International Organization of the Flavor Industry
	rd européen sur le transport des marchandises dangereuses par Route (European Agreement concerning
	ational Carriage of Dangerous Goods by Road)
	ement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations g the International Transport of Dangerous Goods by Rail)
	ernational Maritime Code for Dangerous Goods
	Department of Transportation
	rational Air Transport Association
	ernational Civil Aviation Organisation
GHS: Glob	ally Harmonised System of Classification and Labelling of Chemicals
	uropean Inventory of Existing Commercial Chemical Substances
	uropean List of Notified Chemical Substances
	nical Abstracts Service (division of the American Chemical Society)
	al concentration, 50 percent
	nal dose, 50 percent
	stent, Bioaccumulative and Toxic Persistent and very Bioaccumulative
virvb. very	
 Sources 	
IFRA/IOFI	Labelling Manual, REACH registration dossier, supplier information