


CHEMICAL SAFETY DATA SHEET according to 2020/878/EC (1907/2006/EC Article 31)





2232303

		Printing date: 28.0
PRODUCT : Y	LANG COMOROS III ORGANIC OIL	(continued of page 1)
H411 Toxic to - Precautionar P261 Avoid bre P264 Wash tho P272 Contamir P301+P310 IF P405 Store loc	athing dust/fume/gas/mist/vapours/spray. roughly after handling. nated work clothing should not be allowed out of the workplace. SWALLOWED: Immediately call a POISON CENTER/ doctor.	
 PBT: Not applicable. vPvB: Not applicable. 	BT and vPvB assessment	
3.1 Substances CAS No.	Description anga odorata (Lam.) Hook.f. & Thomson	
 Dangerous c CAS Number 	omponents:	%
18794-84-8	beta-Farnesene EC number: 242-582-0 ♦ Asp. Tox. 1 - H304	20,001-50,00
87-44-5	beta-Caryophyllene EC number: 201-746-1 ♦ Asp. Tox. 1 - H304; ♦ Skin Sens.	5,001-10,00
120-51-4	1B - H317 Benzyl benzoate EC number: 204-402-9 ① Acute Tox. 4 - H302; ③ Aquatic	5,001-10,00
118-58-1	Acute 1 - H400, Aquatic Chronic 2 - H411 benzyl salicylate EC number: 204-262-9 ① Skin Sens. 1 - H317; Aquatic Chronic 3	1,001- 5,00
140-11-4	- H412 benzyl acetate EC number: 205-399-7	1,001- 5,00
4602-84-0	Aquatic Chronic 3 - H412 Farnesol EC number: 225-004-1 Skin Irrit. 2 - H315, Eye Irrit. 2 -	1,001- 5,00
104-93-8	H319, Skin Sens. 1B - H317 p-Methylanisole EC number: 203-253-7 ① Acute Tox. 4 - H302, Skin Irrit. 2 -	0,101-1,00
405 07 0	H315; 🚸 Repr. 2 - H361	0.404.4.00
105-87-3	Geranyl acetate	0,101-1,00



2232303

Reviewed on: 19.12.2022 Printing date: 28.02.2024

PRODUCT :	YLANG COMOROS III ORGANIC OIL	
		(continued of page 2)
	EC number: 203-341-5	
	H317; Aquatic Chronic 3 - H412	
97-54-1	isoeugenol EC number: 202-590-7 ଐ Acute Tox. 4 - H302, Acute Tox. 4 -	0,101-1,00
	H312, Skin Irrit. 2 - H315, Eye Irrit. 2 - H319, Skin Sens. 1A - H317; Skin Sens. 1A; H317; C >= 0,01 %	
78-70-6	Linalool EC number: 201-134-4 Skin Irrit. 2 - H315, Eye Irrit. 2 -	0,101-1,00
	H319, Skin Sens. 1B - H317	

SECTION 04: First aid measures

- 4.1 Description of first aid measures
- General information:
- Seek immediate medical advice.
- After inhalation: Supply fresh air and to be sure call for a doctor.
- After skin contact: If skin irritation continues, consult a doctor. Immediately wash with water and soap and rinse thoroughly.
 After eve contact:
- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
 After swallowing:
- Seek immediate medical advice.
- Information for doctor:

4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 05: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water. Use fire extinguishing methods suitable to surrounding conditions.
 For cafety reasons unsuitable extinguishing agents:
- For safety reasons unsuitable extinguishing agents: Water with full jet

5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire.

5.3 Advice for firefighters

- Protective equipment:
- Do not inhale explosion gases or combustion gases. Additional information
- Cool endangered receptacles with water spray.

EU -

(continued on page 4)



2232303

Reviewed on: 19.12.2022

Printing	date:	28.02.2024
----------	-------	------------

		Printing date: 28.02.20
PRODUCT :	YLANG COMOROS III ORGANIC OIL	
SECTION OF	Accidental release measures	(continued of page 3)
ų.		
	precautions, protective equipment and emergency procedures ve equipment. Keep unprotected persons away.	
	ate ventilation	
	m ignition sources.	
6.2 Environ	nental precautions:	
	product to reach sewage system or any water course.	
	tive authorities in case of seepage into water course or sewage system.	
6 3 Mothoda	and material for containment and cleaning up:	
	minated material as waste according to item 13.	
	ate ventilation.	
6 4 Deferen	to other costions	
	ce to other sections for information on safe handling.	
	for information on personal protection equipment.	
See Section 1	3 for disposal information.	
SECTION 07:	Handling and storage	
7.1 Precauti	ons for safe handling	
	les tightly sealed.	
	m heat and direct sunlight. entilation/exhaustion at the workplace.	
5	tion of aerosols.	
	are. Avoid jolting, friction and impact.	
	on about fire - and explosion protection:	
Reep Igniti Protect aga	on sources away - Do not smoke. inst electrostatic charges.	
	ns for safe storage, including any incompatibilities	
Storage:	ante ta las matelas ataunus ana and us santa alas.	
	ents to be met by storerooms and receptacles: in the original receptacle.	
Prevent an	y seepage into the ground.	
	ceptacles specifically permitted for this substance/ product.	
 Information Not require 	on about storage in one common storage facility:	
	formation about storage conditions:	
Keep conta	iner tightly sealed.	
	n heat and direct sunlight.	
Store rece	tacle in a well ventilated area.	
7.3 Specific		
No further rele	evant information available.	
SECTION 08:	Exposure controls/personal protection	
8.1 Control	parameters	
 Ingredien 	ts with limit values that require monitoring at the workplace:	
Not require	d.	
DNELs		
8006-81-3	Cananga odorata (Lam.) Hook.f. & Thomson DNEL(ShortTerm): 22,24 mg/m3	
	VNEL(Short rerm): 22,24 mg/m3 VEL(long term): 24,31 mg/kg	
 Additiona 	information:	
The lists va	lid during the making were used as basis.	
8.2 Exposur	e controls	
	protection measures, such as personal protective equipment	
 General p 	rotective and hygienic measures:	
	precautionary measures are to be adhered to when handling chemicals.	
	from foodstuffs heverages and feed	
Keep away	from foodstuffs, beverages and feed. ly remove all soiled and contaminated clothing	



2232303

Reviewed on: 19.12.2022 Printing date: 28.02.2024

PRODUCT :	YLANG COMOROS III ORGANIC OIL
	(continued of page 4)
Wash hand	s before breaks and at the end of work.
Do not inh	ale gases / fumes / aerosols.
Do not inh	ale dust / smoke / mist.
Avoid cont	act with the skin.
 Respirato 	ry protection:
	brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use ned respiratory protective device.
	e respiratory protective device in case of insufficient ventilation.
 Protection 	
Protective	
	naterial has to be impermeable and resistant to the product/ the substance/ the preparation.
	sing tests no recommendation to the glove material can be given for the product/ the preparation/ the
	f the glove material on consideration of the penetration times, rates of diffusion and the degradation
 Material d 	
The selecti	on of the suitable gloves does not only depend on the material, but also on further marks of quality and a manufacturer to manufacturer.
 Penetration 	on time of glove material
	break through time has to be found out by the manufacturer of the protective gloves and has to be
 Eye/face 	protoction

SECTION 09: Physical and chemical properties

9.1 Information on basic physical and chemic	cal properties		
General Information			
Physical state	Fluid		
Colour:	pale yellow to yellow		
Odour:	ylang		
Odour threshold:	Not determined.		
Melting point/freezing point:	< -80,0 °C		
Boiling point or initial boiling point and boiling range	> 125,0 °C		
Flammability	Not determined.		
Lower and upper explosion limit			
Lower:	Not determined.		
Upper:	Not determined.		
Flash point:	112,0 °C NFT 60-103 CC		
Decomposition temperature:	Not determined.		
рН	Not determined.		
Viscosity:			
Kinematic viscosity	at 40,00 °C 6,00 mm2/s		
Dynamic:	Not determined.		
Solubility			
water:	Not determined.		
Partition coefficient n-octanol/water (log value)	Not determined.		
Vapour pressure:	at 25,00 °C 0,0331 mbar		
Density and/or relative density			
Density:	Not determined.		
Relative density	0,8950 0,910 D20/20		
Vapour density	Not determined.		
9.2 Other information	No further relevant information available.		
Appearance:			
Form:	fluid		
Important information on protection of health	n and environment, and on safety.		
Auto-ignition temperature:	Not determined.		



2232303

Reviewed on: 19.12.2022 Printing date: 28.02.2024

Printing date: 28.02.2024

		(continued of page 5)
Explosive properties:	Not determined.	
Solvent content:		
Solids content:	0,00 %	
Change in condition		
Evaporation rate	Not determined.	
Information with regard to physical hazard o	lasses	
Explosives	not applicable	
Flammable gases	not applicable	
Aerosols	not applicable	
Oxidising gases	not applicable	
Gases under pressure	not applicable	
Flammable liquids	not applicable	
Flammable solids	not applicable	
Self-reactive substances and mixtures	not applicable	
Pyrophoric liquids	not applicable	
Pyrophoric solids	not applicable	
Self-heating substances and mixtures	not applicable	
Substances and mixtures, which emit flammable gases in contact with water	not applicable	
Oxidising liquids	not applicable	
Oxidising solids	not applicable	
Organic peroxides	not applicable	
Corrosive to metals	not applicable	
Desensitised explosives	not applicable	

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: Not determined.

SECTION 11:	Toxicological information	
 Acute toxic 	tion on hazard classes as defined in Regulation (EC) No 127 ity es relevant for classification:	72/2008
	IS	O LD/LC
	Cananga odorata (Lam.) Hook.f. & Thomson 000 mg/kg (rat) (readcross similar to OECD 401) >5000 mg/kg (Rabbit) (readcross similar to OECD 402)	
87-44-5 Oral, LD50: > 5	beta-Caryophyllene 5000 mg/kg (rat) (Hart and Wong 1971)	
120-51-4 Oral, LD50: 170	Benzyl benzoate 00 mg/kg (rat)	(continued on page 7)



2232303

		Printing date: 28.02.2024
PRODUCT :	YLANG COMOROS III ORGANIC OIL	
	3450 mg/kg (mouse) (Bier, 1979) 0: 4000 mg/kg (Rabbit)	(continued of page 6)
140-11-4 Oral, LD50: 2	benzyl acetate 2490 mg/kg (rat) (INRS 2011) 0: >5000 mg/kg (Rabbit) (INRS 2011)	
	Farnesol 20000 mg/kg (rat) 0: 15000 mg/kg (rat)	
104-93-8 Oral, LD50: 1 105-87-3	p-Methylanisole 1920 mg/kg (rat) Geranyl acetate >4000 mg/kg (rat) (NTP 1987)	
97-54-1	isoeugenol 1560 mg/kg (rat)	
78-70-6 Oral, LD50: 2 Dermal, LD50 Primary Skin corr Irritant to Causes sk Serious e No irritatin	Linalool 2790 mg/kg (rat) 0: 5610 mg/kg (Rabbit) irritant effect: rosion/irritation skin and mucous membranes. in irritation. eye damage/irritation ng effect.	
120-51-4	ory or skin sensitisation Benzyl benzoate ion, NESIL: 59000 ug/cm2 (human being) (Standard IFRA)	
 Germ ce 87-44-5 	Il mutagenicity beta-Caryophyllene	
OECD 471 120-51-4	AMES: NEGATIVE (in vitro) (Heck and al., 1989) Benzyl benzoate	
OECD 471 140-11-4	. AMES: NEGATIVE (in vitro) (Schunk and al., 1986) benzyl acetate	
OECD 471 104-93-8	. AMES: NEGATIVE (in vitro) (Tennant and al., 1987) p-Methylanisole	
OECD 471 105-87-3	. AMES: NEGATIVE (in vitro) (RIFM 1984) Geranyl acetate	
OECD 471 78-70-6	AMES: NEGATIVE (in vitro) (NTP 1987)	
	AMES: NEGATIVE (in vitro) (Letizia and al., 2007)	
104-93-8 Micronoya	p-Methylanisole au: NEGATIVE (mouse) (RIFM 2018)	
105-87-3 Micronoya	Geranyl acetate au: NEGATIVE (mouse) (in vivo, Shelby 1993)	
Micronoya • Reprodu	Linalool au: NEGATIVE (mouse) (in vivo, Letizia and al., 2007) au: NEGATIVE (in vitro) (DiSotto and al., 2011) ctive toxicity	
Not deten • STOT-sir Not deten	ngle exposure	
 STOT-rep Not determine Aspiration 	peated exposure mined.	
May be fa	al if swallowed and enters airways. e to chronic toxicity:	
8006-81-3 Oral, NOA	Cananga odorata (Lam.) Hook.f. & Thomson EL: 718 mg/kg (OECD 422 2017 readcross)	
87-44-5 Oral, NOA	beta-Caryophyllene EL: 700 mg/kg (rat) (90 days Schmitt 2016)	
140-11-4 Oral, NOA	benzyl acetate EL: 14,5 mg/kg (rat) (2 years, NTP 1993)	
104-93-8 Oral, NOA	p-Methylanisole EL: 100 mg/kg (rat) (28 days, RIFM 2013)	
— EII —		(continued on page 8)



CHEMICAL SAFETY DATA SHEET according to 2020/878/EC (1907/2006/EC Article 31)

Substance is not listed. SECTION 12: Ecological information 12.1 Toxicity • Aquatic toxicity: 8006-81-3 Cananga odorata (Lam.) Hook.f. & Thomson CE50/48h: 2,4 mg/l (daphnia) (OECD 202 2018) ErC50(0-72h): >100 mg/l (algae) (OECD 201 2018) 96h-LC50: 32 mg/l (fish) (OECD 203 2018)	
12.1 Toxicity • Aquatic toxicity: 8006-81-3 Cananga odorata (Lam.) Hook.f. & Thomson CE50/48h: 2,4 mg/l (daphnia) (OECD 202 2018) ErC50(0-72h): >100 mg/l (algae) (OECD 201 2018)	
 Aquatic toxicity: 8006-81-3 Cananga odorata (Lam.) Hook.f. & Thomson CE50/48h: 2,4 mg/l (daphnia) (OECD 202 2018) ErC50(0-72h): >100 mg/l (algae) (OECD 201 2018) 	
CE50/48h: 2,4 mg/l (daphnia) (OECD 202 2018) ErC50(0-72h): >100 mg/l (algae) (OECD 201 2018)	
140-11-4 benzyl acetate ErC50(0-72h): 92 mg/l (algae) (RIFM 2017) ErC50(0-48h): 37 mg/l (daphnia) (RIFM 2011) 96h-LC50: 4,6 mg/l (fish) (RIFM 1994)	
104-93-8 p-Methylanisole CE50/48h: 17 mg/l (daphnia) (RIFM 2018) 96h-LC50: 68,2 mg/l (fish) (RIFM 2018)	
78-70-6 Linalool LD50: 27,8 mg/l (fish) ((OECD 203) RIFM 1991) ErC50(0-72h): 156,7 mg/l (algae) ErC50(0-48h): 59 mg/l (daphnia) ((OECD 202))	
12.2 Persistence and degradabilityNo further relevant information available.Behaviour in environmental systems: Not determined.	
12.3 Bioaccumulative potential No further relevant information available.	
12.4 Mobility in soil No further relevant information available.	
12.5 Results of PBT and vPvB assessmentPBT:	
Not applicable. • vPvB:	
Not applicable. 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.	
12.6 Other adverse effectsNo further relevant information available.Ecotoxical effects:	
Not determined. • Remark:	
Toxic for fish Additional ecological information: General notes: 	
Toxic for aquatic organisms The material is harmful to the environment.	

- Recommendation
 - Must be specially treated adhering to official regulations. Uncleaned packaging:
- ٠
- Recommendation:
 - Disposal must be made according to official regulations.



CHEMICAL SAFETY DATA SHEET according to 2020/878/EC (1907/2006/EC Article 31)

RODUCT : YL	ANG COMOROS III ORGANIC OIL	
		(continued of page 8)
SECTION 14: Tra	nsport information	
14.1 UN number		
. ADR	UN3082	
. IMDG	UN3082	
. IATA	UN3082	
14.2 UN proper		
ADR	3082 ENVIRONMENTALLY HAZARDC (CANANGA ODORATA)	JUS SUBSTANCE, LIQUID, N.U.S.
. IMDG	ENVIRONMENTALLY HAZARDOUS S (CANANGA ODORATA)	UBSTANCE, LIQUID, N.O.S.
IATA	ENVIRONMENTALLY HAZARDOUS S (CANANGA ODORATA)	UBSTANCE, LIQUID, N.O.S.
14.3 Transport h		
ADR		
Class	9 (M6) Miscellaneous dangerous substa	nces and articles.
. Label	9	
	$\langle \mathbf{I} \mathbf{I} \mathbf{I} \rangle \langle \mathbf{I}_2 \rangle$	
IMDG		
Class	9 Miscellaneous dangerous substances	and articles.
Label	9	
. IATA		
. Class	9 Miscellaneous dangerous substances	and articles.
. Label	9	
14.4 Packing gro	up	
. ADR		
IMDG	III	
. IATA	III	
14.5 Environme		
. Marine pollutar	t: Yes	
14.6 Special pre	cautions for user	
Warning: Miscellar	eous dangerous substances and articles.	
. Danger code (K		
. EMS Number:	F-A,S-F	
14.7 Maritime tr Not applicable.	ansport in bulk according to IMO instruments	
 Transport/Add Not applicable. ADR 	itional information:	



2232303

PRODUCT :	YLANG COM	OROS III ORGANIC OIL	
			(continued of page 9)
. Limited qua	ntities (LQ)	5L	
. Transport c	ategory	3	
IMDG			
. Limited qua	ntities (LQ)	5L	
Excepted qu	antities (EQ)	E1	
 UN "Model 	Regulation":		
	VIRONMENTALLY	Y HAZARDOUS SUBSTANCE, LIQUII), N.O.S. (CANANGA
SECTION 15:	Regulatory ir	hformation	
			tion chacific for the substance or mixture
 DIRECTIVE 	2011/65/FU c	in the restriction of the use of	tion specific for the substance or mixture certain hazardous substances in electrical
	nic equipment		
Substance is	s not listed.		
	ON (EU) 2019/		
 Annex I - under Artic 		XPLUSIVES PRECURSORS (Upp	per limit value for the purpose of licensing
Substance is			
		EXPLOSIVES PRECURSORS	
Substance is	s not listed.		
 Regulation Substance is 		2004 on drug precursors	
		2005 laying down rules for the	monitoring of trade between the
		Intries in drug precursors	
Substance is			
. National -	aulationa		
 National re 	gulations:		
 Technical i 	nstructions (aii	r):	
 Class Shar 			
I			
• Waterbarr	rd class.		
 Waterhaza Water hazar 		ssessment): hazardous for water.	
	(· · · · ·	·····	
	al safety assess		
A Chemical Sat	ety Assessment I	has been carried out.	
CECTION 1C	Othon inform		
SECTION 16:	other inform		
information in to be consider areas thereof.	this sheet must t ed a warranty or The information o	be regarded as a description of the r quality specification and have no contained in this safety data sheet r	e of our knowledge at the date indicated. The safety requirements for the product, they are not contractual value on properties and application elate to the specific material designated and may roduct or process, unless it is specified in the text
of this docume		lies with EU requisiters in from	The data was a support the same form language and
	nformation comp e national regulat		It does not exempt the user from knowing and
	Harmful if sv		
applying all theRelevant p H302		if swallowed and enters airways.	
applying all the • Relevant p H302 H304			
applying all theRelevant p H302		ontact with skin.	
applying all the • Relevant p H302 H304 H312 H315 H317	Harmful in co Causes skin May cause ai	ontact with skin. irritation. n allergic skin reaction.	
applying all the • Relevant p H302 H304 H312 H315 H317 H319	Harmful in co Causes skin May cause au Causes serio	ontact with skin. irritation. n allergic skin reaction. ous eye irritation.	sild
applying all the • Relevant p H302 H304 H312 H315 H317 H319 H361	Harmful in co Causes skin May cause an Causes serio Suspected of	ontact with skin. irritation. n allergic skin reaction. ous eye irritation. f damaging fertility or the unborn cl	nild.
applying all the • Relevant p H302 H304 H312 H315 H317 H319	Harmful in co Causes skin May cause au Causes serio Suspected of Very toxic to	ontact with skin. irritation. n allergic skin reaction. ous eye irritation. f damaging fertility or the unborn cl	nild.
applying all the • Relevant p H302 H304 H312 H315 H317 H319 H361 H400	Harmful in co Causes skin May cause au Causes serio Suspected of Very toxic to Toxic to aqua	ontact with skin. irritation. n allergic skin reaction. ous eye irritation. f damaging fertility or the unborn cl o aquatic life.	
applying all the • Relevant p H302 H304 H312 H315 H317 H319 H361 H400 H411 H412	Harmful in co Causes skin May cause au Causes serio Suspected of Very toxic to Toxic to aqua Harmful to a	ontact with skin. irritation. n allergic skin reaction. ous eye irritation. f damaging fertility or the unborn cl aquatic life. atic life with long lasting effects.	
applying all the • Relevant p H302 H304 H312 H315 H317 H319 H361 H400 H411 H412 • Training hi	Harmful in co Causes skin May cause an Causes serio Suspected of Very toxic to Toxic to aqua Harmful to a	ontact with skin. irritation. n allergic skin reaction. us eye irritation. f damaging fertility or the unborn cl o aquatic life. atic life with long lasting effects. iquatic life with long lasting effects.	
 applying all the Relevant p H302 H304 H312 H315 H317 H319 H361 H400 H411 H412 Training hi Minimum tra purpose of 	Harmful in co Causes skin May cause an Causes serio Suspected of Very toxic to Toxic to aqua Harmful to a nts aining in occupati facilitating the u	ontact with skin. irritation. n allergic skin reaction. ous eye irritation. f damaging fertility or the unborn clo aquatic life. atic life with long lasting effects. iquatic life with long lasting effects.	ed for personnel who will handle this product, in the
applying all the • Relevant p H302 H304 H315 H317 H319 H361 H400 H411 H412 • Training hi Minimum tra	Harmful in co Causes skin May cause an Causes serio Suspected of Very toxic to Toxic to aqua Harmful to a nts aining in occupati facilitating the u	ontact with skin. irritation. n allergic skin reaction. ous eye irritation. f damaging fertility or the unborn clo aquatic life. atic life with long lasting effects. iquatic life with long lasting effects.	



CHEMICAL SAFETY DATA SHEET according to 2020/878/EC (1907/2006/EC Article 31)

PRODUCT : YLANG COM	DROS III ORGANIC OIL
	(continued of page 10)
 Abbreviations and acrony 	vms:
	Association IOFI:International Organization of the Flavor Industry IFRA:International
	nternational Organization of the Flavor Industry
	e transport des marchandises dangereuses par Route (European Agreement concerning
	Dangerous Goods by Road) ADR: Accord européen sur le transport des marchandises
	pean Agreement concerning the International Carriage of Dangerous Goods by Road)
	l concernant le transport des marchandises dangereuses par chemin de fer (Regulations
	l Transport of Dangerous Goods by Rail) RID: Règlement international concernant le
	dangereuses par chemin de fer (Regulations Concerning the International Transport of
Dangerous Goods by Rail)	angle cases par chemin ac ler (regulations concerning the international mansport of
	e Code for Dangerous Goods IMDG: International Maritime Code for Dangerous Goods
	sportation DOT: US Department of Transportation
	sport Association IATA: International Air Transport Association
	ation Organisation ICAO: International Civil Aviation Organisation
	ystem of Classification and Labelling of Chemicals GHS: Globally Harmonised System of
Classification and Labelling of	
EINECS: European Inventory	of Existing Commercial Chemical Substances EINECS: European Inventory of Existing
Commercial Chemical Substa	ances
ELINCS: European List of No	tified Chemical Substances ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Se	ervice (division of the American Chemical Society) CAS: Chemical Abstracts Service
(division of the American Ch	emical Society)
DNEL: Derived No-Effect Lev	el (REACH) DNEL: Derived No-Effect Level (REACH)
	50 percent LC50: Lethal concentration, 50 percent
	nt LD50: Lethal dose, 50 percent
	ative and Toxic PBT: Persistent, Bioaccumulative and Toxic
	ry Bioaccumulative vPvB: very Persistent and very Bioaccumulative
	n at 50% ErC50:concentration of test substance which results in a 50 percent reduction
in either growth rate (ErC50)	relative to the control within 72hrs exposure.
Sources	
IFRA/IOFI Labelling Manual,	REACH registration dossier, supplier information
 * Data compared to the provide the provide the provide the provide the provided the	previous version altered.