


2727804

CHEMICAL SAFETY DATA SHEET according to 2020/878/EC (1907/2006/EC Article 31)

> Reviewed on: 12.02.2025 Printing date: 12.02.2025





2727804

Reviewed on: 12.02.2025 Printing date: 12.02.2025

		Printing date: 12.02.2025
PRODUCT : EL	JCALYPTUS G 80/85 ORGANIC OIL	
Danger - Hazard staten H226 Flammabl H304 May be fa H315 Causes sk H317 May cause H411 Toxic to a - Precautionary P210 Keep away P233 Keep cont P240 Ground an P301+P310 IF S P403+P235 Sto P501 Dispose of 2.3 Other hazar • Results of PBT - PBT: Not applicable. - vPvB:	nents e liquid and vapour. tal if swallowed and enters airways. in irritation. e an allergic skin reaction. quatic life with long lasting effects. statements y from heat, hot surfaces, sparks, open flames and other ignit ainer tightly closed. Id bond container and receiving equipment. SWALLOWED: Immediately call a POISON CENTER/ doctor. re in a well-ventilated place. Keep cool. f contents/container in accordance with local/regional/ nationa	
Not applicable. • Determination	n of endocrine-disrupting properties redients is listed.	
SECTION 03: Co 3.1 Substances CAS No. 8000-48-4 • Identification • EC number: 283-406-2	mposition/information on ingredients Description Eucalyptus globulus Labillardiere number(s)	
 Dangerous co CAS Number 470-82-6 	mponents: Eucalyptol	% 50,001-100
* 80-56-8 *	EC number: 207-431-5 Flam. Liq. 3 - H226; Skin Sens. 1B - H317 ALPHA-PINENE EC number: 201-291-9 Asp. Tox. 1 - H304; Flam. Liq. 3 - H226; C Acute Tox. 4 - H302, Skin	5,001-10,00
5989-27-5	Irrit. 2 - H315, Skin Sens. 1B - H317 d-limonene EC number: 227-813-5 ♣ Asp. Tox. 1 - H304; ♠ Flam. Liq. 3 - H226; ♠ Skin Irrit. 2 - H315, Skin Sens. 1B - H317; ♣ Aquatic Acute 1 -	5,001-10,00
99-87-6	H400 (M=1); Aquatic Chronic 3 - H412 p-cymene EC number: 202-796-7 ♦ Acute Tox. 3 - H331; ♦ Asp. Tox. 1 - H304; ♦ Flam. Liq. 3 - H226; ♦ Aquatic Chronic 2 - H411	1,001- 5,000
* 98-55-5 *	Aquate Chronic 2 - H411 p-menth-1-en-8-ol EC number: 202-680-6 Image: Skin Irrit. 2 - H315, Eye Irrit. 2 -	1,001- 5,000 (continued on page 3)



2727804

Reviewed on: 12.02.2025 Printing date: 12.02.2025

			Printing date: 12.02.202
	PRODUCT :	EUCALYPTUS G 80/85 ORGANIC OIL	
			(continued of page 2)
*		H319	
*	99-85-4	p-Mentha-1,4-diene	1,001- 5,000
*		EC number: 202-794-6	
		🚸 Asp. Tox. 1 - H304; 🚸 Flam. Liq. 3	
*		- H226	
*	127-91-3	BETA-PINENE	0,101-1,000
*		EC number: 204-872-5	
*		🚸 Asp. Tox. 1 - H304; 🚸 Flam. Liq. 3	
*		- H226; 솻 Skin Irrit. 2 - H315, Skin	
*		Sens. 1B - H317	
*	586-62-9	TERPINOLENE	0,101-1,000
*		EC number: 209-578-0	
*		🚸 Asp. Tox. 1 - H304; 🚸 Skin Sens.	
*		1B - H317; 🕸 Aquatic Acute 1 - H400	
*		(M=1), Aquatic Chronic 1 - H410 (M=1)	
*	562-74-3	p-Menth-1-en-4-ol	0,101-1,000
*		EC number: 209-235-5	
*		Acute Tox. 4 - H302, Acute Tox. 4 -	
*		H332, Skin Irrit. 2 - H315, Eye Irrit. 2 -	
*		H319 Skin Sens 1B - H317 STOT SE 3 - H336	

SECTION 04: First aid measures

- 4.1 Description of first aid measures
- General information:
- Seek immediate medical advice. • After inhalation:
- Supply fresh air and to be sure call for a doctor.
- After skin contact:
 - If skin irritation continues, consult a doctor.
 - Immediately wash with water and soap and rinse thoroughly. After eye contact:
 - Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. After swallowing:
- Seek immediate medical advice.
- Information for doctor:

4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

H319, Skin Sens. 1B - H317, STOT SE 3 - H336

SECTION 05: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water. Use fire extinguishing methods suitable to surrounding conditions.
- For safety reasons unsuitable extinguishing agents: Water with full jet

5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire.

- 5.3 Advice for firefighters
- Protective equipment: Do not inhale explosion gases or combustion gases.

(continued on page 4)



2727804

CHEMICAL SAFETY DATA SHEET according to 2020/878/EC (1907/2006/EC Article 31)

> Reviewed on: 12.02.2025 Printing date: 12.02.2025

PRODUCT : EUCALYPTUS G 80/85 ORGANIC OIL (continued of page 3) • Additional information Cool endangered receptacles with water spray. SECTION 06: Accidental release measures 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources. 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. SECTION 07: Handling and storage 7.1 Precautions for safe handling Keep receptacles tightly sealed. Keep away from heat and direct sunlight. Ensure good ventilation/exhaustion at the workplace. Handle with care. Avoid jolting, friction and impact. • Information about fire - and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. 7.2 Conditions for safe storage, including any incompatibilities Storage: · Requirements to be met by storerooms and receptacles: Store only in the original receptacle. Prevent any seepage into the ground. Use only receptacles specifically permitted for this substance/ product. • Information about storage in one common storage facility: Not required. Further information about storage conditions: Keep container tightly sealed. Protect from heat and direct sunlight. Store receptacle in a well ventilated area. 7.3 Specific end use(s) No further relevant information available. SECTION 08: Exposure controls/personal protection 8.1 Control parameters

- Ingredients with limit values that require monitoring at the workplace: Not required.
- Additional information: The lists valid during the making were used as basis.
- 8.2 Exposure controls
- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.

(continued on page 5)



2727804

Reviewed on: 12.02.2025 Printing date: 12.02.2025

PRODUCT : EUCALYPTUS G 80/85 ORGANIC OIL
(continued of page 4)
Avoid contact with the skin.
 Respiratory protection: Use suitable respiratory protective device in case of insufficient ventilation.
 Protection of hands:
Protective gloves
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
Material of gloves
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
Penetration time of glove material
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
Eye/face protection
Safety glasses
Body protection: Impervious protective clothing
Boots

SECTION 09: Physical and chemical properties

9.1 Information on basic physical and chemical properties

3.1 mormation on basic physical and chemic	- h. chermee
General Information	
Physical state	Fluid
Colour:	colourless to pale yellow
Odour:	camphor-like
Odour threshold:	Not determined.
Melting point/freezing point:	-14,0012,00 °C
Boiling point or initial boiling point and boiling range	160,00 - 200,00 °C
Flammability	Not determined.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	45,5 °C NFT 60-103 CC
Decomposition temperature:	Not determined.
рН	Not determined.
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
water:	Not determined.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	at 25,00 °C 10,0000 mbar
Density and/or relative density	
Density:	Not determined.
Relative density	0,9050 0,925 D20/20
Vapour density	Not determined.
9.2 Other information	No further relevant information available.
Appearance:	
Form:	fluid
Important information on protection of health	
Auto-ignition temperature:	Not determined.
Explosive properties:	Not determined.



2727804

Reviewed on: 12.02.2025)25

RODUCT : EUCALYPTUS G 80/85	ORGANIC OIL	
	(contir	nued of page 5
Solvent content:		
Solids content:	0,00 %	
Change in condition		
Evaporation rate	<= 1,0 (butyl acétate = 1)	
Information with regard to physical hazard o	classes	
Explosives	not applicable	
Flammable gases	not applicable	
Aerosols	not applicable	
Oxidising gases	not applicable	
Gases under pressure	not applicable	
Flammable liquids	Flammable liquid and vapour.	
Flammable solids	not applicable	
Self-reactive substances and mixtures	not applicable	
Pyrophoric liquids	not applicable	
Pyrophoric solids	not applicable	
Self-heating substances and mixtures	not applicable	
Substances and mixtures, which emit flammable gases in contact with water	not applicable	
Oxidising liquids	not applicable	
Oxidising solids	not applicable	
Organic peroxides	not applicable	
Corrosive to metals	not applicable	

SECTION 10: Stability and reactivity

10.1 Reactivity

No further relevant information available.

10.2 Chemical stability

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: Not determined.

	SECTION 11: T	oxicological information		
*	 Acute toxicit 	,	lo 1272/2008	
	 LD/LC50 val 	ues relevant for classification:		
			ISO LD/LC	
	,1064-1071)	Eucalyptus globulus Labillardiere 2000 mg/kg (mouse) (Publication (J.Kyushu Dent.Soc.38(6 : > 5000 mg/kg (Rabbit) (Standard Acute Method - 1973))	
	470-82-6 Oral, LD50: 38	Eucalyptol 849 mg/kg (mouse) (Jiao Xu, 2014)		
	5989-27-5 Oral, LD50: 44	(R)-p-mentha-1,8-diene 400 mg/kg (rat)		
*	98-55-5	p-menth-1-en-8-ol		
				(continued on page 7)

*



2727804

*

Reviewed on: 12.02.2025 Printing date: 12.02.2025

 Oral, LD50: 4300 mg/kg (rat) Primary irritant effect: Skin corrosion/irritation Irritant to skin and mucous membranes. Causes skin irritation. Serious eye damage/irritation 	(continued of page 6)
 8000-48-4 Eucalyptus globulus Labillardiere Irritation of eyes, OECD 405 DRAIZE: NOT CLASSIFIED (Rabbit) (OECD Guideline 405 - 2013) Respiratory or skin sensitisation Sensitization possible through skin contact. Germ cell mutagenicity 	
8000-48-4Eucalyptus globulus LabillardiereOECD 471 AMES: NEGATIVE (in vitro) (OECD Guideline 471 - 2012)	
 470-82-6 Eucalyptol OECD 471 AMES: NEGATIVE (in vitro) (Haworth, 1983) Carcinogenicity Not determined. Reproductive toxicity Not determined. STOT-single exposure Not determined. STOT-repeated exposure Not determined. STOT-repeated exposure Not determined. Aspiration hazard May be fatal if swallowed and enters airways. May be fatal if swallowed and enters airways. 	

SECTION 12: Ecological information

12.1 Toxicity	
Aquatic toxicity:	
8000-48-4 Eucalyptus globulus Labillardiere CE50/48h: 1,02 mg/l (daphnia) (Constituent approach, additivity formula)	
ErC50(0-72h): 1,64 mg/l (algae) (Constituent approach, additivity formula)	
5989-27-5 (R)-p-mentha-1,8-diene LD50: 0,71 mg/l (fish) (OECD 203)	
99-87-6 p-cymene LD50: 1,63 mg/l (fish) (OECD 203)	
12.2 Persistence and degradability	
No further relevant information available.	
 Behaviour in environmental systems: Not determined. 	
12.3 Bioaccumulative potential No further relevant information available.	
12.4 Mobility in soil	
No further relevant information available.	
12.5 Results of PBT and vPvB assessment	
PBT: Not applicable.	
• vPvB: Not applicable.	
12.6 Endocrine disrupting properties	
12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.	



2727804

ved on: 12 02 2025 . . .:

(continued on page 9)

PRODUCT :	EUCALYPTUS G 80/85 ORGANIC OIL
	(continued of page
	r adverse effects
	elevant information available.
 Ecotoxic Not deter 	
Remark:	
Toxic for	
	nal ecological information:
 General Toxic for 	aquatic organisms
	rial is harmful to the environment.
SECTION 13	3: Disposal considerations
	e treatment methods
 Recomm Must be s 	nendation specially treated adhering to official regulations.
	ed packaging:
 Recomm 	nendation:
Disposal	must be made according to official regulations.
CECTION 14	: Transport information
	umber or ID number
. ADR	UN1197
. IMDG	UN1197
. IATA	UN1197
14.2 UN pr	roper shipping name
ADR	1197 EXTRACTS, LIQUID
. IMDG	EXTRACTS, LIQUID (EUCALYPTUS GLOBULUS LABILLARDIERE)
. IATA	EXTRACTS, LIQUID
14.3 Trans . ADR	sport hazard class(es)
. Class	3 (F1) Flammable liquids.
. Label	3 (FT) Flaininable ilquids.
Laber	$\dot{\mathbf{A}}$ \wedge
. IMDG	
. IMDG . Class	3 Flammable liquids.
. Class	3 Flammable liquids.
	3 Flammable liquids.
. Class	
. Class	
. Class	
. Class . Label	
. Class . Label . IATA	
. Class . Label . IATA . Class	3 3 3 Flammable liquids.
. Class . Label . IATA	
. Class . Label . IATA . Class	3 3 3 Flammable liquids.
. Class . Label . IATA . Class	3 3 3 Flammable liquids.
. Class . Label . IATA . Class	3 3 3 Flammable liquids.



2727804

Reviewed on: 12.02.2025 Printing date: 12.02.2025

PRODUCT : EUCALYPTUS	G 80/85 ORGANIC OIL
ADR	(continued of page 8)
	111
14.5 Environmental hazards	
. Marine pollutant:	Yes
Danger code (Kemler):	30
EMS Number:	F-E,S-D
14.6 Special precautions for Warning: Flammable liquids.	user
14.7 Maritime transport in b Not applicable.	ulk according to IMO instruments
 Transport/Additional infor ADR 	mation:
Excepted quantities (EQ):	E1
Limited quantities (LQ)	5L
. Transport category	3
. Tunnel restriction code	D/E
. IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	E1
UN "Model Regulation": UN 1197 EXTRACTS, LIQUID,	3, III, ENVIRONMENTALLY HAZARDOUS
SECTION 15: Regulatory in	formation
1E 1 Cofety books and and	ironmental regulations/legislation specific for the substance or mixture n the restriction of the use of certain hazardous substances in electrical

- Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))
- None of the ingredients is listed. • Annex II - REPORTABLE EXPLOSIVES PRECURSORS
- None of the ingredients is listed.
 Regulation (EC) No 273/2004 on drug precursors None of the ingredients is listed.
- Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors None of the ingredients is listed.
- National regulations:
- Technical instructions (air):
- Class Share in %
- I

*

*

- Waterhazard class: Generally not hazardous for water.
- 15.2 Chemical safety assessment:
- A Chemical Safety Assessment has not been carried out.

EU

(continued on page 10)



2727804

CHEMICAL SAFETY DATA SHEET according to 2020/878/EC (1907/2006/EC Article 31)

> Reviewed on: 12.02.2025 Printing date: 12.02.2025

	(continued of page 9)
SECTION 16:	Other information
information i to be consid areas thereof not be valid of this docun The required	information complies with EU regulations in force. It does not exempt the user from knowing and he national regulations in force.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
purpose c	training in occupational risk prevention is recommended for personnel who will handle this product, in th f facilitating the understanding and interpretation of this form of safety data in the same way as t the product.
IFRA:Inte ADR: Acco the Intern RID: Règl Concernin IMDG: Int DOT: US I IATA: Inte ICAO: Int GHS: Glot EINECS: E ELINCS: Cher	tions and acronyms: mational Fragrance Association IOFI:International Organization of the Flavor Industry ord européen sur le transport des marchandises dangereuses par Route (European Agreement concernir ational Carriage of Dangerous Goods by Road) ement international concernant le transport des marchandises dangereuses par chemin de fer (Regulation g the International Transport of Dangerous Goods by Rail) ernational Maritime Code for Dangerous Goods Department of Transportation ernational Air Transport Association ernational Civil Aviation Organisation vally Harmonised System of Classification and Labelling of Chemicals turopean Inventory of Existing Commercial Chemical Substances uropean List of Notified Chemical Substances mical Abstracts Service (division of the American Chemical Society) hal concentration, 50 percent hal dose, 50 percent stent, Bioaccumulative and Toxic
PBT: Persi	<pre>/ Persistent and very Bioaccumulative</pre>