


2856901

CHEMICAL SAFETY DATA SHEET according to 2020/878/EC (1907/2006/EC Article 31)

> Reviewed on: 29.07.2024 Printing date: 30.07.2024





2856901

Reviewed on: 29.07.2024 Printing date: 30.07.2024

	AVENDER SPIKE SPAIN ORG OIL	
_		(continued of page 1)
 H304 May be f H315 Causes s H317 May cau H321 Harmful H371 May cau H411 Toxic to Precautionar P210 Keep aw P233 Keep cor P240 Ground a P301+P310 IF P403+P235 St P501 Dispose 2.3 Other haza 	ble liquid and vapour. fatal if swallowed and enters airways. skin irritation. se an allergic skin reaction. if inhaled. se damage to organs. aquatic life with long lasting effects. y statements ay from heat, hot surfaces, sparks, open flames and other ignition ntainer tightly closed. and bond container and receiving equipment. SWALLOWED: Immediately call a POISON CENTER/ doctor. core in a well-ventilated place. Keep cool. of contents/container in accordance with local/regional/ national/i ards BT and vPvB assessment	sources. No smoking.
Not applicable		
	on of endocrine-disrupting properties ngredients is listed.	
 Identification EC number:		
284-290-6 • Dangerous c		N /
284-290-6 • Dangerous o CAS Number	components:	% 20 001-50 00
284-290-6 • Dangerous c	components: LINALOOL EC number: 201-134-4	% 20,001-50,00
284-290-6 • Dangerous o CAS Number	components: LINALOOL	
284-290-6 • Dangerous o CAS Number 78-70-6	components: LINALOOL EC number: 201-134-4 Skin Irrit. 2 - H315, Eye Irrit. 2 - H319, Skin Sens. 1B - H317	20,001-50,00
284-290-6 • Dangerous o CAS Number	components: LINALOOL EC number: 201-134-4 أ Skin Irrit. 2 - H315, Eye Irrit. 2 -	
284-290-6 • Dangerous o CAS Number 78-70-6	components: LINALOOL EC number: 201-134-4 Skin Irrit. 2 - H315, Eye Irrit. 2 - H319, Skin Sens. 1B - H317 Eucalyptol	20,001-50,00
284-290-6 • Dangerous o CAS Number 78-70-6 470-82-6	Components: LINALOOL EC number: 201-134-4	20,001-50,00 20,001-50,00
284-290-6 • Dangerous o CAS Number 78-70-6	Components: LINALOOL EC number: 201-134-4	20,001-50,00
284-290-6 • Dangerous o CAS Number 78-70-6 470-82-6	Components: LINALOOL EC number: 201-134-4	20,001-50,00 20,001-50,00
284-290-6 • Dangerous o CAS Number 78-70-6 470-82-6	LINALOOL EC number: 201-134-4 Skin Irrit. 2 - H315, Eye Irrit. 2 - H319, Skin Sens. 1B - H317 Eucalyptol EC number: 207-431-5 Flam. Liq. 3 - H226; Skin Sens. 1B - H317 CAMPHOR EC number: 200-945-0	20,001-50,00 20,001-50,00
284-290-6 • Dangerous of CAS Number 78-70-6 470-82-6 76-22-2	components: LINALOOL EC number: 201-134-4 O Skin Irrit. 2 - H315, Eye Irrit. 2 - H319, Skin Sens. 1B - H317 Eucalyptol EC number: 207-431-5 O Flam. Liq. 3 - H226; O Skin Sens. 1B - H317 CAMPHOR EC number: 200-945-0 O Flam. Sol. 2 - H228; O Acute Tox.	20,001-50,00 20,001-50,00 10,001-20,00
284-290-6 • Dangerous o CAS Number 78-70-6 470-82-6	components: LINALOOL EC number: 201-134-4 Skin Irrit. 2 - H315, Eye Irrit. 2 - H319, Skin Sens. 1B - H317 Eucalyptol EC number: 207-431-5 Flam. Liq. 3 - H226; Skin Sens. 1B - H317 CAMPHOR EC number: 200-945-0 Flam. Sol. 2 - H228; Acute Tox. H302, Acute Tox. 4 - H332; STOT SE 2 - H371 d-limonene 	20,001-50,00 20,001-50,00
284-290-6 • Dangerous of CAS Number 78-70-6 470-82-6 76-22-2	components: LINALOOL EC number: 201-134-4 Skin Irrit. 2 - H315, Eye Irrit. 2 - H319, Skin Sens. 1B - H317 Eucalyptol EC number: 207-431-5 Flam. Liq. 3 - H226; Skin Sens. 1B - H317 CAMPHOR EC number: 200-945-0 Flam. Sol. 2 - H228; Acute Tox. 4 - H302, Acute Tox. 4 - H332; STOT SE 2 - H371	20,001-50,00 20,001-50,00 10,001-20,00
284-290-6 • Dangerous of CAS Number 78-70-6 470-82-6 76-22-2	components: LINALOOL EC number: 201-134-4 \textcircled{O} Skin Irrit. 2 - H315, Eye Irrit. 2 - H319, Skin Sens. 1B - H317 Eucalyptol EC number: 207-431-5 \textcircled{O} Flam. Liq. 3 - H226; \textcircled{O} Skin Sens. 1B - H317 CAMPHOR EC number: 200-945-0 \textcircled{O} Flam. Sol. 2 - H228; \textcircled{O} Acute Tox. 4 - H302, Acute Tox. 4 - H332; \textcircled{O} STOT SE 2 - H371 d-limonene EC number: 227-813-5	20,001-50,00 20,001-50,00 10,001-20,00
284-290-6 • Dangerous of CAS Number 78-70-6 470-82-6 76-22-2	LINALOOL EC number: 201-134-4 \bigcirc Skin Irrit. 2 - H315, Eye Irrit. 2 - H319, Skin Sens. 1B - H317 Eucalyptol EC number: 207-431-5 \bigcirc Flam. Liq. 3 - H226; \bigcirc Skin Sens. 1B - H317 CAMPHOR EC number: 200-945-0 \bigcirc Flam. Sol. 2 - H228; \bigcirc Acute Tox. 4 - H302, Acute Tox. 4 - H332; $∲$ STOT SE 2 - H371 d-limonene EC number: 227-813-5 $∲$ Asp. Tox. 1 - H304; $∲$ Flam. Liq. 3	20,001-50,00 20,001-50,00 10,001-20,00
284-290-6 • Dangerous of CAS Number 78-70-6 470-82-6 76-22-2 5989-27-5	LINALOOL EC number: 201-134-4 \textcircled{O} Skin Irrit. 2 - H315, Eye Irrit. 2 - H319, Skin Sens. 1B - H317 Eucalyptol EC number: 207-431-5 \textcircled{O} Flam. Liq. 3 - H226; \textcircled{O} Skin Sens. 1B - H317 CAMPHOR EC number: 200-945-0 \textcircled{O} Flam. Sol. 2 - H228; \textcircled{O} Acute Tox. 4 - H302, Acute Tox. 4 - H332; \textcircled{O} STOT SE 2 - H371 d-limonene EC number: 227-813-5 \textcircled{O} Asp. Tox. 1 - H304; \textcircled{O} Flam. Liq. 3 - H226; \textcircled{O} Skin Irrit. 2 - H315, Skin	20,001-50,00 20,001-50,00 10,001-20,00 1,001- 5,000
284-290-6 • Dangerous of CAS Number 78-70-6 470-82-6 76-22-2	LINALOOL EC number: 201-134-4 \bigcirc Skin Irrit. 2 - H315, Eye Irrit. 2 - H319, Skin Sens. 1B - H317 Eucalyptol EC number: 207-431-5 \bigcirc Flam. Liq. 3 - H226; \bigcirc Skin Sens. 1B - H317 CAMPHOR EC number: 200-945-0 \bigcirc Flam. Sol. 2 - H228; \bigcirc Acute Tox. 4 - H302, Acute Tox. 4 - H332; $∲$ STOT SE 2 - H371 d-limonene EC number: 227-813-5 $∲$ Asp. Tox. 1 - H304; $∲$ Flam. Liq. 3 - H226; $∲$ Skin Irrit. 2 - H315, Skin Sens. 1B - H317; $∲$ Aquatic Acute 1 -	20,001-50,00 20,001-50,00 10,001-20,00



2856901

Reviewed on: 29.07.2024 Printing date: 30.07.2024

PRODUCT :	LAVENDER SPIKE SPAIN ORG OIL	
		(continued of page 2)
	🚸 Asp. Tox. 1 - H304; 🚸 Flam. Liq. 3	
	- H226; 🚸 Skin Irrit. 2 - H315, Skin	
	Sens. 1B - H317	
87-44-5	BETA-CARYOPHYLLENE	1,001- 5,000
	EC number: 201-746-1	
	🚸 Asp. Tox. 1 - H304; 🚸 Skin Sens.	
	1B - H317	
80-56-8	ALPHA-PINENE	0,101-1,000
	EC number: 201-291-9	
	🚸 Asp. Tox. 1 - H304; 🚸 Flam. Liq. 3	
	- H226; 🚸 Acute Tox. 4 - H302, Skin	
	Irrit. 2 - H315, Skin Sens. 1B - H317	
* 562-74-3	p-Menth-1-en-4-ol	0,101-1,000
*	EC number: 209-235-5	
*	< Acute Tox. 4 - H302, Acute Tox. 4 -	
*	H332, Skin Irrit. 2 - H315, Eye Irrit. 2 -	
*	H319, Skin Sens. 1B - H317, STOT SE 3 - H336	
* 99-87-6	p-cymene	0,101-1,000
*	EC number: 202-796-7	
*	🧇 Acute Tox. 3 - H331; 🚸 Asp. Tox. 1	
*	- H304; 🚸 Flam. Liq. 3 - H226; 🌜	
*	Aquatic Chronic 2 - H411	
* 79-92-5	camphene	0,101-1,000
*	EC number: 201-234-8	
*	🚸 Flam. Sol. 1 - H228; 🚸 Eye Irrit.	
*	2 - H319; 🌜 Aquatic Acute 1 - H400 (M=1)	
*	, Aquatic Chronic 1 - H410 (M=1)	
* 115-95-7		0,101-1,000
*	EC number: 204-116-4	-,
*	🚸 Skin Irrit. 2 - H315, Eye Irrit. 2 -	
*	H319, Skin Sens. 1 - H317	
* 586-62-9	TERPINOLENE	0,101-1,000
*	EC number: 209-578-0	· ·
*	🚸 Asp. Tox. 1 - H304; 🚸 Skin Sens.	
*	1B - H317; 🌜 Aquatic Acute 1 - H400	
*	(M=1), Aquatic Chronic 1 - H410 (M=1)	

SECTION 04: First aid measures

- 4.1 Description of first aid measures
- General information: Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident. Seek immediate medical advice.
 After inhalation: Supply fresh air and to be sure call for a doctor.
 After skin contact: If skin irritation continues, consult a doctor. Immediately wash with water and soap and rinse thoroughly.
 After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
 After swallowing: Seek immediate medical advice.



2856901

CHEMICAL SAFETY DATA SHEET according to 2020/878/EC (1907/2006/EC Article 31)

Reviewed on: 29.07.2024

 Information for doctor: A.2 Most important symptoms and effects, both acute and delayed No further relevant information available. A.3 Indication of any immediate medical attention and special treatment needed No further relevant information available. CTION 05: Firefighting measures S.1 Extinguishing media Suitable extinguishing agents: CO2, sand, extinguishing growder. Do not use water. Use fire extinguishing media suitable is surrounding conditions. For safety reasons unsuitable extinguishing agents: Water with full jet S.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. S.3 Advice for firefighters Protective equipment: Mount respiratory protective device. Do not inhale explosion gases or combustion gases. Additional information Cool endangered receptacles with water spray. 	RODUCT :	LAVENDER SPIKE SPAIN ORG OIL	
A.2. Most important symptoms and effects, both acute and delayed No further relevant information available. 4.3. Indication of any immediate medical attention and special treatment needed No further relevant information available. CTION 05: Firefighting measures 5.1 Extinguishing media 9. Suitable extinguishing agents: (C20, sand, extinguishing movier, Do not use water, Use fire extinguishing from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. 5.3. Advice for firefighters 9. Protective equipment: Mount respiratory protective device. Do not inhale explosion gases or combustion gases. 4.4 dditional information Cool endangered receptacles with water spray. CTION 06: Accidental release measures 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment, these unprotected persons away. Ensure adequate ventilation Keep away from ignition sources. 6.3 Environmental precautions: Do not inhale material as waste according to item 13. Ensure adequate ventilation. 6.4 Reference to other sections See Section 7 for information on spersonal protection equipment. See Section 13 for information on spersonal protection equipment. See Section 13 for information on spersonal protection equipment. See Section 13 for information on personal protection equipment. See Section 13 for information on personal protecti			(continued of page 3)
No further relevant information available. 4.3. Indication of any immediate medical attention and special treatment needed No further relevant information available. CTION 05: Firefighting measures 5.1 Extinguishing media 5.1 Extinguishing media 5.2 Suitable extinguishing agents: C02, sand, extinguishing methods suitable to surrounding conditions. 5. For safety reasons unsuitable extinguishing agents: Water with full jet 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. 5.3 Advice for firefighters 6.1 Personal precations 7.1 Prestories or combustion gases. 6.2 Protective equipment: Mean trept equipment: Keep unprotective device. Do not inhale explosion gases or combustion gases. 6.1 Personal precations, protective equipment and emergency procedures Wear protective equipment. Keep away from ignition sources. 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course. C1.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. 6.4 Reference to other sections See Section 7 for information on personal protection equipment. See Section 15 for information on personal protection equipment. See Section 15 for information on personal protection equipment. See Section 15 for information on personal protection equipment. See Section 15 for information on personal protection equipment. See Section 15 for information on personal protection equipment. See Section 15 for information on personal protection equipment. See Section 16 for information on personal protection equipment. See Section 16 for information on personal protection equipment. See Section 16 for information on personal protection equipment. See Section 17 for information on personal protection equipment. See Section 16 for information on personal protection equipment. See Section 17 for inf	 Informat 	ion for doctor:	
No further relevant information available. 4.3. Indication of any immediate medical attention and special treatment needed No further relevant information available. CTION 05: Firefighting measures 5.1 Extinguishing media 5.1 Extinguishing media 5.2 Suitable extinguishing agents: C02, sand, extinguishing methods suitable to surrounding conditions. 5. For safety reasons unsuitable extinguishing agents: Water with full jet 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. 5.3 Advice for firefighters 6.1 Personal precations 7.1 Prestories or combustion gases. 6.2 Protective equipment: Mean trept equipment: Keep unprotective device. Do not inhale explosion gases or combustion gases. 6.1 Personal precations, protective equipment and emergency procedures Wear protective equipment. Keep away from ignition sources. 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course. C1.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. 6.4 Reference to other sections See Section 7 for information on personal protection equipment. See Section 15 for information on personal protection equipment. See Section 15 for information on personal protection equipment. See Section 15 for information on personal protection equipment. See Section 15 for information on personal protection equipment. See Section 15 for information on personal protection equipment. See Section 15 for information on personal protection equipment. See Section 16 for information on personal protection equipment. See Section 16 for information on personal protection equipment. See Section 16 for information on personal protection equipment. See Section 17 for information on personal protection equipment. See Section 16 for information on personal protection equipment. See Section 17 for inf	4.2 Most in	apartant symptoms and affacts, both asuta and delayed	
 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available. CTION 05: Firefighting media 5.1 Extinguishing media Suitable extinguishing agents: (20, sand, extinguishing powder. Do not use water. (20, sand, extinguishing powder. Do not use water. (20, sand, extinguishing powder. Do not use water. (20, sand, extinguishing methods suitable to surrounding conditions. For safety reasons unsuitable extinguishing agents: Water with full jet 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. 5.3 Advice for firefighters Protective equipment: Mount respiratory protective device. Do not inhale explosion gases or combustion gases. Additional information Cool endangered receptacles with water spray. CTION 06: Accidental release measures 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources. 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authonities in case of seepage into water course or sewage system. 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. 6.4 Reference to other sections See Section 7 for information on personal protection equipment. See Section 15 for information on personal protection equipment. See Section 15 for information on personal protection equipment. See Section 16 for information on personal protection equipment. See Section 16 for information on server equipment. See Section 13 for information on personal protection equipment. See Section 13 for information. CTION 07: Handling and storage 7.1 Precautions for safe handling. K			
No further relevant information available. CTION 05: Firefighting media 5.1 Extinguishing media 5.1 Extinguishing media 5.2 Special extinguishing agents: CO2, sand, extinguishing abover. Do not use water. Use fire extinguishing methods suitable to surrounding conditions. For safety reasons unsuitable extinguishing agents: Water with ful jet 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. 5.3 Advice for firefighters Formation of toxic gases is possible during heating or in case of fire. 5.3 Advice for firefighters Advice for firefighters Additional information Cool endangered receptacles with water spray. CTION 06: Accidental release measures 6.1 Personal precautions, protective equipment and emergency procedures Waar protective equipment: Keep uney from lighton sources. 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authonites in case of seepage into water course or sewage system. 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. 6.4 Reference to other sections See Section 7 for information on personal protection equipment. See Section 13 for idisposal information. CTION 07: Handling and storage 7.1 Precautions for safe handling, Keep receptacles tighty sealed. Keep away from heat and direct sunlight. Ensure adequate suntilation.			
CTION 05: Firefighting measures 5.1 Extinguishing media • Suitable extinguishing agents: C02, sand, extinguishing methods suitable to surrounding conditions. • For safety reasons unsuitable extinguishing agents: Water with full jet 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. 5.3 Advice for firefighters • Protective equipment: Mount respiratory protective device. Do not inhale explosing agess or combustion gases. • Additional information Cool endangered receptacles with water spray. CTION 05: Accidental release measures 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment: Mount megnition sources. 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authonties in case of seepage into water course or sewage system. 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. 6.4 Reference to other sections See Section 7 for information on asfe handling. <tr< td=""><td></td><td></td><td></td></tr<>			
5.1 Extinguishing media 5.1 Extinguishing agents: CO2, sand, extinguishing powder. Do not use water. Use fire extinguishing methods suitable to surrounding conditions. For safety reasons unsuitable extinguishing agents: Water with full jet 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. 5.3 Advice for firefighters Protective equipment: Mount respiratory protective device. Do not inhale explosion gases or combustion gases. 4. Additional information Cool endangered receptacles with water spray. CTION 06: Accidental release measures 6.1 Personal precautions, protective device, more table of the substance or any water course. Ensure adequate ventilation Keep away from ignition sources. 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. 6.4 Reference to other sections See Section 7 for information on spefs handling. See Section 13 for disposal information. 6.4 Reference to other sections See Section 7 for information on spefs handling. See Section 13 for disposal information. 6.1 Precautions for safe handling Keep receptacles tighty sealed. Keep away from heat and direct sungly. For the outpose of the section see Section 13 for disposal information. 6.4 Reference to other sections See Section 13 for disposal information. 6.5 Reference to other sections See Section 13 for disposal information. 6.6 Reference to other sections See Section 13 for disposal information. 6.7 Information on safe handling Keep receptacles tighty sealed. 6.8 Perceutions for safe handling Keep receptacles tighty sealed. 6.9 Information about fire - and explosion protection:	No further re		
5.1 Extinguishing media 5.1 Extinguishing agents: CO2, sand, extinguishing powder. Do not use water. Use fire extinguishing methods suitable to surrounding conditions. For safety reasons unsuitable extinguishing agents: Water with full jet 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. 5.3 Advice for firefighters Protective equipment: Mount respiratory protective device. Do not inhale explosion gases or combustion gases. 4. Additional information Cool endangered receptacles with water spray. CTION 06: Accidental release measures 6.1 Personal precautions, protective device, more table of the substance or any water course. Ensure adequate ventilation Keep away from ignition sources. 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. 6.4 Reference to other sections See Section 7 for information on spefs handling. See Section 13 for disposal information. 6.4 Reference to other sections See Section 7 for information on spefs handling. See Section 13 for disposal information. 6.1 Precautions for safe handling Keep receptacles tighty sealed. Keep away from heat and direct sungly. For the outpose of the section see Section 13 for disposal information. 6.4 Reference to other sections See Section 13 for disposal information. 6.5 Reference to other sections See Section 13 for disposal information. 6.6 Reference to other sections See Section 13 for disposal information. 6.7 Information on safe handling Keep receptacles tighty sealed. 6.8 Perceutions for safe handling Keep receptacles tighty sealed. 6.9 Information about fire - and explosion protection:			
 Suitable extinguishing agents: (CO2, sand, extinguishing powder. Do not use water. Use fire extinguishing methods suitable to surrounding conditions. For safety reasons unsuitable extinguishing agents: Water with full jet 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. 5.3 Advice for firefighters Protective equipment: Mount respiratory protective device. Do not inhale explosion gases or combustion gases. Additional information Cool endangered receptacles with water spray. CTION 06: Accidental release measures 6.1 Personal precautions, protective equipment and emergency procedures Wear with guipment: Keep away from ignition sources. 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective autionthes in case of seepage into water course or sewage system. 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 7 for information on safe handling. See Section 7 for information on personal protection equipment. See Section 7 for information on personal protection equipment. See Section 1 for information on personal protection equipment. See Section 1 for information on personal protection equipment. See Section 1 for information and safe handling. See Section 1 for information and safe handling. See Section 1 for information and safe handling. See Section 1 for information and the workplace. Handle with care. Avoid joiting, friction and impact. Inform state and direct sunlight. Ensure good ventilation/exhaustion at the workplace. Handle with care. Avoid joiting, friction and impact. Information about fire - and explosion	ECTION 05	: Firefighting measures	
 Suitable extinguishing agents: (CO2, sand, extinguishing powder. Do not use water. Use fire extinguishing methods suitable to surrounding conditions. For safety reasons unsuitable extinguishing agents: Water with full jet 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. 5.3 Advice for firefighters Protective equipment: Mount respiratory protective device. Do not inhale explosion gases or combustion gases. Additional information Cool endangered receptacles with water spray. CTION 06: Accidental release measures 6.1 Personal precautions, protective equipment and emergency procedures Wear with guipment: Keep away from ignition sources. 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective autionthes in case of seepage into water course or sewage system. 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 7 for information on safe handling. See Section 7 for information on personal protection equipment. See Section 7 for information on personal protection equipment. See Section 1 for information on personal protection equipment. See Section 1 for information on personal protection equipment. See Section 1 for information and safe handling. See Section 1 for information and safe handling. See Section 1 for information and safe handling. See Section 1 for information and the workplace. Handle with care. Avoid joiting, friction and impact. Inform state and direct sunlight. Ensure good ventilation/exhaustion at the workplace. Handle with care. Avoid joiting, friction and impact. Information about fire - and explosion	5.1 Extingu	iishing media	
Use fire extinguishing methods suitable to surrounding conditions. For safety reasons unsuitable extinguishing agents: Water with full jet 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. 5.3 Advice for firefighters • Protective equipment: Mount respiratory protective device. Do not inhale explosion gases or combustion gases. • Additional information Cool endangered receptacles with water spray. CTION 06: Accidental release measures 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources. 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 7 for information on personal protection equipment. See Section 13 for disposal information. CTION 07: Handling and storage 7.1 Precautions for safe handling Keep receptacles tightly sealed. Keep away from heat and direct sunlight. Ensure adoy ventilation/exhaustion at the workplace. Handle with care. Avoid joting, friction and impact. Handle with care. Avoid joting, friction and impact.			
 For safety reasons unsuitable extinguishing agents: Water with full jet 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. 5.3 Advice for firefighters Protective equipment: Mount respiratory protective device. Do not inhele explosion gases or combustion gases. Additional information Cool endangered receptacles with water spray. CTION 06: Accidental release measures 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources. 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. 6.4 Reference to other sections See Section 1 for information on safe handling. See Section 1 for information on personal protection equipment. See Section 1 for information on personal protection equipment. See Section 1 for information on personal protection equipment. See Section 1 for information on safe handling. 7.1 Precautions for safe handling Keep receptacles tiphty sealed. Keep away from heat and direct sunlight. Ensure good ventilation/exhaustion at the workplace. Handle with care. Avoid joilting, firction and impact. Handle with care. Avoid joilting, firction and impact. Handle with care Avoid joilting, firction and impact. Information about fire - and explosion protection:			
 Water with full jet 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. 5.3 Advice for firefighters Protective equipment: Mount respiratory protective device. Do not inhale explosion gases or combustion gases. Additional information Cool endangered receptacles with water spray. CTION 06: Accidental release measures 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation sources. 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. 6.4 Reference to other sections See Section 7 for information on personal protection equipment. See Section 1 for disposal information. CTION 07: Handling and storage 7.1 Precautions for safe handling, Keep away from heat and direct sunlight. Ensure good ventilation/exhaustion at the workplace. Handle with care. Avoid joiting, firction and impact. Information about fire - and explosion protection: 			
Formation of toxic gases is possible during heating or in case of fire. 5.3 Advice for firefighters • Protective equipment: Mount respiratory protective device. Do not inhale explosion gases or combustion gases. • Additional information Cool endangered receptacles with water spray. CTION 06: Accidental release measures 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources. 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective autimation 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on safe handling. See Section 13 for disposal information. CTION 07: Handling and storage 7.1 Precautions for safe handling Keep away from heat and direct sunlight. Ensure good ventilation/exhaustion at the workplace. Handle with care. Avoid joiting, friction and impact. • Information about fire - and explosion protection:			
Formation of toxic gases is possible during heating or in case of fire. 5.3 Advice for firefighters • Protective equipment: Mount respiratory protective device. Do not inhale explosion gases or combustion gases. • Additional information Cool endangered receptacles with water spray. CTION 06: Accidental release measures 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources. 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective autimation 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on safe handling. See Section 13 for disposal information. CTION 07: Handling and storage 7.1 Precautions for safe handling Keep away from heat and direct sunlight. Ensure good ventilation/exhaustion at the workplace. Handle with care. Avoid joiting, friction and impact. • Information about fire - and explosion protection:	5 2 Special	hazards arising from the substance or mixture	
 Protective equipment: Mount respiratory protective device. Do not inhale explosion gases or combustion gases. Additional information Cool endangered receptacles with water spray. CTION 06: Accidental release measures 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources. 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. 6.4 Reference to other sections See Section 7 for information on personal protection equipment. See Section 7 for information on personal protection equipment. See Section 7 for information on personal protection equipment. See Section 7 for information. CTION 07: Handling and storage 7.1 Precautions for safe handling. Keep away from heat and direct sunlight. Ensure good ventilation/exhaustion at the workplace. Handle with care. Avoid jolting, friction and impact. Information about fire - and explosion protection:			
 Protective equipment: Mount respiratory protective device. Do not inhale explosion gases or combustion gases. Additional information Cool endangered receptacles with water spray. CTION 06: Accidental release measures 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources. 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. 6.4 Reference to other sections See Section 7 for information on personal protection equipment. See Section 7 for information on personal protection equipment. See Section 7 for information on personal protection equipment. See Section 7 for information. CTION 07: Handling and storage 7.1 Precautions for safe handling. Keep away from heat and direct sunlight. Ensure good ventilation/exhaustion at the workplace. Handle with care. Avoid jolting, friction and impact. Information about fire - and explosion protection:	5 3 Advice	for firefighters	
Mount respiration ¹ protective device. Do not inhale explosion gases or combustion gases. Additional information Cool endangered receptacles with water spray. CTION O6: Accidental release measures 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources. 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 7 for information on personal protection equipment. See Section 13 for disposal information. CTION 07: Handling and storage 7.1 Precautions for safe handling Keep receptacles tightly sealed. Keep away from heat and direct sunlight. Ensure good ventilation/exhaustion at the workplace. Handle with care. Avoid jolting, friction and impact. • Information about fire - and explosion protection:			
 Additional information Cool endangered receptacles with water spray. CTION 06: Accidental release measures 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources. 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on safe handling. See Section 13 for disposal information. CTION 07: Handling and storage 7.1 Precautions for safe handling Keep receptacles tightly sealed. Keep away from heat and direct sunlight. Ensure good ventilation/exhaustion at the workplace. Handle with care. Avoid joiting, friction and impact. • Information about fire - and explosion protection: 			
Cool endangered receptacles with water spray. CTION 06: Accidental release measures 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources. 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 7 for information on personal protection equipment. See Section 13 for disposal information. CTION 07: Handling and storage 7.1 Precautions for safe handling Keep receptacles tightly sealed. Keep away from heat and direct sunlight. Ensure good ventilation/exhaustion at the workplace. Handle with care. Avoid jolting, friction and impact. • Information about fire - and explosion protection:			
CTION 06: Accidental release measures 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources. 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. 6.4 Reference to other sections See Section 7 for information on personal protection equipment. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. CTION 07: Handling and storage 7.1 Precautions for safe handling Keep away from heat and direct sunlight. Ensure good ventilation/exhaustion at the workplace. Handle with care. Avoid joiting, friction and impact. • Information about fire - and explosion protection:			
 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources. 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 7 for information on personal protection equipment. See Section 13 for disposal information. CTION 07: Handling and storage 7.1 Precautions for safe handling Keep receptacles tightly sealed. Keep away from heat and direct sunlight. Ensure good ventilation/exhaustion at the workplace. Handle with care. Avoid jolting, friction and impact. Information about fire - and explosion protection: 	Cool enda	ngered receptacies with water spray.	
 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources. 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 7 for information on personal protection equipment. See Section 13 for disposal information. CTION 07: Handling and storage 7.1 Precautions for safe handling Keep receptacles tightly sealed. Keep away from heat and direct sunlight. Ensure good ventilation/exhaustion at the workplace. Handle with care. Avoid jolting, friction and impact. Information about fire - and explosion protection: 			
 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources. 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 7 for information on personal protection equipment. See Section 13 for disposal information. CTION 07: Handling and storage 7.1 Precautions for safe handling Keep receptacles tightly sealed. Keep away from heat and direct sunlight. Ensure good ventilation/exhaustion at the workplace. Handle with care. Avoid jolting, friction and impact. Information about fire - and explosion protection: 			
Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources. 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. CTION 07: Handling and storage 7.1 Precautions for safe handling. Keep away from heat and direct sunlight. Ensure good ventilation/exhaustion at the workplace. Handle with care. Avoid jolting, friction and impact. • Information about fire - and explosion protection:			
Ensure adequate ventilation Keep away from ignition sources. 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 7 for information on personal protection equipment. See Section 13 for disposal information. CTION 07: Handling and storage 7.1 Precautions for safe handling Keep receptacles tightly sealed. Keep away from heat and direct sunlight. Ensure good ventilation/exhaustion at the workplace. Handle with care. Avoid jolting, friction and impact. • Information about fire - and explosion protection:			
 Keep away from ignition sources. 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. 6.4 Reference to other sections See Section 7 for information on parsonal protection equipment. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. CTION 07: Handling and storage 7.1 Precautions for safe handling. Keep receptacles tightly sealed. Keep away from heat and direct sunlight. Ensure good ventilation/exhaustion at the workplace. Handle with care. Avoid jolting, friction and impact. Information about fire - and explosion protection: 			
 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 7 for information on personal protection equipment. See Section 13 for disposal information. CTION 07: Handling and storage 7.1 Precautions for safe handling Keep receptacles tightly sealed. Keep away from heat and direct sunlight. Ensure good ventilation/exhaustion at the workplace. Handle with care. Avoid jolting, friction and impact. Information about fire - and explosion protection: 			
Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. CTION 07: Handling and storage 7.1 Precautions for safe handling Keep receptacles tightly sealed. Keep away from heat and direct sunlight. Ensure good ventilation/exhaustion at the workplace. Handle with care. Avoid jolting, friction and impact. • Information about fire - and explosion protection:	. ,	5	
Inform respective authorities in case of seepage into water course or sewage system. 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. CTION 07: Handling and storage 7.1 Precautions for safe handling Keep receptacles tightly sealed. Keep away from heat and direct sunlight. Ensure good ventilation/exhaustion at the workplace. Handle with care. Avoid jolting, friction and impact. Information about fire - and explosion protection:			
 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. CTION 07: Handling and storage 7.1 Precautions for safe handling Keep receptacles tightly sealed. Keep away from heat and direct sunlight. Ensure good ventilation/exhaustion at the workplace. Handle with care. Avoid jolting, friction and impact. • Information about fire - and explosion protection:			
Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. CTION 07: Handling and storage 7.1 Precautions for safe handling Keep receptacles tightly sealed. Keep away from heat and direct sunlight. Ensure good ventilation/exhaustion at the workplace. Handle with care. Avoid jolting, friction and impact. • Information about fire - and explosion protection:			
Ensure adequate ventilation. 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. CTION 07: Handling and storage 7.1 Precautions for safe handling Keep receptacles tightly sealed. Keep away from heat and direct sunlight. Ensure good ventilation/exhaustion at the workplace. Handle with care. Avoid jolting, friction and impact. • Information about fire - and explosion protection:			
 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. CTION 07: Handling and storage 7.1 Precautions for safe handling Keep receptacles tightly sealed. Keep away from heat and direct sunlight. Ensure good ventilation/exhaustion at the workplace. Handle with care. Avoid jolting, friction and impact. • Information about fire - and explosion protection:			
See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. CTION 07: Handling and storage 7.1 Precautions for safe handling Keep receptacles tightly sealed. Keep away from heat and direct sunlight. Ensure good ventilation/exhaustion at the workplace. Handle with care. Avoid jolting, friction and impact. • Information about fire - and explosion protection:	Liisure aueq		
See Section 8 for information on personal protection equipment. See Section 13 for disposal information. CTION 07: Handling and storage 7.1 Precautions for safe handling Keep receptacles tightly sealed. Keep away from heat and direct sunlight. Ensure good ventilation/exhaustion at the workplace. Handle with care. Avoid jolting, friction and impact. • Information about fire - and explosion protection:			
See Section 13 for disposal information. CTION 07: Handling and storage 7.1 Precautions for safe handling Keep receptacles tightly sealed. Keep away from heat and direct sunlight. Ensure good ventilation/exhaustion at the workplace. Handle with care. Avoid jolting, friction and impact. Information about fire - and explosion protection:			
CTION 07: Handling and storage 7.1 Precautions for safe handling Keep receptacles tightly sealed. Keep away from heat and direct sunlight. Ensure good ventilation/exhaustion at the workplace. Handle with care. Avoid jolting, friction and impact. • Information about fire - and explosion protection:			
 7.1 Precautions for safe handling Keep receptacles tightly sealed. Keep away from heat and direct sunlight. Ensure good ventilation/exhaustion at the workplace. Handle with care. Avoid jolting, friction and impact. Information about fire - and explosion protection: 	Jee Jecuoli		
 7.1 Precautions for safe handling Keep receptacles tightly sealed. Keep away from heat and direct sunlight. Ensure good ventilation/exhaustion at the workplace. Handle with care. Avoid jolting, friction and impact. Information about fire - and explosion protection: 			
 Keep receptacles tightly sealed. Keep away from heat and direct sunlight. Ensure good ventilation/exhaustion at the workplace. Handle with care. Avoid jolting, friction and impact. Information about fire - and explosion protection: 	ECTION 07	Handling and storage	
 Keep away from heat and direct sunlight. Ensure good ventilation/exhaustion at the workplace. Handle with care. Avoid jolting, friction and impact. Information about fire - and explosion protection: 			
 Ensure good ventilation/exhaustion at the workplace. Handle with care. Avoid jolting, friction and impact. Information about fire - and explosion protection: 			
Handle with care. Avoid jolting, friction and impact.Information about fire - and explosion protection:			
 Information about fire - and explosion protection: 			
	пание with		
Protect against electrostatic charges			

Protect against electrostatic charges.

7.2 Conditions for safe storage, including any incompatibilities Storage:

Requirements to be met by storerooms and receptacles: Store only in the original receptacle. Prevent any seepage into the ground. Use only receptacles specifically permitted for this substance/ product.

• Information about storage in one common storage facility:

(continued on page 5)



2856901

Reviewed on: 29.07.2024 Printing date: 30.07.2024

PRODUCT : LAVENDER SPIKE SP	AIN ORG OIL
	(continued of page 4)
Not required.	
• Further information about storage Keep container tightly sealed.	conditions:
Protect from heat and direct sunlight.	
Store receptacle in a well ventilated are	ea.
7.2 Specific and use(a)	
7.3 Specific end use(s) No further relevant information available.	
SECTION 08: Exposure controls/pe	ersonal protection
8.1 Control parameters	
 Ingredients with limit values that r 	require monitoring at the workplace:
Not required. Additional information: 	
The lists valid during the making were u	used as basis.
9 2 Expedure controls	
8.2 Exposure controlsIndividual protection measures, su	ich as personal protective equipment
General protective and hygienic m	easures:
· · · · ·	to be adhered to when handling chemicals.
Keep away from foodstuffs, beverages a Immediately remove all soiled and cont	
Wash hands before breaks and at the er	
Avoid contact with the skin.	
 Respiratory protection: Use suitable respiratory protective device 	ce in case of insufficient ventilation.
Filter P3	
In case of brief exposure or low polluti self-contained respiratory protective de	ion use respiratory filter device. In case of intensive or longer exposure us vice.
 Protection of hands: 	
Protective gloves	
	ble and resistant to the product/ the substance/ the preparation. on to the glove material can be given for the product/ the preparation/ th
chemical mixture.	
 Selection of the glove material on consi Material of gloves 	ideration of the penetration times, rates of diffusion and the degradation
	es not only depend on the material, but also on further marks of quality and
varies from manufacturer to manufactur	
 Penetration time of glove material The exact break through time has to 	be found out by the manufacturer of the protective gloves and has to be
observed.	
Eye/face protection	
Safety glasses • Body protection:	
Impervious protective clothing	
Boots	
SECTION 09: Physical and chemica	
9.1 Information on basic physical and cher	mical properties
General Information	
Physical state	Fluid
Colour:	colourless to pale yellow
Odeum	
Odour: Odour threshold:	fresh Not determined.

Not determined.

Not determined.

Not determined.

57,0 °C NFT 60-103 CC

(continued on page 6)

Flammability

Lower:

Upper:

Flash point:

Lower and upper explosion limit



2856901

Reviewed on: 29.07.2024 Printing date: 30.07.2024

	(continued of page
Decomposition temperature:	Not determined.
pH	Not determined.
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
water:	Not determined.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density:	Not determined.
Relative density	0,8940 0,917 D20/20
Vapour density	Not determined.
9.2 Other information	No further relevant information available.
Appearance:	
Form:	fluid
Important information on protection of health	
Auto-ignition temperature:	Not determined.
Explosive properties:	Not determined.
Solvent content:	
Solids content:	0.00 %
Change in condition	
-	Not determined.
Evaporation rate Information with regard to physical hazard cl	
Explosives	
Flammable gases	not applicable not applicable
Aerosols	not applicable
Oxidising gases	not applicable
Gases under pressure	not applicable
Flammable liquids	Flammable liquid and vapour.
Flammable liquids	not applicable
Self-reactive substances and mixtures	not applicable
Pyrophoric liquids	not applicable
Pyrophoric solids	not applicable
Self-heating substances and mixtures	
Substances and mixtures, which emit	not applicable not applicable
lammable gases in contact with water	
Oxidising liquids	not applicable
Oxidising solids	not applicable
Organic peroxides	not applicable
Corrosive to metals	not applicable
Desensitised explosives	not applicable

SECTION 10: Stability and reactivity

10.1 Reactivity

No further relevant information available.

10.2 Chemical stability

10.3 Possibility of hazardous reactions No dangerous reactions known.



2856901

CHEMICAL SAFETY DATA SHEET according to 2020/878/EC (1907/2006/EC Article 31)

> Reviewed on: 29.07.2024 Printing date: 30.07.2024

		Printing date: 30.0
PRODUCT :	LAVENDER SPIKE SPAIN ORG OIL	
10.4 Conditio	ons to avoid	(continued of page 6)
	vant information available.	
	atible materials: vant information available.	
10.6 Hazardo Not determined	ous decomposition products: d.	
	Toxicological information	
 Acute toxic 		108
 LD/LC50 v 	alues relevant for classification: ISO LD	/I C
8016-78-2	Lavandula latifolia Medikus (Syn : Lavandula spica	
	var. latifolia L.)	
	4000 mg/kg (rat) 50: >=2000 mg/kg (Rabbit)	
78-70-6	LINALOOL 2790 mg/kg (rat)	
Dermal, LDS	50: 5610 mg/kg (Rabbit)	
470-82-6 Oral, LD50:	Eucalyptol 3849 mg/kg (mouse) (Jiao Xu, 2014)	
76-22-2	CAMPHOR	
	>5000 mg/kg (rat) (Opdyke 1978) 50: >1000 mg/kg (mouse) (NTP 1998)	
5989-27-5 Oral, LD50:	(R)-p-mentha-1,8-diene 4400 mg/kg (rat)	
87-44-5	BETA-CARYOPHYLLENE	
79-92-5	> 5000 mg/kg (rat) (Hart and Wong 1971) camphene	
	5000 mg/kg (rat) 50: 2500 mg/kg (Rabbit)	
 Primary irr 	itant effect:	
	sion/irritation kin and mucous membranes.	
Causes skin	irritation. e damage/irritation	
No irritating	effect.	
	y or skin sensitisation n possible through skin contact.	
Germ cell		
78-70-6 OECD 471 A	LINALOOL MES: NEGATIVE (in vitro) (Letizia and al., 2007)	
470-82-6	Eucalyptol MES: NEGATIVE (in vitro) (Haworth, 1983)	
76-22-2	CAMPHOR	
	MES: NEGATIVE (in vitro) (Anderson and Styles 1978)	
87-44-5 OECD 471 A	BETA-CARYOPHYLLENE MES: NEGATIVE (in vitro) (Heck and al., 1989)	
115-95-7		
 Carcinoger 	MES: NEGATIVE (in vitro) (RIFM 1989) nicity	
	LINALOOL : NEGATIVE (mouse) (in vivo, Letizia and al., 2007) : NEGATIVE (in vitro) (DiSotto and al., 2011)	
76-22-2	CAMPHOR	
 Micronoyau: Reproduct 	: NEGATIVE (mouse) (NTP 1999) ive toxicity	
Not determi • STOT-sing		
May cause c	lamage to organs.	
 STOT-repe 	eated exposure	(continued on page 8)



2856901

Reviewed on: 29.07.2024

(continued on page 9)

Printing date: 30.07.2024 **PRODUCT :** LAVENDER SPIKE SPAIN ORG OIL (continued of page 7) Not determined. Aspiration hazard May be fatal if swallowed and enters airways. May be fatal if swallowed and enters airways. Subacute to chronic toxicity: 78-70-6 LINALOOL Oral, NOAEL: 200 mg/kg (rat) (maternal toxicity, Politano and al., 2008) 76-22-2 CAMPHOR Oral, NOAEL: >800 mg/kg (rat) (fetal toxicity GD 6 to 15, NTP 1992) 87-44-5 **BETA-CARYOPHYLLENE** Oral, NOAEL: 700 mg/kg (rat) (90 days Schmitt 2016) 11.2 Information on other hazards Endocrine disrupting properties None of the ingredients is listed. SECTION 12: Ecological information 12.1 Toxicity Aquatic toxicity: 8016-78-2 Lavandula latifolia Medikus (Syn : Lavandula spica var. latifolia L.) CE50/48h: 59,3 mg/l (daphnia) LINALOOL 78-70-6 LD50: 27,8 mg/l (fish) ((OECD 203) RIFM 1991) ErC50(0-72h): 156,7 mg/l (algae) ErC50(0-48h): 59 mg/l (daphnia) ((OECD 202) 76-22-2 CAMPHOR CE50/48h: 26,82 mg/l (daphnia) ErC50(0-72h): 23,8 mg/l (algae) 5989-27-5 (R)-p-mentha-1,8-diene LD50: 0,71 mg/l (fish) (OECD 203) 99-87-6 p-cymene LD50: 1,63 mg/l (fish) (OECD 203) 115-95-7 LINALYL ACETATE ErC50(0-72h): 9,6 mg/l (algae) (RIFM 2015) ErC50(0-48h): 15 mg/l (daphnia) (RIFM 2015) 96h-LC50: 11 mg/l (fish) (RIFM 1998) 12.2 Persistence and degradability No further relevant information available. • Behaviour in environmental systems: Not determined. 12.3 Bioaccumulative potential No further relevant information available. 12.4 Mobility in soil No further relevant information available. 12.5 Results of PBT and vPvB assessment • PBT: Not applicable. vPvB: Not applicable. 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties. 12.6 Other adverse effects No further relevant information available. • Ecotoxical effects: Not determined. Remark: Toxic for fish



2856901

(continued on page 10)

PRODUCT : LAVEND	ER SPIKE SPAIN ORG OIL
 General notes: Toxic for aquatic organ The material is harmful 	
SECTION 13: Disposal	considerations
13.1 Waste treatmentRecommendation	methods
Must be specially treate	ed adhering to official regulations.
Uncleaned packagingRecommendation:	
Disposal must be made	e according to official regulations.
SECTION 14: Transpor	rt information
14.1 UN number or ID . ADR	number UN1197
. IMDG	UN1197
IATA	UN1197
14.2 UN proper shippir	
ADR	1197 EXTRACTS, LIQUID
. IMDG . IATA	EXTRACTS, LIQUID (LAVANDULA LATIFOLIA MEDIKUS)
. 1414 14.3 Transport hazard . ADR	EXTRACTS, LIQUID class(es)
Class	3 (F1) Flammable liquids.
. Label	
. IMDG	
Class	3 Flammable liquids.
. Label	
. IATA	index •
Class	3 Flammable liquids.
. Label	
14 4 Packing group	3
14.4 Packing group . ADR	III
IMDG	III
IATA	III
14.5 Environmental ha	
. Marine pollutant:	Yes



2856901

Reviewed on: 29.07.2024 Printing date: 30.07.2024

ODUCT : LAVENDER SE	PIKE SPAIN ORG OIL
	(continued of page 9)
14.6 Special precautions for Warning: Flammable liquids.	user
. Danger code (Kemler):	30
. EMS Number:	F-E,S-D
14.7 Maritime transport in b Not applicable.	ulk according to IMO instruments
Transport/Additional inform ADR	mation:
Excepted quantities (EQ):	E1
Limited quantities (LQ)	5L
. Transport category	3
. Tunnel restriction code	D/E
. IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	E1
UN "Model Regulation": UN 1197 EXTRACTS, LIQUID,	3, III, ENVIRONMENTALLY HAZARDOUS
CTION 15: Regulatory in	formation
<u> </u>	

- National regulations:
- Technical instructions (air):
- Class Share in %
- I 12,94
- Waterhazard class: Generally not hazardous for water.

15.2 Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

The information in this safety data sheet is based on the state of our knowledge at the date indicated. The information in this sheet must be regarded as a description of the safety requirements for the product, they are not to be considered a warranty or quality specification and have no contractual value on properties and application areas thereof. The information contained in this safety data sheet relate to the specific material designated and may not be valid with respect to the product associated with another product or process, unless it is specified in the text of this document.

The required information complies with EU regulations in force. It does not exempt the user from knowing and applying all the national regulations in force.

- Relevant phrases
- H226 Flammable liquid and vapour. H228 Flammable solid.

(continued on page 11)



2856901

Reviewed on: 29.07.2024 Printing date: 30.07.2024

	PRODUCT :	LAVENDER SPIKE SPAIN ORG OIL
		(continued of page 10)
	H302	Harmful if swallowed.
	H304	May be fatal if swallowed and enters airways.
	H315	Causes skin irritation.
	H317 H319	May cause an allergic skin reaction. Causes serious eve irritation.
	H331	Toxic if inhaled.
	H332	Harmful if inhaled.
*	H336	May cause drowsiness or dizziness.
*	H371	May cause damage to organs.
*	H400	Very toxic to aquatic life.
*	H410	Very toxic to aquatic life with long lasting effects.
*	H411	Toxic to aquatic life with long lasting effects.
*	H412	Harmful to aquatic life with long lasting effects.
	purpose o labeling o • Abbrevia IFRA:Inter	training in occupational risk prevention is recommended for personnel who will handle this product, in the of facilitating the understanding and interpretation of this form of safety data in the same way as the f the product. tions and acronyms: rnational Fragrance Association IOFI:International Organization of the Flavor Industry
	the Intern RID: Règle Concernin IMDG: Int DOT: US I	ord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning ational Carriage of Dangerous Goods by Road) ement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations g the International Transport of Dangerous Goods by Rail) ernational Maritime Code for Dangerous Goods Department of Transportation ernational Air Transport Association
	GHS: Glob	ernational Civil Aviation Organisation pally Harmonised System of Classification and Labelling of Chemicals
		European Inventory of Existing Commercial Chemical Substances European List of Notified Chemical Substances
		nical Abstracts Service (division of the American Chemical Society)
		hal concentration, 50 percent
		hal dose, 50 percent
	PBT: Persi	stent, Bioaccumulative and Toxic
	vPvB: very	y Persistent and very Bioaccumulative
	Sources IFRA/IOFI	Labelling Manual,REACH registration dossier, supplier information
	• * Data co	ompared to the previous version altered.