



## CHEMICAL SAFETY DATA SHEET

## according to 2020/878/EC (1907/2006/EC Article 31)

2849200

Reviewed on: 07.03.2024 Printing date: 07.03.2024

## SECTION 01: Identification of the substance/mixture and of the company/undertaking

## 1.1 Product identifier

Trade name:

LITSEA CUBEBA CHINA ORG OIL

Article number:

B572

CAS Number: 68855-99-2

EC Number:

290-018-7

No CAS EINECS:

90063-59-5

1.2 Relevant identified uses of the substance or mixture and uses advised against

Application of the substance / the preparation

Perfume ingredient Cosmetic ingredient

Flavouring agent

Only for industrial use

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

TEL: +33(0)4.68.74.17.89 **GOLGEMMA** Route de FA email: fds@golgemma.com

11260 ESPERAZA

**FRANCE** 

1.4 Emergency telephone number: FR-ORFILA (INRS):+33(0)1 45 42 59 59

## SECTION 02: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



GHS08

Asp. Tox. 1 - H304 May be fatal if swallowed and enters airways.



GHS07

Skin Irrit. 2 - H315 Causes skin irritation. Eye Irrit. 2 - H319 Causes serious eye irritation. Skin Sens. 1 - H317 May cause an allergic skin reaction.



Aquatic Chronic 2 - H411 Toxic to aquatic life with long lasting effects.

## 2.2 Label elements

- Labelling according to Regulation (EC) No 1272/2008
- Hazard pictograms







GHS08 GHS07

GHS09

Signal word Danger

Hazard statements H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation.

(continued on page 2)





2849200

Reviewed on: 07.03.2024 Printing date: 07.03.2024

#### **PRODUCT:** LITSEA CUBEBA CHINA ORG OIL

(continued of page 1)

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/ national/international regulations.

## 2.3 Other hazards

- Results of PBT and vPvB assessment
- PBT:
- Not applicable.
- vPvB:
  - Not applicable.
- Determination of endocrine-disrupting properties None of the ingredients is listed.

## SECTION 03: Composition/information on ingredients

3.1 Substances

CAS No. Description

68855-99-2 Litsea cubeba Persoon

- · Identification number(s)
- EC number: 290-018-7
- Dangerous components:

**CAS Number** 5392-40-5 **CITRAL** 50,001-100 EC number: 226-394-6

아 Skin Irrit. 2 - H315, Eye Irrit. 2 -

H319, Skin Sens. 1B - H317

5989-27-5 d-limonene 10,001-20,00

EC number: 227-813-5

Asp. Tox. 1 - H304;
Flam. Liq. 3 - H226; 💠 Skin Irrit. 2 - H315, Skin

Sens. 1B - H317; Aquatic Acute 1 -H400 (M=1); Aquatic Chronic 3 - H412

78-70-6 LINALOOL 1,001-5,000

EC number: 201-134-4

Skin Irrit. 2 - H315, Eye Irrit. 2 -

H319, Skin Sens. 1B - H317

3387-41-5 sabinene 1,001-5,000

> EC number: 222-212-4 Acute Tox. 4 - H302

**CITRONELLAL** 106-23-0 1,001-5,000

EC number: 203-376-6

Skin Irrit. 2 - H315, Eye Irrit. 2 -

H319, Skin Sens. 1B - H317

106-24-1 **GERANIOL** 1,001-5,000

EC number: 203-377-1

Eye Dam. 1 - H318; 😲 Skin Irrit. 2

- H315, Skin Sens. 1 - H317

470-82-6 Eucalyptol 0,101-1,000

(continued on page 3)





2849200

Reviewed on: 07.03.2024 Printing date: 07.03.2024

PRODUCT:	LITSEA CUBEBA CHINA ORG OIL	
	EC number: 207-431-5 <b>♦</b> Flam. Liq. 3 - H226; <b>♦</b> Skin Sens.	(continued of page 2)
106-25-2	1B - H317  Nerol  EC number: 203-378-7   ♦ Skin Irrit. 2 - H315, Eye Irrit. 2 -	0,101-1,000
80-56-8	H319, Skin Sens. 1B - H317 <b>ALPHA-PINENE</b> EC number: 201-291-9 <b>A</b> Asp. Tox. 1 - H304; <b>A</b> Flam. Liq. 3	0,101-1,000
127-91-3	- H226;	0,101-1,000
106-22-9	Sens. 1B - H317  CITRONELLOL  EC number: 203-375-0  Skin Irrit. 2 - H315, Eye Irrit. 2 -	0,101-1,000
79-92-5	H319, Skin Sens. 1B - H317  camphene  EC number: 201-234-8  Flam. Sol. 1 - H228;  Eye Irrit.	0,101-1,000
87-44-5	2 - H319; Aquatic Acute 1 - H400 (M=1) , Aquatic Chronic 1 - H410 (M=1)  BETA-CARYOPHYLLENE  EC number: 201-746-1  Asp. Tox. 1 - H304; Skin Sens.	0,101-1,000
97-54-1	1B - H317  ISOEUGENOL  EC number: 202-590-7  Acute Tox. 4 - H302, Acute Tox. 4 - H312, Skin Irrit. 2 - H315, Eye Irrit. 2 -	0,001-0,010
	H319, Skin Sens. 1A - H317; Skin Sens. 1A; H317: C >= 0,01 %	

## SECTION 04: First aid measures

- 4.1 Description of first aid measures
- General information:

Seek immediate medical advice.

- After inhalation:
  - Supply fresh air and to be sure call for a doctor.
- After skin contact:

If skin irritation continues, consult a doctor.
Immediately wash with water and soap and rinse thoroughly.

- After eye contact:
  - Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing:
  - Seek immediate medical advice.
- Information for doctor:

(continued on page 4)





2849200

Reviewed on: 07.03.2024 Printing date: 07.03.2024

#### **PRODUCT:** LITSEA CUBEBA CHINA ORG OIL

(continued of page 3)

- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

## SECTION 05: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water. Use fire extinguishing methods suitable to surrounding conditions.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire.
- 5.3 Advice for firefighters
- Protective equipment:
  - Do not inhale explosion gases or combustion gases.
- Additional information Cool endangered receptacles with water spray.

## SECTION 06: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources.

6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

6.3 Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## SECTION 07: Handling and storage

7.1 Precautions for safe handling

Keep receptacles tightly sealed. Keep away from heat and direct sunlight.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Handle with care. Avoid jolting, friction and impact.

- Information about fire and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- 7.2 Conditions for safe storage, including any incompatibilities Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle. Prevent any seepage into the ground. Use only receptacles specifically permitted for this substance/ product.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions:

(continued on page 5)





2849200

Reviewed on: 07.03.2024 Printing date: 07.03.2024

## PRODUCT: LITSEA CUBEBA CHINA ORG OIL

(continued of page 4)

Keep container tightly sealed. Protect from heat and direct sunlight. Store receptacle in a well ventilated area.

7.3 Specific end use(s)

No further relevant information available.

## SECTION 08: Exposure controls/personal protection

## 8.1 Control parameters

- Ingredients with limit values that require monitoring at the workplace: Not required.
- · Additional information:

The lists valid during the making were used as basis.

### 8.2 Exposure controls

- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Do not inhale dust / smoke / mist.

Avoid contact with the eyes.

Respiratory protection:

Use suitable respiratory protective device in case of insufficient ventilation.

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Protection of hands:

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection

Safety glasses

Safety glasses

Body protection:

Impervious protective clothing

Boots

## SECTION 09: Physical and chemical properties

9.1 Information on basic physical and chemic	cal properties
General Information	
Physical state	Fluid
Colour:	light yellow to dark yellow
Odour:	fresh
Odour threshold:	Not determined.
Melting point/freezing point:	232,0 °C
Boiling point or initial boiling point and boiling range	Not determined.
Flammability	Not determined.
Lower and upper explosion limit	
Lower:	Not determined.





2849200

Reviewed on: 07.03.2024 Printing date: 07.03.2024

#### PRODUCT: LITSEA CUBEBA CHINA ORG OIL

		(continued of page
Upper:	Not determined.	
Flash point:	76,0 °C NFT 60-103 CC	
Decomposition temperature:	Not determined.	
pH	Not determined.	
Viscosity:		
Kinematic viscosity	Not determined.	
Dynamic:	Not determined.	
Solubility		
water:	Not determined.	
Partition coefficient n-octanol/water (log value)	Not determined.	
Vapour pressure:	Not determined.	
Density and/or relative density		
Density:	Not determined.	
Relative density	0,8780 0,892 D20/20	
Vapour density	Not determined.	
9.2 Other information	No further relevant information available.	
Appearance:		
Form:	fluid	
Important information on protection of health	and environment, and on safety.	
Auto-ignition temperature:	Not determined.	
Explosive properties:	Not determined.	
Solvent content:		
Solids content:	0,00 %	
Change in condition		
Evaporation rate	Not determined.	
Information with regard to physical hazard cl	asses	
Explosives	not applicable	
Flammable gases	not applicable	
Aerosols	not applicable	
Oxidising gases	not applicable	
Gases under pressure	not applicable	
Flammable liquids	not applicable	
Flammable solids	not applicable	
Self-reactive substances and mixtures	not applicable	
Pyrophoric liquids	not applicable	
Pyrophoric solids	not applicable	
Self-heating substances and mixtures	not applicable	<u> </u>
Substances and mixtures, which emit flammable gases in contact with water	not applicable	
Oxidising liquids	not applicable	
Oxidising solids	not applicable	
Organic peroxides	not applicable	
Corrosive to metals	not applicable	
Desensitised explosives	not applicable	

## SECTION 10: Stability and reactivity

10.1 Reactivity
No further relevant information available.

10.2 Chemical stability

(continued on page 7)





2849200

Reviewed on: 07.03.2024 Printing date: 07.03.2024

#### **PRODUCT:** LITSEA CUBEBA CHINA ORG OIL

(continued of page 6)

10.3 Possibility of hazardous reactions

No dangerous reactions known.

10.4 Conditions to avoid

No further relevant information available.

10.5 Incompatible materials:

No further relevant information available.

10.6 Hazardous decomposition products:

Not determined.

## SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

• LD/LC50 values relevant for classification:

ISO LD/LC

68855-99-2 Litsea cubeba Persoon

Oral, LD50: >=5000 mg/kg (rat) Dermal, LD50: 4800 mg/kg (Rabbit)

5392-40-5 CITRAL Oral, LD50: 4960 mg/kg (rat)

5989-27-5 (R)-p-mentha-1,8-diene

Oral, LD50: 4400 mg/kg (rat) 78-70-6 LINALOOL

Oral, LD50: 2790 mg/kg (rat) Dermal, LD50: 5610 mg/kg (Rabbit)

470-82-6 Eucalyptol

Oral, LD50: 3849 mg/kg (mouse) (Jiao Xu, 2014)

CITRONELLOL Oral, LD50: 3450 mg/kg (rat)

Dermal, LD50: 2650 mg/kg (Rabbit)

camphene Oral, LD50: 5000 mg/kg (rat) Dermal, LD50: 2500 mg/kg (Rabbit)

**BETA-CARYOPHYLLENE** 

Oral, LD50: > 5000 mg/kg (rat) (Hart and Wong 1971)

ISOEUGENOL 97-54-1

Oral, LD50: 1560 mg/kg (rat)

Primary irritant effect:

Skin corrosion/irritation

Irritant to skin and mucous membranes.

Causes skin irritation.

Serious eye damage/irritation

Irritating effect.

Causes serious eye irritation.

· Respiratory or skin sensitisation

Sensitization possible through skin contact.

· Germ cell mutagenicity

78-70-6 LINALOOL

OECD 471 AMES: NEGATIVE (in vitro) (Letizia and al., 2007)

470-82-6 Eucalyptol OECD 471 AMES: NEGATIVE (in vitro) (Haworth, 1983)

87-44-5 **BETA-CARYOPHYLLENE** 

OECD 471 AMES: NEGATIVE (in vitro) (Heck and al., 1989)

Carcinogenicity

78-70-6 LINALOOL

Micronoyau: NEGATIVE (mouse) (in vivo, Letizia and al., 2007) Micronoyau: NEGATIVE (in vitro) (DiSotto and al., 2011)

Reproductive toxicity

Not determined.

STOT-single exposure

Not determined.

(continued on page 8)



Page: 8 / 11

2849200

Reviewed on: 07.03.2024 Printing date: 07.03.2024

(continued of page 7)

#### **PRODUCT:** LITSEA CUBEBA CHINA ORG OIL

STOT-repeated exposure

Not determined.

Aspiration hazard

May be fatal if swallowed and enters airways. May be fatal if swallowed and enters airways.

Subacute to chronic toxicity:

78-70-6 LINALOOL

Oral, NOAEL: 200 mg/kg (rat) (maternal toxicity, Politano and al., 2008)

- 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

## SECTION 12: Ecological information

## 12.1 Toxicity

· Aquatic toxicity:

68855-99-2 Litsea cubeba Persoon

CE50/48h: 6,00 mg/l (daphnia)

5989-27-5 (R)-p-mentha-1,8-diene

LD50: 0,71 mg/l (fish) (OECD 203)

LINALOOL

LD50: 27,8 mg/l (fish) ((OECD 203) RIFM 1991)

ErC50(0-72h): 156,7 mg/l (algae) ErC50(0-48h): 59 mg/l (daphnia) ((OECD 202)

### 12.2 Persistence and degradability

No further relevant information available.

• Behaviour in environmental systems: Not determined.

## 12.3 Bioaccumulative potential

No further relevant information available.

### 12.4 Mobility in soil

No further relevant information available.

## 12.5 Results of PBT and vPvB assessment

PBT:

Not applicable.

vPvB:

Not applicable.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

### 12.6 Other adverse effects

No further relevant information available.

· Ecotoxical effects: Not determined.

Remark:

Toxic for fish

- Additional ecological information:
- General notes:

Toxic for aquatic organisms

The material is harmful to the environment.

## SECTION 13: Disposal considerations

## 13.1 Waste treatment methods

- Recommendation
- Must be specially treated adhering to official regulations.
- Uncleaned packaging:
- Recommendation:

Disposal must be made according to official regulations.

ΕU





## CHEMICAL SAFETY DATA SHEET

## according to 2020/878/EC (1907/2006/EC Article 31)

2849200

Reviewed on: 07.03.2024 Printing date: 07.03.2024

(continued of page 8)

**PRODUCT:** LITSEA CUBEBA CHINA ORG OIL

## SECTION 14: Transport information

14.1 UN number or ID number

. ADR UN3082 . IMDG UN3082 . IATA UN3082

14.2 UN proper shipping name

3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. . ADR

(LITSEA CUBEBA PERSOON)

. IMDG ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (LITSEA

CUBEBA PERSOON)

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (LITSEA . IATA

CUBEBA PERSOON)

14.3 Transport hazard class(es)

ADR

Class 9 (M6) Miscellaneous dangerous substances and articles.

. Label





. IMDG

Class 9 Miscellaneous dangerous substances and articles.

Label





. IATA

Class 9 Miscellaneous dangerous substances and articles.

Label





14.4 Packing group

ADR Ш . IMDG Ш . IATA Ш

14.5 Environmental hazards:

Marine pollutant: Yes

14.6 Special precautions for user

Warning: Miscellaneous dangerous substances and articles.

. Danger code (Kemler): . EMS Number: F-A,S-F

14.7 Maritime transport in bulk according to IMO instruments Not applicable.

• Transport/Additional information:

**ADR** 

Excepted quantities (EQ): E1 . Limited quantities (LQ)

(continued on page 10)



Page: 10 / 11

2849200

Reviewed on: 07.03.2024 Printing date: 07.03.2024

## PRODUCT: LITSEA CUBEBA CHINA ORG OIL

. Transport category 3

(continued of page 9)

IMDG

Limited quantities (LQ)Excepted quantities (EQ)

• UN "Model Regulation":

UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (LITSEA CUBEBA PERSOON), 9, III

## SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II None of the ingredients is listed.
- REGULATION (EU) 2019/1148
- Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

- Regulation (EC) No 273/2004 on drug precursors None of the ingredients is listed.
- Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors None of the ingredients is listed.
- National regulations:
- Technical instructions (air):
- Class Share in %

Ι

Waterhazard class:

Water hazard class 2 (Self-assessment): hazardous for water.

15.2 Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

The information in this safety data sheet is based on the state of our knowledge at the date indicated. The information in this sheet must be regarded as a description of the safety requirements for the product, they are not to be considered a warranty or quality specification and have no contractual value on properties and application areas thereof. The information contained in this safety data sheet relate to the specific material designated and may not be valid with respect to the product associated with another product or process, unless it is specified in the text of this document.

The required information complies with EU regulations in force. It does not exempt the user from knowing and applying all the national regulations in force.

· Relevant phrases

H226 Flammable liquid and vapour. H228 Flammable solid. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H312 Harmful in contact with skin. H315 Causes skin irritation. May cause an allergic skin reaction. H317 H318 Causes serious eve damage.

H319 Causes serious eye irritation.
H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.H412 Harmful to aquatic life with long lasting effects.

Training hints

(continued on page 11)



Page: 11 / 11

2849200

Reviewed on: 07.03.2024 Printing date: 07.03.2024

## PRODUCT: LITSEA CUBEBA CHINA ORG OIL

(continued of page 10)

Minimum training in occupational risk prevention is recommended for personnel who will handle this product, in the purpose of facilitating the understanding and interpretation of this form of safety data in the same way as the labeling of the product.

### · Abbreviations and acronyms:

IFRA:International Fragrance Association IOFI:International Organization of the Flavor Industry

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport dés marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

#### Sources

IFRA/IOFI Labelling Manual, REACH registration dossier, supplier information

• \* Data compared to the previous version altered.