


2339602

CHEMICAL SAFETY DATA SHEET according to 2020/878/EC (1907/2006/EC Article 31)





2339602

			Printing date: 31.07.2
Ρ	RODUCT :	PINE DOUGLAS needle ORG OIL	
			(continued of page 1)
		ble liquid and vapour. fatal if swallowed and enters airways.	
	H315 Causes	skin irritation.	
		se an allergic skin reaction. iic to aquatic life with long lasting effects.	
	- Precautional		
		ay from heat, hot surfaces, sparks, open flames and other igni	tion sources. No smoking.
		ntainer tightly closed. and bond container and receiving equipment.	
	P301+P310 IF	SWALLOWED: Immediately call a POISON CENTER/ doctor.	
		ore in a well-ventilated place. Keep cool. of contents/container in accordance with local/regional/ nation	al/international regulations
	1501 015050		
	2.3 Other haza		
		BT and vPvB assessment	
	 PBT: Not applicable 		
	- vPvB:		
	Not applicable		
		on of endocrine-disrupting properties agredients is listed.	
		-	
5	ECTION 03: C	composition/information on ingredients	
	3.1 Substance CAS No.		
	8050-89-3	Description Pseudotsuga menziesii (Mirb.) Franco	
	 Identificatio 	S ()	
	 EC number: 		
	294-957-3		
	Dangerous	components:	
	CAS Number		%
	80-56-8	ALPHA-PINENE	20,001-50,00
		EC number: 201-291-9	
		🚸 Asp. Tox. 1 - H304; 🚸 Flam. Liq. 3	
		- H226; 🔶 Acute Tox. 4 - H302, Skin	
		Irrit. 2 - H315, Skin Sens. 1B - H317	
	127-91-3	BETA-PINENE	20,001-50,00
		EC number: 204-872-5	
		🚸 Asp. Tox. 1 - H304; 🚸 Flam. Liq. 3	
		- H226; 🔅 Skin Irrit. 2 - H315, Skin	
	0007 44 -	Sens. 1B - H317	10.00/ 00.00
	3387-41-5	sabinene	10,001-20,00
		EC number: 222-212-4	
	586-62-9	TERPINOLENE	10,001-20,00
		EC number: 209-578-0	
		🚸 Asp. Tox. 1 - H304; 🕐 Skin Sens.	
		1B - H317; 🌜 Aquatic Acute 1 - H400	
		(M=1), Aquatic Chronic 1 - H410 (M=1)	
	13466-78-9	delta-3-Carene	10,001-20,00
		EC number: 236-719-3	
		🚸 Asp. Tox. 1 - H304; 🚸 Flam. Liq. 3	
		- H226; 🔶 Skin Irrit. 2 - H315, Skin	
		Sens. 1B - H317	
	562-74-3		5 001-10 00
	562-74-3	p-Menth-1-en-4-ol EC number: 209-235-5	5,001-10,00



2339602

PRODUC	ст :	PINE DOUGLAS needle ORG OIL	
		<u>^</u>	(continued of page 2)
		🔶 Acute Tox. 4 - H302, Acute Tox. 4 -	
		H332, Skin Irrit. 2 - H315, Eye Irrit. 2 -	
		H319, Skin Sens. 1B - H317, STOT SE 3 - H336	
99-8	5-4	p-Mentha-1,4-diene	5,001-10,00
		EC number: 202-794-6	
		🚸 Asp. Tox. 1 - H304; 🚸 Flam. Liq. 3	
		- H226	
555-1	10-2	beta-Phellandrene	1,001- 5,000
		EC number: 209-081-9	
		🚸 Asp. Tox. 1 - H304; 🚸 Flam. Liq. 3	
		- H226	
			1,001- 5,000
		EC number: 205-775-0	
		🚸 Skin Irrit. 2 - H315; 🚸 Aquatic	
		Chronic 2 - H411	
123-3	35-3	Myrcene	1,001- 5,000
		EC number: 204-622-5 🚸 Asp. Tox. 1 - H304; 🚸 Flam. Liq. 3	
		•	
		- H226; 🚸 Skin Irrit. 2 - H315, Eye	
		Irrit. 2 - H319	
99-80	6-5	1-isopropyl-4-methylcyclohexa-1,3-diene	1,001- 5,000
		EC number: 202-795-1 I Asp. Tox. 1 - H304; 🚸 Flam. Liq. 3	
		- H226; 🚯 Acute Tox. 4 - H302, Skin	
		Sens. 1 - H317; 🚸 Aquatic Chronic 2 -	
		H411	
5989	9-27-5	d-limonene	1,001- 5,000
		EC number: 227-813-5	
		Asp. Tox. 1 - H304; Image: Flam. Liq. 3	
		- H226; 🚸 Skin Irrit. 2 - H315, Skin	
		Sens. 1B - H317; 🚸 Aquatic Acute 1 -	
		H400 (M=1); Aquatic Chronic 3 - H412	
105-8	87-3	GERANYL ACETATE	1,001- 5,000
		EC number: 203-341-5	
		🔅 Skin Irrit. 2 - H315, Skin Sens. 1B -	
		H317; Aquatic Chronic 3 - H412	
79-92	2-5	camphene	1,001- 5,000
		EC number: 201-234-8 🚸 Flam. Sol. 1 - H228; 👎 Eye Irrit.	
		2 - H319; 🚯 Aquatic Acute 1 - H400 (M=1)	
		, Aquatic Chronic 1 - H410 (M=1)	
106-2	22-9	CITRONELLOL	1,001- 5,000
		EC number: 203-375-0	
		-	
00.0	7.6	H319, Skin Sens. 1B - H317	4 004 5 000
99-87	0-1	p-cymene EC number: 202-796-7	1,001- 5,000
		 Acute Tox. 3 - H331; Asp. Tox. 1 	
		- H304; 🍥 Flam. Liq. 3 - H226; 🍥	
		- H304; 🧡 Flam. Llq. 3 - H226; 🧡	



2339602

Reviewed on: 31.07.2024 Printing date: 31.07.2024

	PRODUCT :	PINE DOUGLAS needle ORG OIL	
			(continued of page 3)
*		Aquatic Chronic 2 - H411	
*	98-55-5	p-menth-1-en-8-ol	1,001- 5,000
*		EC number: 202-680-6	
*		💔 Skin Irrit. 2 - H315, Eye Irrit. 2 -	
*		H319	
*	13877-91-3	3,7-Dimethyl-1,3,6-octatriene	0,101-1,000
*		EC number: 237-641-2	
*		🚸 Asp. Tox. 1 - H304; 🚸 Flam. Liq. 3	
*		- H226; 🚸 Skin Irrit. 2 - H315; 🚸	
*		Aquatic Acute 1 - H400 (M=1), Aquatic	
*		Chronic 2 - H411	
*	99-83-2	Alpha phellandrene	0,101-1,000
*		EC number: 202-792-5	
*		🚸 Asp. Tox. 1 - H304; 🚸 Flam. Liq. 3	
*		- H226	
*	106-24-1	GERANIOL	0,101-1,000
*		EC number: 203-377-1	
*		< Eye Dam. 1 - H318; 🔅 Skin Irrit. 2	
*		- H315, Skin Sens. 1 - H317	
*	78-70-6	LINALOOL	0,101-1,000
*		EC number: 201-134-4	
*		🚸 Skin Irrit. 2 - H315, Eye Irrit. 2 -	
*		H319, Skin Sens. 1B - H317	

SECTION 04: First aid measures

- 4.1 Description of first aid measures
- General information:
- Seek immediate medical advice.
- After inhalation:
- Supply fresh air and to be sure call for a doctor.
- After skin contact: If skin irritation continues, consult a doctor. Immediately wash with water and soap and rinse thoroughly.
 After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: Seek immediate medical advice.
- Information for doctor:

4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 05: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water. Use fire extinguishing methods suitable to surrounding conditions.
- For safety reasons unsuitable extinguishing agents: Water with full jet

5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire.

(continued on page 5)



2339602

	Printing date: 31.
PRODUCT : PINE DOUGLAS needle ORG OIL	
5.3 Advice for firefightersProtective equipment:	(continued of page 4)
Do not inhale explosion gases or combustion gases.Additional information	
Cool endangered receptacles with water spray.	
SECTION 06: Accidental release measures	
6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources.	
6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system.	
6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.	
 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. 	
SECTION 07: Handling and storage	
7.1 Precautions for safe handling	
Keep receptacles tightly sealed.	
Keep away from heat and direct sunlight. Ensure good ventilation/exhaustion at the workplace.	
Handle with care. Avoid jolting, friction and impact.	
 Information about fire - and explosion protection: Keep ignition sources away - Do not smoke. 	
Protect against electrostatic charges.	
7.2 Conditions for safe storage, including any incompatibilities	
Storage:Requirements to be met by storerooms and receptacles:	
Store only in the original receptacle.	
Prevent any seepage into the ground. Use only receptacles specifically permitted for this substance/ product.	
 Information about storage in one common storage facility: Not required. 	
 Further information about storage conditions: 	
Keep container tightly sealed. Protect from heat and direct sunlight.	
Store receptacle in a well ventilated area.	
7.3 Specific end use(s) No further relevant information available.	
SECTION 08: Exposure controls/personal protection	
8.1 Control parametersIngredients with limit values that require monitoring at the workplace:	
Not required.	
 Additional information: The lists valid during the making were used as basis. 	
8.2 Exposure controls	
 Individual protection measures, such as personal protective equipment General protective and hygienic measures: 	
ceneral protective and hygicile medsures.	(continued on page 6)



2339602

Reviewed on: 31 07 2024

Reviewed on:	31.07.2024
Printing date:	31.07.2024

	PRODUCT :	PINE DOUGLAS needle ORG OIL
		(continued of page 5)
	The usual p	precautionary measures are to be adhered to when handling chemicals.
		from foodstuffs, beverages and feed.
		ly remove all soiled and contaminated clothing
		s before breaks and at the end of work.
	Avoid conta	act with the skin.
	 Respirator 	ry protection:
	Use suitable	e respiratory protective device in case of insufficient ventilation.
	 Protection 	n of hands:
	Protective of	aloves
	The glove r	material has to be impermeable and resistant to the product/ the substance/ the preparation.
		sing tests no recommendation to the glove material can be given for the product/ the preparation/ the
	Selection o	f the glove material on consideration of the penetration times, rates of diffusion and the degradation
	 Material o 	of aloves
	The selection	on of the suitable gloves does not only depend on the material, but also on further marks of quality and manufacturer to manufacturer.
	 Penetratic 	on time of glove material
		break through time has to be found out by the manufacturer of the protective gloves and has to be
*	 Eye/face (protoction
*	Safety glas	
*		
*	 Body prot 	
*		s protective clothing
^	Boots	

SECTION 09: Physical and chemical properties

9.1 Information on basic physical and chemic General Information		
Physical state	Fluid	
Colour:	light green-yellow	
Odour:	fruit-like	
Odour threshold:	Not determined.	
	Not determined.	
Boiling point or initial boiling point and boiling range	Not determined.	
Flammability	Not determined.	
Lower and upper explosion limit		
Lower:	Not determined.	
Upper:	Not determined.	
Flash point:	38,0 °C NFT 60-103 CC	
Decomposition temperature:	Not determined.	
рН	Not determined.	
Viscosity:		
Kinematic viscosity	Not determined.	
Dynamic:	Not determined.	
Solubility		
water:	Not determined.	
Partition coefficient n-octanol/water (log value)	Not determined.	
Vapour pressure:	Not determined.	
Density and/or relative density		
Density:	Not determined.	
Relative density	0,8600 0,8690 D20/20	
Vapour density	Not determined.	
9.2 Other information	No further relevant information available.	
Appearance:		
Form:	fluid	
Important information on protection of health	n and environment, and on safety.	
Auto-ignition temperature:	Not determined.	



2339602

Reviewed on: 31.07.2024 Printing date: 31.07.2024

		(continued of page 6)
Explosive properties:	Not determined.	· · · · ·
Solvent content:		
Solids content:	0,00 %	
Change in condition		
Evaporation rate	Not determined.	
Information with regard to physical hazard of	lasses	
Explosives	not applicable	
Flammable gases	not applicable	
Aerosols	not applicable	
Oxidising gases	not applicable	
Gases under pressure	not applicable	
Flammable liquids	Flammable liquid and vapour.	
Flammable solids	not applicable	
Self-reactive substances and mixtures	not applicable	
Pyrophoric liquids	not applicable	
Pyrophoric solids	not applicable	
Self-heating substances and mixtures	not applicable	
Substances and mixtures, which emit flammable gases in contact with water	not applicable	
Oxidising liquids	not applicable	
Oxidising solids	not applicable	
Organic peroxides	not applicable	
Corrosive to metals	not applicable	
Desensitised explosives	not applicable	

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: Not determined.

	SECTION 11: To	oxicological information		
	 Acute toxicit 	n on hazard classes as defined in Re / ies relevant for classification:	egulation (EC) No 1272/2008	
	,		ISO LD/LC	
	13466-78-9 Oral, LD50: 48	delta-3-Carene 00 mg/kg (rat) (Moreno 1975)		
*	99-86-5 Oral, LD50: 16	ALPHA-TERPINENE 80 mg/kg (ATE)		
	5989-27-5 Oral, LD50: 44	(R)-p-mentha-1,8-diene 00 mg/kg (rat)		
ł	105-87-3	GERANYL ACETATE		(continued on page 8)



2339602

CHEMICAL SAFETY DATA SHEET according to 2020/878/EC (1907/2006/EC Article 31)

> Reviewed on: 31.07.2024 Printing date: 31.07.2024

		Printing date: 31.07.2
PRODUCT :	PINE DOUGLAS needle ORG OIL	
Oral 1050	: >4000 mg/kg (rat) (NTP 1987)	(continued of page 7)
79-92-5	camphene	
	: 5000 mg/kg (rat)	
	050: 2500 mg/kg (Rabbit)	
106-22-9	CITRONELLOL	
	: 3450 mg/kg (rat) 550: 2650 mg/kg (Rabbit)	
98-55-5 Oral, LD50	p-menth-1-en-8-ol : 4300 mg/kg (rat)	
99-83-2 Oral, LD50	Alpha phellandrene : > 5700 mg/kg (rat) (Moreno 1972)	
78-70-6	LINALOOL	
	: 2790 mg/kg (rat)	
	050: 5610 mg/kg (Rabbit)	
	rritant effect: osion/irritation	
	skin and mucous membranes.	
	n irritation.	
	ye damage/irritation	
No irritatin Respirato 	ry or skin sensitisation	
	on possible through skin contact.	
 Germ cell 	mutagenicity	
105-87-3 OECD 471	GERANYL ACETATE AMES: NEGATIVE (in vitro) (NTP 1987)	
78-70-6	LINALOOL	
OECD 471	AMES: NEGATIVE (in vitro) (Letizia and al., 2007)	
 Carcinoge 	enicity	
105-87-3 Micronoyaı	GERANYL ACETATE u: NEGATIVE (mouse) (in vivo, Shelby 1993)	
78-70-6	LINALOOL	
	u: NEGATIVE (mouse) (in vivo, Letizia and al., 2007)	
 Reproduct 	u: NEGATIVE (in vitro) (DiSotto and al., 2011) tive toxicity	
Not determ		
	gle exposure	
Not determ		
 STOT-rep Not determ 	eated exposure	
 Aspiration 		
	al if swallowed and enters airways.	
	al if swallowed and enters airways.	
 Subacute Not determ 	to chronic toxicity:	
	rmation on other hazards	
	e disrupting properties	
	the ingredients is listed.	

12.1 Toxicity • Aquatic toxicity: 123-35-3 Myrcene LD50: 0,51 mg/l (fish) (OECD 203) CE50/48h: 0,65 mg/l (daphnia) 5989-27-5 (R)-p-mentha-1,8-diene LD50: 0,71 mg/l (fish) (OECD 203) 99-87-6 p-cymene LD50: 1,63 mg/l (fish) (OECD 203) 78-70-6 LINALOOL LD50: 27,8 mg/l (fish) ((OECD 203) RIFM 1991) ErC50(0-72h): 156,7 mg/l (algae) ErC50(0-48h): 59 mg/l (daphnia) ((OECD 202)

12.2 Persistence and degradability

*

(continued on page 9)



2339602

			Printing date: 31.0
RODUCT :	PINE DOUGLAS	S needle ORG OIL	
	elevant information av ur in environmental mined.		(continued of page 8)
12.3 Bioac No further re	cumulative potentia elevant information av	al ailable.	
12.4 Mobili No further re	ity in soil elevant information av	ailable.	
 PBT: Not applie vPvB: Not applie 			
12.6 Other No further re	adverse effects elevant information ave	tances with endocrine disrupting properties. ailable.	
 Ecotoxic Not deter 			
·		ng to official regulations.	
	: Transport infor		
ADR	iniber of 1D fidilibe	r	
. IMDG		r UN1197	
. IATA		UN1197 UN1197 UN1197	
. IATA 14.2 UN pr	oper shipping name	UN1197 UN1197 UN1197 e	
. IATA 14.2 UN pr . ADR	oper shipping name	UN1197 UN1197 UN1197 e 1197 EXTRACTS, LIQUID	1715911)
. IATA 14.2 UN pr . ADR . IMDG	oper shipping name	UN1197 UN1197 UN1197 e 1197 EXTRACTS, LIQUID EXTRACTS, LIQUID (PSEUDOTSUGA MEN	IZIESII)
IATA 14.2 UN pr ADR IMDG IATA	oper shipping name port hazard class(e	UN1197 UN1197 UN1197 e 1197 EXTRACTS, LIQUID EXTRACTS, LIQUID (PSEUDOTSUGA MEN EXTRACTS, LIQUID	IZIESII)
. IATA 14.2 UN pr . ADR . IMDG . IATA 14.3 Trans		UN1197 UN1197 UN1197 e 1197 EXTRACTS, LIQUID EXTRACTS, LIQUID (PSEUDOTSUGA MEN EXTRACTS, LIQUID	IZIESII)
IATA 14.2 UN pr ADR IMDG IATA 14.3 Trans ADR		UN1197 UN1197 UN1197 e 1197 EXTRACTS, LIQUID EXTRACTS, LIQUID (PSEUDOTSUGA MEN EXTRACTS, LIQUID s)	IZIESII)
IATA 14.2 UN pr ADR IMDG IATA 14.3 Trans ADR Class Label		UN1197 UN1197 UN1197 e 1197 EXTRACTS, LIQUID EXTRACTS, LIQUID (PSEUDOTSUGA MEN EXTRACTS, LIQUID s)	IZIESII)
IATA 14.2 UN pr ADR IMDG IATA 14.3 Trans ADR Class Class Label		UN1197 UN1197 UN1197 e 1197 EXTRACTS, LIQUID EXTRACTS, LIQUID (PSEUDOTSUGA MEN EXTRACTS, LIQUID s) 3 (F1) Flammable liquids.	IZIESII)
. IATA 14.2 UN pr . ADR . IMDG . IATA 14.3 Trans . ADR . Class . Label		UN1197 UN1197 UN1197 e 1197 EXTRACTS, LIQUID EXTRACTS, LIQUID (PSEUDOTSUGA MEN EXTRACTS, LIQUID s)	IZIESII)



2339602

Reviewed on: 31.07.2024 Printing date: 31.07.2024

		Printing date: 31.07.2024
	PRODUCT : PINE DOUGLAS	S needle ORG OIL
	. IATA	(continued of page 9)
	. Class	3 Flammable liquids.
	. Label	3 1 iaininable ilquids.
	14.4 Packing group	
	ADR	III
	. IMDG	III
	. IATA	III
	14.5 Environmental hazards: . Marine pollutant:	Yes
	14.6 Special precautions for u Warning: Flammable liquids.	
	Danger code (Kemler):	30
	EMS Number:	F-E,S-D
	14.7 Maritime transport in bul Not applicable.	k according to IMO instruments
*	 Transport/Additional inform ADR 	ation:
	Excepted quantities (EQ):	E1
	Limited quantities (LQ)	5L
	. Transport category	3
	Tunnel restriction code	D/E
	. IMDG	_
	Limited quantities (LQ)	5L
	Excepted quantities (EQ)	E1
	 UN "Model Regulation": UN 1197 EXTRACTS, LIQUID, 3 	, III, ENVIRONMENTALLY HAZARDOUS
	SECTION 15: Regulatory info	
*		
	 REGULATION (EU) 2019/11 Annex I - RESTRICTED EXP 	
*	under Article 5(3)) None of the ingredients is listed	1.
	 Annex II - REPORTABLE EX 	PLOSIVES PRECURSORS
*	 None of the ingredients is listed Regulation (EC) No 273/200 	
*	• Regulation (EC) No 273/200 None of the ingredients is listed	
*		05 laying down rules for the monitoring of trade between the ries in drug precursors
	15.2 Chemical safety assessm A Chemical Safety Assessment has	ent: s not been carried out.

(continued on page 11)



2339602

CHEMICAL SAFETY DATA SHEET according to 2020/878/EC (1907/2006/EC Article 31)

_	(continued of page 10)
	SECTION 16: Other information
	 The information in this safety data sheet is based on the state of our knowledge at the date indicated. The information in this sheet must be regarded as a description of the safety requirements for the product, they are not to be considered a warranty or quality specification and have no contractual value on properties and application areas thereof. The information contained in this safety data sheet relate to the specific material designated and may not be valid with respect to the product associated with another product or process, unless it is specified in the text of this document. The required information complies with EU regulations in force. It does not exempt the user from knowing and applying all the national regulations in force. Relevant phrases H226 Flammable liquid and vapour. H228 Flammable solid. H302
	H304 May be fatal if swallowed and enters airways.
	H315 Causes skin irritation.
	H317 May cause an allergic skin reaction.
	H318Causes serious eye damage.H319Causes serious eye irritation.
	H311 Toxic if inhaled.
	H332 Harmful if inhaled.
	H336 May cause drowsiness or dizziness.
	H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects.
	H411 Toxic to aquatic life with long lasting effects.
	H412 Harmful to aquatic life with long lasting effects.
	 Training hints Minimum training in occupational risk prevention is recommended for personnel who will handle this product, in the purpose of facilitating the understanding and interpretation of this form of safety data in the same way as the labeling of the product. Abbreviations and acronyms: IFRA:International Fragrance Association IOFI:International Organization of the Flavor Industry ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transport Association ICAO: International Air Transport Association ICAO: International Civil Aviation Organisation GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent
	 PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Sources IFRA/IOFI Labelling Manual,REACH registration dossier,supplier information