

Page: 1/9



2884900

Reviewed on: 13.06.2024 Printing date: 13.06.2024

# SECTION 01: Identification of the substance/mixture and of the company/undertaking

# 1.1 Product identifier

- Trade name:
  - SANDALWOOD N-CALEDONIA ORG OIL
- Article number:

B836

- CAS Number:
- 1070895-66-7 EC Number:
- 295-223-5
- No CAS EINECS:
  - 91845-48-6
- Registration number 01-2120763168-48-0001
- 1.2 Relevant identified uses of the substance or mixture and uses advised against Application of the substance / the preparation Perfume ingredient

Only for industrial use

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

**GOLGEMMA** TEL: +33(0)4.68.74.17.89 email: fds@golgemma.com Route de FA 11260 ESPERAZA

**FRANCE** 

1.4 Emergency telephone number: FR-ORFILA (INRS):+33(0)1 45 42 59 59

# SECTION 02: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



GHS07

Skin Irrit. 2 - H315 Causes skin irritation. Skin Sens. 1B - H317 May cause an allergic skin reaction.



GHS09

Aquatic Chronic 2 - H411 Toxic to aquatic life with long lasting effects.

### 2.2 Label elements

- Labelling according to Regulation (EC) No 1272/2008
- Hazard pictograms





GHS07

GHS09

- Signal word
  - Warning
- Hazard statements
  - H315 Causes skin irritation.
  - H317 May cause an allergic skin reaction.
  - H411 Toxic to aquatic life with long lasting effects.
- Precautionary statements
- P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P264 Wash thoroughly after handling.
- P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P302+P352 IF ON SKIN: Wash with plenty of water.

(continued on page 2)



Page: 2/9

2884900

Reviewed on: 13.06.2024 Printing date: 13.06.2024

#### **PRODUCT:** SANDALWOOD N-CALEDONIA ORG OIL

(continued of page 1)

P501 Dispose of contents/container in accordance with local/regional/ national/international regulations.

- 2.3 Other hazards
- Results of PBT and vPvB assessment
- PBT:

Not applicable.

- vPvB:
- Not applicable.
- Determination of endocrine-disrupting properties None of the ingredients is listed.

# SECTION 03: Composition/information on ingredients

3.1 Substances

CAS No. Description

1070895-66-7 Santalum austrocaledonicum Vieill.

- · Identification number(s)
- EC number: 295-223-5

• Dangerous components:

**CAS Number** 

4602-84-0 **FARNESOL** 0.101-1.000

EC number: 225-004-1

Skin Irrit. 2 - H315, Eye Irrit. 2 -

H319, Skin Sens. 1B - H317

7212-44-4 Nerolidol (isomer unspecified) 0,101-1,000

EC number: 230-597-5

Skin Sens. 1B - H317; Aquatic

Acute 1 - H400 (M=1), Aquatic Chronic 1 -

H410 (M=1)

# SECTION 04: First aid measures

- 4.1 Description of first aid measures
- General information:
  - Seek immediate medical advice.
- After inhalation:
  - Supply fresh air and to be sure call for a doctor.
- After skin contact:
  - If skin irritation continues, consult a doctor.
  - Immediately wash with water and soap and rinse thoroughly.
  - Immediately rinse with water.
- After eye contact:
  - Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing:
- Seek immediate medical advice.
- Information for doctor:
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

ΕU

(continued on page 3)



Page: 3 / 9

2884900

Reviewed on: 13.06.2024 Printing date: 13.06.2024

PRODUCT: SANDALWOOD N-CALEDONIA ORG OIL

(continued of page 2)

# SECTION 05: Firefighting measures

### 5.1 Extinguishing media

• Suitable extinguishing agents:

CO2, sand, extinguishing powder. Do not use water.

Use fire extinguishing methods suitable to surrounding conditions.

 For safety reasons unsuitable extinguishing agents: Water with full jet

# 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

# 5.3 Advice for firefighters

- Protective equipment:
- Do not inhale explosion gases or combustion gases.
- Additional information

Cool endangered receptacles with water spray.

# SECTION 06: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Keep away from ignition sources.

### 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

# 6.3 Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

# 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# SECTION 07: Handling and storage

### 7.1 Precautions for safe handling

Keep receptacles tightly sealed.

Keep away from heat and direct sunlight.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Handle with care. Avoid jolting, friction and impact.

 Information about fire - and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.

# 7.2 Conditions for safe storage, including any incompatibilities Storage:

• Requirements to be met by storerooms and receptacles:

Store only in the original receptacle. Prevent any seepage into the ground.

Use only receptacles specifically permitted for this substance/ product.

- Information about storage in one common storage facility: Not required.
- Further information about storage conditions:

Keep container tightly sealed.

Protect from heat and direct sunlight.

Store receptacle in a well ventilated area.

# 7.3 Specific end use(s)

No further relevant information available.





2884900

Reviewed on: 13.06.2024 Printing date: 13.06.2024

**PRODUCT:** SANDALWOOD N-CALEDONIA ORG OIL

(continued of page 3)

# SECTION 08: Exposure controls/personal protection

### 8.1 Control parameters

- Ingredients with limit values that require monitoring at the workplace: Not required.
- Additional information:

The lists valid during the making were used as basis.

# 8.2 Exposure controls

- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Do not inhale dust / smoke / mist.

Avoid contact with the skin.

Respiratory protection:

Use suitable respiratory protective device in case of insufficient ventilation.

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Protection of hands:

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Eye/face protection
  - Safety glasses
- Body protection:

Impervious protective clothing

Boots

# SECTION 09: Physical and chemical properties

9.1 Information on basic physical and chemi	cal properties
General Information	
Physical state	Fluid
Colour:	pale yellow
Odour:	woody
Odour threshold:	Not determined.
Melting point/freezing point:	< -20,0 °C
Boiling point or initial boiling point and boiling range	Not determined.
Flammability	Not determined.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	145,5 °C NFT 60-103 CC
Decomposition temperature:	Not determined.
рН	Not determined.
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
	(continued on page 5

(continued on page 5)





2884900

Reviewed on: 13.06.2024 Printing date: 13.06.2024

# PRODUCT: SANDALWOOD N-CALEDONIA ORG OIL

Solubility	(continued of pa
water:	Not determined.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density:	Not determined.
Relative density	0,9650 0,9830 (D20/20)
Vapour density	Not determined.
9.2 Other information	No further relevant information available.
Appearance:	
Form:	viscous
Important information on protection of health	and environment, and on safety.
Auto-ignition temperature:	Not determined.
Explosive properties:	Not determined.
Solvent content:	
Solids content:	0,00 %
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical hazard cl	asses
Explosives	not applicable
Flammable gases	not applicable
Aerosols	not applicable
Oxidising gases	not applicable
Gases under pressure	not applicable
Flammable liquids	not applicable
Flammable solids	not applicable
Self-reactive substances and mixtures	not applicable
Pyrophoric liquids	not applicable
Pyrophoric solids	not applicable
Self-heating substances and mixtures	not applicable
Substances and mixtures, which emit flammable gases in contact with water	not applicable
Oxidising liquids	not applicable
Oxidising solids	not applicable
Organic peroxides	not applicable
Corrosive to metals	not applicable
Desensitised explosives	not applicable

# SECTION 10: Stability and reactivity

10.1 Reactivity

No further relevant information available.

- 10.2 Chemical stability
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.

(continued on page 6)





2884900

Reviewed on: 13.06.2024 Printing date: 13.06.2024

#### **PRODUCT:** SANDALWOOD N-CALEDONIA ORG OIL

(continued of page 5)

10.6 Hazardous decomposition products: Not determined.

# SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

- Acute toxicity
- LD/LC50 values relevant for classification:

ISO LD/LC

## Santalum austrocaledonicum Vieill.

Oral, LD50: > 2000 mg/kg (rat) (OECD Guideline 423(Acute Oral toxicity) - 2010)

#### 4602-84-0 **FARNESOL**

Oral, LD50: 20000 mg/kg (rat) Dermal, LD50: 15000 mg/kg (rat)

#### 7212-44-4 Nerolidol (isomer unspecified)

Oral, LD50: >5000 mg/kg (rat) (RIFM 1973) Oral, LD50: 9626 mg/kg (mouse) (RIFM 1967) Dermal, LD50: >5000 mg/kg (Rabbit) (RIFM 1973)

- Primary irritant effect:
- Skin corrosion/irritation

#### 1070895-66-7 Santalum austrocaledonicum Vieill.

Irritation of skin, OECD 431: NOT CORROSIVE (in vitro) (OECD Guideline 431 under GLP - 2009)

Irritant to skin and mucous membranes.

Causes skin irritation.

· Serious eye damage/irritation

# Santalum austrocaledonicum Vieill.

Irritation of eyes, OECD 492: NOT CONCLUSIVE (in vitro) (OECD GUIDELINE 492 under GLP - 2017)

#### Nerolidol (isomer unspecified) 7212-44-4

Irritation of eyes, OECD 405 DRAIZE: NOT CLASSIFIED (Rabbit) (RIFM 1967)

· Respiratory or skin sensitisation

#### 1070895-66-7 Santalum austrocaledonicum Vieill.

Dermal, OECD 429 LLNA: SENSITIZER (mouse) (OECD Guideline 429 - 2008)

· Germ cell mutagenicity

#### Santalum austrocaledonicum Vieill. 1070895-66-7

OECD 471 AMES: NEGATIVE (in vitro) (OECD Guideline 471 - 2014)

- Carcinogenicity Not determined.
- Reproductive toxicity Not determined.

STOT-single exposure

Not determined.

STOT-repeated exposure Not determined.

- Aspiration hazard
  - Not determined.
- Subacute to chronic toxicity: Not determined.

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

# SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity:

#### 1070895-66-7 Santalum austrocaledonicum Vieill.

CE50/48h: 1,96 mg/l (daphnia) (OECD Guideline 202 under GLP - 2017) ErC50(0-72h): 63,816 mg/l (algae) (OECD Guideline 201 under GLP -2018)

(continued on page 7)





2884900

Reviewed on: 13.06.2024 Printing date: 13.06.2024

### PRODUCT: SANDALWOOD N-CALEDONIA ORG OIL

(continued of page 6)

### 12.2 Persistence and degradability

No further relevant information available.

 Behaviour in environmental systems: Not determined.

# 12.3 Bioaccumulative potential

No further relevant information available.

## 12.4 Mobility in soil

No further relevant information available.

### 12.5 Results of PBT and vPvB assessment

• PBT:

Not applicable.

vPvB:

Not applicable.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

### 12.6 Other adverse effects

No further relevant information available.

Ecotoxical effects:

Not determined.

Remark:

Toxic for fish

- Additional ecological information:
- General notes:

Toxic for aquatic organisms

The material is harmful to the environment.

# SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

- Recommendation
- Must be specially treated adhering to official regulations.
- Uncleaned packaging:
- Recommendation:

Disposal must be made according to official regulations.

# SECTION 14: Transport information

14.1 UN number or ID number

. ADR UN3082 . IMDG UN3082 . IATA UN3082

14.2 UN proper shipping name

. ADR 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(SANTALUM AUSTROCALEDONICUM VIEILL.)

. **IMDG** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(SANTALUM AUSTROCALEDONICUM VIEILL.)

. IATA ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.


(SANTALUM AUSTROCALEDONICUM VIEILL.)

14.3 Transport hazard class(es)

ADR

Class 9 (M6) Miscellaneous dangerous substances and articles.

. Label



(continued on page 8)





2884900

Reviewed on: 13.06.2024 Printing date: 13.06.2024

**PRODUCT:** SANDALWOOD N-CALEDONIA ORG OIL

(continued of page 7)

IMDG

Class

9 Miscellaneous dangerous substances and articles.

Label





IATA

Class

9 Miscellaneous dangerous substances and articles.

Label





14.4 Packing group

. ADR Ш . IMDG Ш IATA Ш

14.5 Environmental hazards:

. Marine pollutant: Yes

14.6 Special precautions for user

Warning: Miscellaneous dangerous substances and articles.

. Danger code (Kemler):

90

. EMS Number:

F-A,S-F

14.7 Maritime transport in bulk according to IMO instruments Not applicable.

- Transport/Additional information:
- ADR

Excepted quantities (EQ): E1 . Limited quantities (LQ) . Transport category 3

. IMDG

. Limited quantities (LQ) 5L . Excepted quantities (EQ) E1

UN "Model Regulation":

UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (SANTALUM AUSTROCALEDONICUM VIEILL.), 9, III

# SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II None of the ingredients is listed.
- REGULATION (EU) 2019/1148
- Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

- Annex II REPORTABLE EXPLOSIVES PRECURSORS None of the ingredients is listed.
- Regulation (EC) No 273/2004 on drug precursors None of the ingredients is listed.

(continued on page 9)





2884900

Reviewed on: 13.06.2024 Printing date: 13.06.2024

# PRODUCT: SANDALWOOD N-CALEDONIA ORG OIL

(continued of page 8)

- Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors None of the ingredients is listed.
- National regulations:
- Technical instructions (air):
- Class Share in %

Ι

• Waterhazard class: Generally not hazardous for water.

### 15.2 Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

# SECTION 16: Other information

The information in this safety data sheet is based on the state of our knowledge at the date indicated. The information in this sheet must be regarded as a description of the safety requirements for the product, they are not to be considered a warranty or quality specification and have no contractual value on properties and application areas thereof. The information contained in this safety data sheet relate to the specific material designated and may not be valid with respect to the product associated with another product or process, unless it is specified in the text of this document.

The required information complies with EU regulations in force. It does not exempt the user from knowing and applying all the national regulations in force.

Relevant phrases

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

### · Training hints

Minimum training in occupational risk prevention is recommended for personnel who will handle this product, in the purpose of facilitating the understanding and interpretation of this form of safety data in the same way as the labeling of the product.

# • Abbreviations and acronyms:

IFRA:International Fragrance Association IOFI:International Organization of the Flavor Industry

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

### Sources

IFRA/IOFI Labelling Manual,REACH registration dossier, supplier information

• \* Data compared to the previous version altered.