


2889500





2889500

RODUCT :	THYME Thymol SPAIN ORG OIL	
		(continued of page 1)
	$\vee$ $\vee$ $\vee$ $\vee$	
	GHS08 GHS02 GHS07 GHS09	
<ul> <li>Signal word Danger</li> </ul>		
<ul> <li>Hazard stat</li> </ul>		
	able liquid and vapour. I if swallowed.	
H304 May be	fatal if swallowed and enters airways.	
	severe skin burns and eye damage. use an allergic skin reaction.	
	aquatic life with long lasting effects.	
	ry statements vay from heat, hot surfaces, sparks, open flames and other ign	ition sources. No smokina.
P233 Keep co	ntainer tightly closed.	, and the second s
	and bond container and receiving equipment. F SWALLOWED: Immediately call a POISON CENTER/ doctor.	
P403+P235 S	tore in a well-ventilated place. Keep cool.	
P501 Dispose	of contents/container in accordance with local/regional/ natio	nai/international regulations.
2.3 Other haz		
<ul> <li>Results of F</li> <li>PBT:</li> </ul>	PBT and vPvB assessment	
- PDT: Not applicabl	e.	
- vPvB:		
<ul> <li>Not applicabl</li> <li>Determinat</li> </ul>	e. ion of endocrine-disrupting properties	
	ngredients is listed.	
3.1 Substance		
<ul> <li>3.1 Substance</li> <li>CAS No.</li> <li>8007-46-3</li> <li>Identificatio</li> <li>EC number</li> </ul>	25 <b>Description</b> Thymus zygis L. on number(s)	
3.1 Substance CAS No. 8007-46-3 Identificatio	25 <b>Description</b> Thymus zygis L. on number(s)	
<ul> <li>3.1 Substance</li> <li>CAS No.</li> <li>8007-46-3</li> <li>Identificatio</li> <li>EC number 285-397-0</li> </ul>	25 <b>Description</b> Thymus zygis L. on number(s)	
<ul> <li>3.1 Substance</li> <li>CAS No.</li> <li>8007-46-3</li> <li>Identification</li> <li>EC number 285-397-0</li> <li>Dangerous CAS Number</li> </ul>	Description Thymus zygis L. on number(s)	%
<ul> <li>3.1 Substance</li> <li>CAS No.</li> <li>8007-46-3</li> <li>Identificatio</li> <li>EC number 285-397-0</li> <li>Dangerous</li> </ul>	Description Thymus zygis L. on number(s) : components: thymol	% 20,001-50,00
<ul> <li>3.1 Substance</li> <li>CAS No.</li> <li>8007-46-3</li> <li>Identification</li> <li>EC number 285-397-0</li> <li>Dangerous CAS Number</li> </ul>	Description Thymus zygis L. on number(s) : components: thymol EC number: 201-944-8	
<ul> <li>3.1 Substance</li> <li>CAS No.</li> <li>8007-46-3</li> <li>Identification</li> <li>EC number 285-397-0</li> <li>Dangerous CAS Number</li> </ul>	PS Description Thymus zygis L. on number(s) : components: thymol EC number: 201-944-8	
<ul> <li>3.1 Substance</li> <li>CAS No.</li> <li>8007-46-3</li> <li>Identification</li> <li>EC number 285-397-0</li> <li>Dangerous CAS Number</li> </ul>	PS Description Thymus zygis L. on number(s) : components: thymol EC number: 201-944-8 ♦ Skin Corr. 1B - H314, Eye Dam. 1 - H318; ♦ Acute Tox. 4 - H302; ♦	
<ul> <li>3.1 Substance</li> <li>8007-46-3</li> <li>Identification</li> <li>EC number 285-397-0</li> <li>Dangerous CAS Number</li> <li>89-83-8</li> </ul>	PS Description Thymus zygis L. on number(s) : components: thymol EC number: 201-944-8 <sup>♠</sup> Skin Corr. 1B - H314, Eye Dam. 1 - H318; <sup>♠</sup> Acute Tox. 4 - H302; <sup>♠</sup> Aquatic Chronic 2 - H411	20,001-50,00
<ul> <li>3.1 Substance</li> <li>CAS No.</li> <li>8007-46-3</li> <li>Identification</li> <li>EC number 285-397-0</li> <li>Dangerous CAS Number</li> </ul>	Description Thymus zygis L. on number(s) : components: thymol EC number: 201-944-8 <sup>♠</sup> Skin Corr. 1B - H314, Eye Dam. 1 - H318; <sup>♠</sup> Acute Tox. 4 - H302; <sup>♠</sup> Aquatic Chronic 2 - H411 p-cymene	
<ul> <li>3.1 Substance</li> <li>8007-46-3</li> <li>Identification</li> <li>EC number 285-397-0</li> <li>Dangerous CAS Number</li> <li>89-83-8</li> </ul>	Description Thymus zygis L. on number(s) : components: thymol EC number: 201-944-8 <sup>(*)</sup> Skin Corr. 1B - H314, Eye Dam. 1 - H318; <sup>(1)</sup> Acute Tox. 4 - H302; <sup>(1)</sup> Aquatic Chronic 2 - H411 p-cymene EC number: 202-796-7	20,001-50,00
<ul> <li>3.1 Substance</li> <li>8007-46-3</li> <li>Identification</li> <li>EC number 285-397-0</li> <li>Dangerous CAS Number</li> <li>89-83-8</li> </ul>	PS Description Thymus zygis L. on number(s) : components: thymol EC number: 201-944-8 Skin Corr. 1B - H314, Eye Dam. 1 - H318;  ↑ Acute Tox. 4 - H302;  ↓ Aquatic Chronic 2 - H411 p-cymene EC number: 202-796-7 Acute Tox. 3 - H331;  Asp. Tox. 1	20,001-50,00
<ul> <li>3.1 Substance</li> <li>8007-46-3</li> <li>Identification</li> <li>EC number 285-397-0</li> <li>Dangerous CAS Number</li> <li>89-83-8</li> </ul>	PS Description Thymus zygis L. on number(s) : components: thymol EC number: 201-944-8 <ul> <li>Skin Corr. 1B - H314, Eye Dam. 1 - H318;</li> <li>Acute Tox. 4 - H302;</li> <li>Aquatic Chronic 2 - H411 p-cymene EC number: 202-796-7 <ul> <li>Acute Tox. 3 - H331;</li> <li>Asp. Tox. 1 - H304;</li> <li>Flam. Liq. 3 - H226;</li> </ul> </li> </ul>	20,001-50,00
<ul> <li>3.1 Substance CAS No.</li> <li>8007-46-3</li> <li>Identificatio</li> <li>EC number 285-397-0</li> <li>Dangerous CAS Number</li> <li>89-83-8</li> <li>99-87-6</li> </ul>	PS Description Thymus zygis L. on number(s) : components: thymol EC number: 201-944-8 أ Skin Corr. 1B - H314, Eye Dam. 1 - H318; $أ$ Acute Tox. 4 - H302; $أ$ Aquatic Chronic 2 - H411 p-cymene EC number: 202-796-7 ∲ Acute Tox. 3 - H331; $∲$ Asp. Tox. 1 - H304; $∲$ Flam. Liq. 3 - H226; $∮$ Aquatic Chronic 2 - H411	20,001-50,00 20,001-50,00
<ul> <li>3.1 Substance</li> <li>8007-46-3</li> <li>Identification</li> <li>EC number 285-397-0</li> <li>Dangerous CAS Number</li> <li>89-83-8</li> </ul>	PS Description Thymus zygis L. on number(s) : components: thymol EC number: 201-944-8 أ Skin Corr. 1B - H314, Eye Dam. 1 - H318; $أ$ Acute Tox. 4 - H302; $∮$ Aquatic Chronic 2 - H411 p-cymene EC number: 202-796-7 أ Acute Tox. 3 - H331; $∮$ Asp. Tox. 1 - H304; $∮$ Flam. Liq. 3 - H226; $∮$ Aquatic Chronic 2 - H411 p-Mentha-1,4-diene	20,001-50,00
<ul> <li>3.1 Substance CAS No.</li> <li>8007-46-3</li> <li>Identificatio</li> <li>EC number 285-397-0</li> <li>Dangerous CAS Number</li> <li>89-83-8</li> <li>99-87-6</li> </ul>	PS Description Thymus zygis L. on number(s) : components: thymol EC number: 201-944-8 أ Skin Corr. 1B - H314, Eye Dam. 1 - H318; $أ$ Acute Tox. 4 - H302; $∮$ Aquatic Chronic 2 - H411 p-cymene EC number: 202-796-7 أ Acute Tox. 3 - H331; $∮$ Asp. Tox. 1 - H304; $∮$ Flam. Liq. 3 - H226; $∮$ Aquatic Chronic 2 - H411 p-Mentha-1,4-diene EC number: 202-794-6	20,001-50,00 20,001-50,00
<ul> <li>3.1 Substance CAS No.</li> <li>8007-46-3</li> <li>Identificatio</li> <li>EC number 285-397-0</li> <li>Dangerous CAS Number</li> <li>89-83-8</li> <li>99-87-6</li> </ul>	Performance in the second state is the secon	20,001-50,00 20,001-50,00
<ul> <li>3.1 Substance (CAS No. 8007-46-3)</li> <li>Identificatio EC number 285-397-0</li> <li>Dangerous CAS Number 89-83-8</li> <li>99-87-6</li> <li>99-85-4</li> </ul>	Perform Thymus zygis L. Thymus zygis L. on number(s) components: thymol EC number: 201-944-8 أ Skin Corr. 1B - H314, Eye Dam. 1 - H318; $أ$ Acute Tox. 4 - H302; $أ$ Aquatic Chronic 2 - H411 p-cymene EC number: 202-796-7 أ Acute Tox. 3 - H331; $أ$ Asp. Tox. 1 - H304; $أ$ Flam. Liq. 3 - H226; $أ$ Aquatic Chronic 2 - H411 p-Mentha-1,4-diene EC number: 202-794-6 ∮ Asp. Tox. 1 - H304; $∮$ Flam. Liq. 3 - H226	20,001-50,00 20,001-50,00 10,001-20,00
<ul> <li>3.1 Substance CAS No. 8007-46-3</li> <li>Identificatio</li> <li>EC number 285-397-0</li> <li>Dangerous CAS Number 89-83-8</li> <li>99-87-6</li> </ul>	PS Description Thymus zygis L. on number(s) : components: thymol EC number: 201-944-8 أ Skin Corr. 1B - H314, Eye Dam. 1 - H318; $أ$ Acute Tox. 4 - H302; $أ$ Aquatic Chronic 2 - H411 p-cymene EC number: 202-796-7 ∲ Acute Tox. 3 - H331; $∲$ Asp. Tox. 1 - H304; $∲$ Flam. Liq. 3 - H226; $∲$ Aquatic Chronic 2 - H411 p-Mentha-1,4-diene EC number: 202-794-6 ∲ Asp. Tox. 1 - H304; $∲$ Flam. Liq. 3 - H226 LINALOOL	20,001-50,00 20,001-50,00
<ul> <li>3.1 Substance (CAS No. 8007-46-3)</li> <li>Identificatio EC number 285-397-0</li> <li>Dangerous CAS Number 89-83-8</li> <li>99-87-6</li> <li>99-85-4</li> </ul>	Perform Thymus zygis L. Thymus zygis L. on number(s) components: thymol EC number: 201-944-8 أ Skin Corr. 1B - H314, Eye Dam. 1 - H318; $أ$ Acute Tox. 4 - H302; $أ$ Aquatic Chronic 2 - H411 p-cymene EC number: 202-796-7 أ Acute Tox. 3 - H331; $أ$ Asp. Tox. 1 - H304; $أ$ Flam. Liq. 3 - H226; $أ$ Aquatic Chronic 2 - H411 p-Mentha-1,4-diene EC number: 202-794-6 ∮ Asp. Tox. 1 - H304; $∮$ Flam. Liq. 3 - H226	20,001-50,00 20,001-50,00 10,001-20,00



2889500

	THYME Thymol SPAIN ORG OIL	(continued of news )
499-75-2	carvacrol	(continued of page 2) 1,001- 5,000
433-13-2	EC number: 207-889-6	1,001- 5,000
	<ul> <li>Acute Tox. 4 - H302, Skin Irrit. 2 -</li> </ul>	
	H315, Eye Irrit. 2 - H319, Skin Sens. 1B -	
	H315, Eye Int. 2 - H319, Skin Selis. 16 - H317	
470-82-6	Eucalyptol	1,001- 5,000
4/0-02-0	EC number: 207-431-5	1,001-0,000
	Flam. Liq. 3 - H226;  Skin Sens.	
	1B - H317	
123-35-3	Myrcene	1,001- 5,000
	EC number: 204-622-5	-,
	🚸 Asp. Tox. 1 - H304; 🚸 Flam. Liq. 3	
	- H226; 🚸 Skin Irrit. 2 - H315, Eye	
	Irrit. 2 - H319	
507-70-0	I-Borneol	1,001- 5,000
	EC number: 208-080-0	-,
	🚸 Flam. Sol. 2 - H228; 🚸 Skin Irrit.	
	2 - H315	
99-86-5	1-isopropyl-4-methylcyclohexa-1,3-diene	1,001- 5,000
	EC number: 202-795-1	
	🚸 Asp. Tox. 1 - H304; 🚸 Flam. Liq. 3	
	- H226; 🔅 Acute Tox. 4 - H302, Skin	
	Sens. 1 - H317; 🔅 Aquatic Chronic 2 -	
	H411	
76-22-2	CAMPHOR	1,001- 5,000
	EC number: 200-945-0	
	🚸 Flam. Sol. 2 - H228; 🚸 Acute Tox.	
	4 - H302, Acute Tox. 4 - H332; 🚸 STOT SE	
	2 - H371	
562-74-3	p-Menth-1-en-4-ol	1,001- 5,000
	EC number: 209-235-5	
	🚸 Acute Tox. 4 - H302, Acute Tox. 4 -	
	H332, Skin Irrit. 2 - H315, Eye Irrit. 2 -	
	H319, Skin Sens. 1B - H317, STOT SE 3 - H336	
87-44-5	BETA-CARYOPHYLLENE	1,001- 5,000
	EC number: 201-746-1	
	🚸 Asp. Tox. 1 - H304; 🕐 Skin Sens.	
	1B - H317	
80-56-8	ALPHA-PINENE	1,001- 5,000
	EC number: 201-291-9	
	🚸 Asp. Tox. 1 - H304; 🚸 Flam. Liq. 3	
	- H226; 한 Acute Tox. 4 - H302, Skin	
	Irrit. 2 - H315, Skin Sens. 1B - H317	
79-92-5	camphene	0,101-1,000
	EC number: 201-234-8	
	Flam. Sol. 1 - H228; Eye Irrit.	
	2 - H319; 🄄 Aquatic Acute 1 - H400 (M=1)	
	, Aquatic Chronic 1 - H410 (M=1)	<b>.</b>
5989-27-5	d-limonene	0,101-1,000
	EC number: 227-813-5	(continued on page 4



#### 2889500

Reviewed on: 03.07.2024 Printing date: 03.07.2024

PRODUCT :	THYME Thymol SPAIN ORG OIL	
	Asp. Tox. 1 - H304;	(continued of page 3)
	- H226;  Skin Irrit. 2 - H315, Skin Sens. 1B - H317; 🚯 Aquatic Acute 1 -	
127-91-3	H400 (M=1); Aquatic Chronic 3 - H412 BETA-PINENE	0 404 4 000
127-91-3	EC number: 204-872-5	0,101-1,000
	- H226; 🗘 Skin Irrit. 2 - H315, Skin	
3391-86-4	Sens. 1B - H317 <b>1-Octen-3-ol</b> EC number: 222-226-0 Acute Tox. 4 - H302, Acute Tox. 4 -	0,101-1,000
	H332, Skin Irrit. 2 - H315, Eye Irrit. 2 - H319; 📀 Aquatic Acute 1 - H400 (M=1)	
586-62-9	TERPINOLENE EC number: 209-578-0 ♦ Asp. Tox. 1 - H304; ♦ Skin Sens.	0,101-1,000
	1B - H317; 🔅 Aquatic Acute 1 - H400	
13466-78-9	(M=1), Aquatic Chronic 1 - H410 (M=1) <b>delta-3-Carene</b> EC number: 236-719-3	0,101-1,000
	<ul> <li>Asp. Tox. 1 - H304;</li> <li>Flam. Liq. 3</li> <li>- H226;</li> <li>Skin Irrit. 2 - H315, Skin</li> </ul>	
106-24-1	Sens. 1B - H317 GERANIOL	0,101-1,000
	EC number: 203-377-1 � Eye Dam. 1 - H318;	
	- H315, Skin Sens. 1 - H317	

#### SECTION 04: First aid measures

4.1 Description of first aid measures • General information: Immediately remove any clothing soiled by the product. Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident. Seek immediate medical advice. After inhalation: • In case of unconsciousness place patient stably in side position for transportation. • After skin contact: If skin irritation continues, consult a doctor. Immediately wash with water and soap and rinse thoroughly. After eye contact: . Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. After swallowing: Call for a doctor immediately. Drink plenty of water and provide fresh air. Call for a doctor immediately. • Information for doctor: 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available. 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.



2889500

		Reviewed on: 03.0 Printing date: 03.0
PRODUCT :	THYME Thymol SPAIN ORG OIL	
		(continued of page 4)
SECTION 05:	Firefighting measures	
5.1 Extingui		
	extinguishing agents:	
	extinguishing powder. Do not use water. tinguishing methods suitable to surrounding conditions.	
	reasons unsuitable extinguishing agents:	
Water with	full jet	
5.2 Special	nazards arising from the substance or mixture	
	oxic gases is possible during heating or in case of fire.	
5 3 Advice f	or firefighters	
	equipment:	
	ale explosion gases or combustion gases.	
	linformation	
Cool endar	gered receptacles with water spray.	
SECTION 06:	Accidental release measures	
	precautions, protective equipment and emergency procedures	
	ve equipment. Keep unprotected persons away.	
Ensure adequa Keep away fro	m ignition sources.	
	nental precautions:	
	product to reach sewage system or any water course. tive authorities in case of seepage into water course or sewage system.	
Inform respec	uve autionities in case of seepage into water course of sewage system.	
6.3 Methods	and material for containment and cleaning up:	
Dispose conta	minated material as waste according to item 13.	
Ensure adequa	ate ventilation.	
6.4 Referen	ce to other sections	
	for information on safe handling.	
	for information on personal protection equipment. 3 for disposal information.	
See Section 1		
	Landling and storage	
	Handling and storage	
	ons for safe handling les tightly sealed.	
	m heat and direct sunlight.	
Ensure good v	rentilation/exhaustion at the workplace.	
	are. Avoid jolting, friction and impact.	
	on about fire - and explosion protection: on sources away - Do not smoke.	
	inst electrostatic charges.	
7.2 Conditio	ns for safe storage, including any incompatibilities	
Storage:		
	ents to be met by storerooms and receptacles:	
	in the original receptacle. y seepage into the ground.	
Use only re	ceptacles specifically permitted for this substance/ product.	
<ul> <li>Information</li> </ul>	on about storage in one common storage facility:	
Not require		
	formation about storage conditions: iner tightly sealed.	
	n heat and direct sunlight.	

Protect from heat and direct sunlight. Store receptacle in a well ventilated area.

7.3 Specific end use(s) No further relevant information available.



2889500

Reviewed on: 03.07.2024 Printing date: 03.07.2024

	(continued of page 5)
SECTION 08	: Exposure controls/personal protection
0.1.0	
	l parameters nts with limit values that require monitoring at the workplace:
Not requi	
	al information:
The lists	valid during the making were used as basis.
8.2 Exposu	ire controls
	al protection measures, such as personal protective equipment
	protective and hygienic measures: precautionary measures are to be adhered to when handling chemicals.
	y from foodstuffs, beverages and feed.
	ely remove all soiled and contaminated clothing
	ids before breaks and at the end of work.
	ntact with the skin. Itact with the eyes.
	ory protection:
	ble respiratory protective device in case of insufficient ventilation.
	on of hands:
Protective	e gloves e material has to be impermeable and resistant to the product/ the substance/ the preparation.
	issing tests no recommendation to the glove material can be given for the product/ the preparation/ the
chemical	
	of the glove material on consideration of the penetration times, rates of diffusion and the degradation
<ul> <li>Material</li> </ul>	
	tion of the suitable gloves does not only depend on the material, but also on further marks of quality and m manufacturer to manufacturer.
	ion time of glove material
	t break through time has to be found out by the manufacturer of the protective gloves and has to be
observed	
	e protection
Safety gla	
Safety gla Body pro	
	us protective clothing
Boots	

#### SECTION 09: Physical and chemical properties

General Information		
Physical state	Fluid	
Colour:	yellow to brown	
Odour:	agrestic	
Odour threshold:	Not determined.	
Boiling point or initial boiling point and boiling range	Not determined.	
Flammability	Not determined.	
Lower and upper explosion limit		
Lower:	Not determined.	
Upper:	Not determined.	
Flash point:	60,0 °C NFT 60-103 CC	
Decomposition temperature:	Not determined.	
рН	Not determined.	
Viscosity:		
Kinematic viscosity	Not determined.	
Dynamic:	Not determined.	
Solubility		-
water:	Not determined.	



2889500

Reviewed on: 03.07.2024 Printing date: 03.07.2024

Printing	date:	03.07.2024

	(continued of p	age 6
Partition coefficient n-octanol/water (log value)	Not determined.	
Vapour pressure:	Not determined.	
Density and/or relative density		
Density:	Not determined.	
Relative density	0,9100 0,937 D20/20	
Vapour density	Not determined.	
9.2 Other information	No further relevant information available.	
Appearance:		
Form:	fluid	
Important information on protection of health	h and environment, and on safety.	
Auto-ignition temperature:	Not determined.	
Explosive properties:	Not determined.	
Solvent content:		
Solids content:	0,00 %	
Change in condition		
Evaporation rate	Not determined.	
Information with regard to physical hazard c	lasses	
Explosives	not applicable	
Flammable gases	not applicable	
Aerosols	not applicable	
Oxidising gases	not applicable	
Gases under pressure	not applicable	
Flammable liquids	Flammable liquid and vapour.	
Flammable solids	not applicable	
Self-reactive substances and mixtures	not applicable	
Pyrophoric liquids	not applicable	
Pyrophoric solids	not applicable	
Self-heating substances and mixtures	not applicable	
Substances and mixtures, which emit	not applicable	
flammable gases in contact with water	wet we Peakle	
Oxidising liquids	not applicable	
Oxidising solids	not applicable	
Organic peroxides	not applicable	
Corrosive to metals	not applicable	
Desensitised explosives	not applicable	

#### SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: Not determined.



2889500

07101		(continued of page 7)
CTION 11:	Toxicological information	
<ul> <li>Acute tox Harmful if</li> </ul>		8
	ISO LD/L	.C
8007-46-3 Oral, LD50 ECHA)	Thymus zygis L. 980 mg/kg (rat) (Data from handbook considered reliable by	
<b>89-83-8</b> Oral, LD50	<b>thymol</b> : 980 mg/kg (rat)	
	LINALOOL : 2790 mg/kg (rat) 950: 5610 mg/kg (Rabbit)	
<b>499-75-2</b> Oral, LD50	<b>carvacrol</b> : 810 mg/kg (rat)	
<b>470-82-6</b> Oral, LD50	<b>Eucalyptol</b> : 3849 mg/kg (mouse) (Jiao Xu, 2014)	
99-86-5	ALPHA-TERPINENE : 1680 mg/kg (ATE)	
<b>76-22-2</b> Oral, LD50	CAMPHOR : >5000 mg/kg (rat) (Opdyke 1978) :50: >1000 mg/kg (mouse) (NTP 1998)	
87-44-5	BETA-CARYOPHYLLENE : > 5000 mg/kg (rat) (Hart and Wong 1971)	
<b>79-92-5</b> Oral, LD50	camphene : 5000 mg/kg (rat) 550: 2500 mg/kg (Rabbit)	
5989-27-5	(R)-p-mentha-1,8-diene : 4400 mg/kg (rat)	
<b>3391-86-4</b> Oral, LD50	<b>1-Octen-3-ol</b> : 340 mg/kg (rat) :50: 3300 mg/kg (Rabbit)	
Primary ii	delta-3-Carene : 4800 mg/kg (rat) (Moreno 1975) ritant effect:	
8007-46-3 Irritation o 404 (2000 Strong cau Causes sev	osion/irritation Thymus zygis L. f skin, OECD 404 DRAIZE: IRRITANT (Rabbit) (OECD Guideline , 2008) stic effect on skin and mucous membranes. ere skin burns and eye damage. ye damage/irritation	
8007-46-3 Irritation o	Thymus zygis L. f eyes, OECD 405 DRAIZE: CORROSIVE (in vitro) (OECD 105 (2000,2008)	
Strong irrit Causes ser	ant with the danger of severe eye injury. ious eye damage.	
8007-46-3	ry or skin sensitisation <b>Thymus zygis L.</b> ECD 429 LLNA: SENSITIZER (mouse) (OECD Guideline 429 (2015)	
Sensitizati	mutagenicity	
8007-46-3 OECD 471	Thymus zygis L. AMES: NEGATIVE (in vitro) (OECD Guideline 471 (2009)	
<b>78-70-6</b> OECD 471	LINALOOL AMES: NEGATIVE (in vitro) (Letizia and al., 2007)	
<b>470-82-6</b> OECD 471	Eucalyptol AMES: NEGATIVE (in vitro) (Haworth, 1983)	
	CAMPHOR AMES: NEGATIVE (in vitro) (Anderson and Styles 1978)	
87-44-5	BETA-CARYOPHYLLENE	



2889500

ODUCT :	THYME Thymol SPAIN ORG OIL
	•
Carcino	enicity (continued of page 8)
78-70-6	LINALOOL
	au: NEGATIVE (mouse) (in vivo, Letizia and al., 2007)
	au: NEGATIVE (in vitro) (DiSotto and al., 2011)
76-22-2	CAMPHOR
	au: NEGATIVE (mouse) (NTP 1999)
	ctive toxicity
Not deter	
<ul> <li>STOT-si</li> </ul>	ngle exposure
Not deter	
	peated exposure
Not deter	
<ul> <li>Aspiration</li> <li>May be failed</li> </ul>	tal if swallowed and enters airways.
	tal if swallowed and enters airways.
	e to chronic toxicity:
78-70-6	LINALOOL
	EL: 200 mg/kg (rat) (maternal toxicity, Politano and al.,
2008)	
76-22-2	CAMPHOR
	EL: >800 mg/kg (rat) (fetal toxicity GD 6 to 15, NTP 1992)
87-44-5	BETA-CARYOPHYLLENE
•••••	EL: 700 mg/kg (rat) (90 days Schmitt 2016)
	al toxicological information:
Swallowi	ng will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagu
and stom	
	ormation on other hazards
	e disrupting properties
None c	f the ingredients is listed.
	: Ecological information
12.1 Toxic • Aquatic	ty
12.1 Toxic	ty
12.1 Toxic • Aquatic 8007-46-3 CE50/48ł	ty toxicity: <b>Thymus zygis L.</b> : 0,772 mg/l (daphnia) (QSAR model (2012)
12.1 Toxic • Aquatic 8007-46-3 CE50/48h	ty toxicity: Thymus zygis L.
12.1 Toxic • Aquatic 8007-46-3 CE50/48ł ErC50(0- 99-87-6	ty toxicity: Thymus zygis L. : 0,772 mg/l (daphnia) (QSAR model (2012) 72h): 2,34 mg/l (algae) (QSAR model accepted by OECD (2012) p-cymene
12.1 Toxic • Aquatic 8007-46-3 CE50/48ł ErC50(0- 99-87-6	ty toxicity: <b>Thymus zygis L.</b> : 0,772 mg/l (daphnia) (QSAR model (2012) 72h): 2,34 mg/l (algae) (QSAR model accepted by OECD (2012)
12.1 Toxic • Aquatic 8007-46-3 CE50/48H ErC50(0- 99-87-6 LD50: 1,0 78-70-6	ty toxicity: Thymus zygis L. : 0,772 mg/l (daphnia) (QSAR model (2012) ?2h): 2,34 mg/l (algae) (QSAR model accepted by OECD (2012) p-cymene :3 mg/l (fish) (OECD 203) LINALOOL
12.1 Toxic • Aquatic 8007-46-3 CE50/48t ErC50(0- 99-87-6 LD50: 1,0 78-70-6 LD50: 27	ty toxicity: Thymus zygis L. : 0,772 mg/l (daphnia) (QSAR model (2012) ?2h): 2,34 mg/l (algae) (QSAR model accepted by OECD (2012) p-cymene :3 mg/l (fish) (OECD 203) LINALOOL 8 mg/l (fish) ((OECD 203) RIFM 1991)
12.1 Toxic • Aquatic 8007-46-3 CE50/48ł ErC50(0- 99-87-6 LD50: 1,0 78-70-6 LD50: 27 ErC50(0-	ty toxicity: Thymus zygis L. : 0,772 mg/l (daphnia) (QSAR model (2012) 72h): 2,34 mg/l (algae) (QSAR model accepted by OECD (2012) p-cymene 33 mg/l (fish) (OECD 203) LINALOOL 8 mg/l (fish) ((OECD 203) RIFM 1991) 72h): 156,7 mg/l (algae)
12.1 Toxic • Aquatic 8007-46-3 CE50/48H ErC50(0- 99-87-6 LD50: 1,0 78-70-6 LD50: 27 ErC50(0- ErC50(0-	ty toxicity: Thymus zygis L. : 0,772 mg/l (daphnia) (QSAR model (2012) '2h): 2,34 mg/l (algae) (QSAR model accepted by OECD (2012) p-cymene :3 mg/l (fish) (OECD 203) LINALOOL 8 mg/l (fish) ((OECD 203) RIFM 1991) '2h): 156,7 mg/l (algae) tab): 59 mg/l (daphnia) ((OECD 202)
12.1 Toxic • Aquatic 8007-46-3 CE50/48 ErC50(8- 99-87-6 LD50: 1,0 78-70-6 LD50: 27 ErC50(0- ErC50(0- 123-35-3	ty toxicity: Thymus zygis L. : 0,772 mg/l (daphnia) (QSAR model (2012) 72h): 2,34 mg/l (algae) (QSAR model accepted by OECD (2012) p-cymene :3 mg/l (fish) (OECD 203) LINALOOL 8 mg/l (fish) ((OECD 203) RIFM 1991) 72h): 156,7 mg/l (algae) #8h): 59 mg/l (daphnia) ((OECD 202) Myrcene
12.1 Toxic • Aquatic 8007-46-3 CE50/48ł ErC50(0- 99-87-6 LD50: 1,4 78-70-6 LD50: 27 ErC50(0- ErC50(0- ErC50(0- 123-35-3 LD50: 0,5	ty toxicity: Thymus zygis L. : 0,772 mg/l (daphnia) (QSAR model (2012) 72h): 2,34 mg/l (algae) (QSAR model accepted by OECD (2012) p-cymene :3 mg/l (fish) (OECD 203) LINALOOL 8 mg/l (fish) (OECD 203) RIFM 1991) 72h): 156,7 mg/l (algae) #8h): 59 mg/l (daphnia) ((OECD 202) Myrcene :1 mg/l (fish) (OECD 203)
12.1 Toxic • Aquatic 8007-46-3 CE50/48ł ErC50(0- 99-87-6 LD50: 1,4 78-70-6 LD50: 27 ErC50(0- ErC50(0- 123-35-3 LD50: 0,1 CE50/48ł	ty toxicity: Thymus zygis L. : 0,772 mg/l (daphnia) (QSAR model (2012) 72h): 2,34 mg/l (algae) (QSAR model accepted by OECD (2012) p-cymene i3 mg/l (fish) (OECD 203) LINALOOL 8 mg/l (fish) ((OECD 203) RIFM 1991) 72h): 156,7 mg/l (algae) 18h): 59 mg/l (daphnia) ((OECD 202) Myrcene i1 mg/l (fish) (OECD 203) : 0,65 mg/l (daphnia)
12.1 Toxic • Aquatic 8007-46-3 CE50/48ł ErC50(0- 99-87-6 LD50: 1,4 78-70-6 LD50: 27 ErC50(0- ErC50(0- 123-35-3 LD50: 0,5 CE50/48ł 76-22-2	ty toxicity: Thymus zygis L. : 0,772 mg/l (daphnia) (QSAR model (2012) 72h): 2,34 mg/l (algae) (QSAR model accepted by OECD (2012) p-cymene 33 mg/l (fish) (OECD 203) LINALOOL 8 mg/l (fish) (OECD 203) RIFM 1991) 72h): 156,7 mg/l (algae) 18h): 59 mg/l (daphnia) ((OECD 202) Myrcene 51 mg/l (fish) (OECD 203) : 0,65 mg/l (daphnia) CAMPHOR
12.1 Toxic • Aquatic 8007-46-3 CE50/48ł ErC50(0- 99-87-6 LD50: 1,4 78-70-6 LD50: 27 ErC50(0- ErC50(0- 123-35-3 LD50: 0,5 CE50/48ł 76-22-2 CE50/48ł	ty toxicity: Thymus zygis L. : 0,772 mg/l (daphnia) (QSAR model (2012) 72h): 2,34 mg/l (algae) (QSAR model accepted by OECD (2012) p-cymene i3 mg/l (fish) (OECD 203) LINALOOL 8 mg/l (fish) ((OECD 203) RIFM 1991) 72h): 156,7 mg/l (algae) 18h): 59 mg/l (daphnia) ((OECD 202) Myrcene i1 mg/l (fish) (OECD 203) : 0,65 mg/l (daphnia)
12.1 Toxic • Aquatic 8007-46-3 CE50/48ł ErC50(0- 99-87-6 LD50: 1,4 78-70-6 LD50: 27 ErC50(0- ErC50(0- 123-35-3 LD50: 0,7 CE50/48ł F6-22-2 CE50/48ł ErC50(0-	ty toxicity: Thymus zygis L. : 0,772 mg/l (daphnia) (QSAR model (2012) 72h): 2,34 mg/l (algae) (QSAR model accepted by OECD (2012) <b>p-cymene</b> 33 mg/l (fish) (OECD 203) LINALOOL 8 mg/l (fish) (OECD 203) RIFM 1991) 72h): 156,7 mg/l (algae) t8h): 59 mg/l (daphnia) ((OECD 202) <b>Myrcene</b> 51 mg/l (fish) (OECD 203) : 0,65 mg/l (daphnia) <b>CAMPHOR</b> : 26,82 mg/l (daphnia) 72h): 23,8 mg/l (algae)
12.1 Toxic • Aquatic 8007-46-3 CE50/48ł ErC50(0- 99-87-6 LD50: 1,4 78-70-6 LD50: 27 ErC50(0- ErC50(0- 123-35-3 LD50: 0,1 CE50/48ł 76-22-2 CE50/48ł ErC50(0- 5989-27-5	ty toxicity: Thymus zygis L. : 0,772 mg/l (daphnia) (QSAR model (2012) 72h): 2,34 mg/l (algae) (QSAR model accepted by OECD (2012) p-cymene i3 mg/l (fish) (OECD 203) LINALOOL 8 mg/l (fish) (OECD 203) RIFM 1991) 72h): 156,7 mg/l (algae) 18h): 59 mg/l (daphnia) ((OECD 202) Myrcene i1 mg/l (fish) (OECD 203) : 0,65 mg/l (daphnia) CAMPHOR : 26,82 mg/l (daphnia)
12.1 Toxic • Aquatic 8007-46-3 CE50/48ł ErC50(0- 99-87-6 LD50: 1,4 78-70-6 LD50: 27 ErC50(0- ErC50(0- 123-35-3 LD50: 0,7 CE50/48ł FrC50(0- 5989-27-5 LD50: 0,7	ty toxicity: Thymus zygis L. : 0,772 mg/l (daphnia) (QSAR model (2012) /2th): 2,34 mg/l (algae) (QSAR model accepted by OECD (2012) p-cymene 33 mg/l (fish) (OECD 203) LINALOOL 8 mg/l (fish) (OECD 203) RIFM 1991) /2th): 156,7 mg/l (algae) 88h): 59 mg/l (daphnia) ((OECD 202) Myrcene 51 mg/l (fish) (OECD 203) : 0,65 mg/l (daphnia) CAMPHOR : 26,82 mg/l (daphnia) /2th): 23,8 mg/l (algae) (R)-p-mentha-1,8-diene '1 mg/l (fish) (OECD 203)
12.1 Toxic • Aquatic 8007-46-3 CE50/48ł ErC50(0- 99-87-6 LD50: 1,4 78-70-6 LD50: 27 ErC50(0- ErC50(0- 123-35-3 LD50: 0,3 CE50/48ł ErC50(0- 5989-27-5 LD50: 0,3 12.2 Persis	ty toxicity: Thymus zygis L. : 0,772 mg/l (daphnia) (QSAR model (2012) /2h): 2,34 mg/l (algae) (QSAR model accepted by OECD (2012) p-cymene :3 mg/l (fish) (OECD 203) LINALOOL 8 mg/l (fish) ((OECD 203) RIFM 1991) /2h): 156,7 mg/l (algae) #8h): 59 mg/l (daphnia) ((OECD 202) Myrcene i1 mg/l (fish) (OECD 203) : 0,65 mg/l (daphnia) CAMPHOR : 26,82 mg/l (daphnia) /2h): 23,8 mg/l (algae) (R)-p-mentha-1,8-diene '1 mg/l (fish) (OECD 203) tence and degradability
12.1 Toxic • Aquatic 8007-46-3 CE50/48ł ErC50(0- 99-87-6 LD50: 1,0 78-70-6 LD50: 27 ErC50(0- ErC50(0- 123-35-3 LD50: 0,1 CE50/48ł 76-22-2 CE50/48ł FrC50(0- 5989-27-5 LD50: 0,1 12.2 Persis No further reference	ty toxicity: Thymus zygis L. : 0,772 mg/l (daphnia) (QSAR model (2012) 72h): 2,34 mg/l (algae) (QSAR model accepted by OECD (2012) <b>p-cymene</b> 33 mg/l (fish) (OECD 203) LINALOOL 8 mg/l (fish) ((OECD 203) RIFM 1991) 72h): 156,7 mg/l (algae) 18h): 59 mg/l (daphnia) ((OECD 202) Myrcene 11 mg/l (fish) (OECD 203) : 0,65 mg/l (daphnia) CAMPHOR : 26,82 mg/l (daphnia) 72h): 23,8 mg/l (algae) (R)-p-mentha-1,8-diene 11 mg/l (fish) (OECD 203) tence and degradability levant information available.
12.1 Toxic • Aquatic 8007-46-3 CE50/48ł ErC50/0- 99-87-6 LD50: 1,4 78-70-6 LD50: 27 ErC50(0- ErC50(0- 123-35-3 LD50: 0,4 CE50/48ł ErC50(0- 5989-27-5 LD50: 0,1 12.2 Persis No further m • Behavio	ty toxicity: Thymus zygis L. : 0,772 mg/l (daphnia) (QSAR model (2012) '2h): 2,34 mg/l (algae) (QSAR model accepted by OECD (2012) <b>p-cymene</b> :3 mg/l (fish) (OECD 203) LINALOOL 8 mg/l (fish) (OECD 203) RIFM 1991) '2h): 156,7 mg/l (algae) #8h): 59 mg/l (daphnia) ((OECD 202) Myrcene 11 mg/l (fish) (OECD 203) : 0,65 mg/l (daphnia) CAMPHOR : 26,82 mg/l (daphnia) '2h): 23,8 mg/l (algae) (R)-p-mentha-1,8-diene '1 mg/l (fish) (OECD 203) tence and degradability levant information available. ur in environmental systems:
12.1 Toxic • Aquatic 8007-46-3 CE50/48ł ErC50(0- 99-87-6 LD50: 1,0 78-70-6 LD50: 27 ErC50(0- ErC50(0- 123-35-3 LD50: 0,1 CE50/48ł FrC50(0- 5989-27-5 LD50: 0,1 12.2 Persis No further ro	ty toxicity: Thymus zygis L. : 0,772 mg/l (daphnia) (QSAR model (2012) '2h): 2,34 mg/l (algae) (QSAR model accepted by OECD (2012) <b>p-cymene</b> :3 mg/l (fish) (OECD 203) LINALOOL 8 mg/l (fish) (OECD 203) RIFM 1991) '2h): 156,7 mg/l (algae) #8h): 59 mg/l (daphnia) ((OECD 202) Myrcene 11 mg/l (fish) (OECD 203) : 0,65 mg/l (daphnia) CAMPHOR : 26,82 mg/l (daphnia) '2h): 23,8 mg/l (algae) (R)-p-mentha-1,8-diene '1 mg/l (fish) (OECD 203) tence and degradability levant information available. ur in environmental systems:
12.1 Toxic • Aquatic 8007-46-3 CE50/48ł ErC50(0- 99-87-6 LD50: 1,4 78-70-6 LD50: 27 ErC50(0- ErC50(0- 123-35-3 LD50: 0,5 CE50/48ł ErC50(0- 5989-27-5 LD50: 0,7 12.2 Persis No further re • Behavio Not deter	ty toxicity: Thymus zygis L. : 0,772 mg/l (daphnia) (QSAR model (2012) 72h): 2,34 mg/l (algae) (QSAR model accepted by OECD (2012) p-cymene 33 mg/l (fish) (OECD 203) LINALOOL 8 mg/l (fish) (OECD 203) RIFM 1991) 72h): 156,7 mg/l (algae) 18h): 59 mg/l (daphnia) ((OECD 202) Myrcene 11 mg/l (fish) (OECD 203) : 0,65 mg/l (daphnia) CAMPHOR : 26,82 mg/l (daphnia) ?2h): 23,8 mg/l (algae) (R)-p-mentha-1,8-diene 11 mg/l (fish) (OECD 203) tence and degradability elevant information available. ur in environmental systems: mined.
12.1 Toxic • Aquatic 8007-46-3 CE50/48ł ErC50/08 ErC50(0- 99-87-6 LD50: 1,4 78-70-6 LD50: 27 ErC50(0- ErC50(0- 123-35-3 LD50: 0,5 CE50/48ł ErC50(0- 5989-27-5 LD50: 0,5 12.2 Persia No further m • Behavio Not deter 12.3 Bioac	ty toxicity: Thymus zygis L. : 0,772 mg/l (daphnia) (QSAR model (2012) '2h): 2,34 mg/l (algae) (QSAR model accepted by OECD (2012) <b>p-cymene</b> :3 mg/l (fish) (OECD 203) LINALOOL 8 mg/l (fish) (OECD 203) RIFM 1991) '2h): 156,7 mg/l (algae) #8h): 59 mg/l (daphnia) ((OECD 202) Myrcene 11 mg/l (fish) (OECD 203) : 0,65 mg/l (daphnia) CAMPHOR : 26,82 mg/l (daphnia) '2h): 23,8 mg/l (algae) (R)-p-mentha-1,8-diene '1 mg/l (fish) (OECD 203) tence and degradability levant information available. ur in environmental systems:
12.1 Toxic • Aquatic 8007-46-3 CE50/48ł ErC50/08 ErC50(0- 99-87-6 LD50: 1,4 78-70-6 LD50: 27 ErC50(0- ErC50(0- 123-35-3 LD50: 0,5 CE50/48ł ErC50(0- 5989-27-5 LD50: 0,5 12.2 Persia No further m • Behavio Not deter 12.3 Bioac	ty toxicity: Thymus zygis L. : 0,772 mg/l (daphnia) (QSAR model (2012) /2h): 2,34 mg/l (algae) (QSAR model accepted by OECD (2012) p-cymene 33 mg/l (fish) (OECD 203) LINALOOL 8 mg/l (fish) (OECD 203) RIFM 1991) /2h): 156,7 mg/l (algae) 18h): 59 mg/l (daphnia) ((OECD 202) Myrcene 13 mg/l (fish) (OECD 203) : 0,65 mg/l (daphnia) CAMPHOR : 26,82 mg/l (daphnia) /2h): 23,8 mg/l (algae) (R)-p-mentha-1,8-diene '1 mg/l (fish) (OECD 203) tence and degradability elevant information available. ur in environmental systems: mined. cumulative potential
12.1 Toxic • Aquatic 8007-46-3 CE50/48 ErC50(0- 99-87-6 LD50: 1,0 78-70-6 LD50: 27 ErC50(0- ErC50(0- 123-35-3 LD50: 0,3 CE50/48 76-22-2 CE50/48 ErC50(0- 5989-27-5 LD50: 0,7 12.2 Persis No further re- • Behavio Not deter 12.3 Bioac No further re- 12.4 Mobil	ty toxicity: Thymus zygis L. : 0,772 mg/l (daphnia) (QSAR model (2012) '2h): 2,34 mg/l (algae) (QSAR model accepted by OECD (2012) p-cymene 33 mg/l (fish) (OECD 203) LINALOOL 8 mg/l (fish) (OECD 203) RIFM 1991) '2h): 156,7 mg/l (daphnia) ((OECD 202) Myrcene 13 mg/l (fish) (OECD 203) : 0,65 mg/l (daphnia) CAMPHOR : 26,82 mg/l (daphnia) /2h): 23,8 mg/l (algae) (R)-p-mentha-1,8-diene 11 mg/l (fish) (OECD 203) tence and degradability devant information available. ur in environmental systems: mined. cumulative potential devant information available. ty in soil
12.1 Toxic • Aquatic 8007-46-3 CE50/48 ErC50(0- 99-87-6 LD50: 1,0 78-70-6 LD50: 27 ErC50(0- ErC50(0- 123-35-3 LD50: 0,3 CE50/48 76-22-2 CE50/48 ErC50(0- 5989-27-5 LD50: 0,7 12.2 Persis No further re- • Behavio Not deter 12.3 Bioac No further re- 12.4 Mobil	ty toxicity: Thymus zygis L. : 0,772 mg/l (daphnia) (QSAR model (2012) '2h): 2,34 mg/l (algae) (QSAR model accepted by OECD (2012) p-cymene 33 mg/l (fish) (OECD 203) LINALOOL 8 mg/l (fish) (OECD 203) RIFM 1991) '2h): 156,7 mg/l (algae) i8h): 59 mg/l (daphnia) ((OECD 202) Myrcene 11 mg/l (fish) (OECD 203) : 0,65 mg/l (daphnia) CAMPHOR : 26,82 mg/l (daphnia) (R)-p-mentha-1,8-diene '1 mg/l (fish) (OECD 203) tence and degradability elevant information available. ur in environmental systems: mined. cumulative potential elevant information available.
12.1 Toxic • Aquatic 8007-46-3 CE50/48 ErC50(0- 99-87-6 LD50: 1,0 78-70-6 LD50: 27 ErC50(0- ErC50(0- 123-35-3 LD50: 0,1 CE50/48 76-22-2 CE50/48 FrC50(0- 5989-27-5 LD50: 0,1 12.2 Persis No further re- 12.3 Bioac No further re- 12.4 Mobil No further re-	ty toxicity: Thymus zygis L. : 0,772 mg/l (daphnia) (QSAR model (2012) /2h): 2,34 mg/l (algae) (QSAR model accepted by OECD (2012) p-cymene 33 mg/l (fish) (OECD 203) LINALOOL 8 mg/l (fish) (OECD 203) RIFM 1991) 72h): 156,7 mg/l (algae) 8h): 59 mg/l (daphnia) (OECD 202) Myrcene 11 mg/l (fish) (OECD 203) : 0,65 mg/l (daphnia) 72h): 23,8 mg/l (algae) (R)-p-mentha-1,8-diene 11 mg/l (fish) (OECD 203) tence and degradability elevant information available. ty in soil elevant information available.
12.1 Toxic • Aquatic 8007-46-3 CE50/48 ErC50(0- 99-87-6 LD50: 1,0 78-70-6 LD50: 27 ErC50(0- ErC50(0- 123-35-3 LD50: 0,1 CE50/48t ErC50(0- 5989-27-5 LD50: 0,1 12.2 Persis No further re- 12.3 Bioac No further re- 12.4 Mobil No further re- 12.5 Resul	ty toxicity: Thymus zygis L. : 0,772 mg/l (daphnia) (QSAR model (2012) '2h): 2,34 mg/l (algae) (QSAR model accepted by OECD (2012) p-cymene 33 mg/l (fish) (OECD 203) LINALOOL 8 mg/l (fish) (OECD 203) RIFM 1991) '2h): 156,7 mg/l (daphnia) ((OECD 202) Myrcene 13 mg/l (fish) (OECD 203) : 0,65 mg/l (daphnia) CAMPHOR : 26,82 mg/l (daphnia) /2h): 23,8 mg/l (algae) (R)-p-mentha-1,8-diene 11 mg/l (fish) (OECD 203) tence and degradability devant information available. ur in environmental systems: mined. cumulative potential devant information available. ty in soil
12.1 Toxic • Aquatic 8007-46-3 CE50/48 ErC50(0- 99-87-6 LD50: 1,0 78-70-6 LD50: 27 ErC50(0- ErC50(0- 123-35-3 LD50: 0,7 CE50/48 76-22-2 CE50/48 FrC50(0- 5989-27-5 LD50: 0,7 12.2 Persis No further re- 12.3 Bioac No further re- 12.4 Mobil No further re-	ty toxicity: Thymus zygis L. : 0,772 mg/l (daphnia) (QSAR model (2012) /2h): 2,34 mg/l (algae) (QSAR model accepted by OECD (2012) p-cymene 33 mg/l (fish) (OECD 203) LINALOOL 8 mg/l (fish) (OECD 203) RIFM 1991) 72h): 156,7 mg/l (algae) 8h): 59 mg/l (daphnia) (OECD 202) Myrcene 11 mg/l (fish) (OECD 203) : 0,65 mg/l (daphnia) 72h): 23,8 mg/l (algae) (R)-p-mentha-1,8-diene 11 mg/l (fish) (OECD 203) tence and degradability elevant information available. ty in soil elevant information available.



#### 2889500

	Printing date: 03.
PRODUCT :	THYME Thymol SPAIN ORG OIL
Not applic vPvB: Not applic 12.6 Endoc The product 12.6 Other No further re Ecotoxic Not detern Remark: Toxic for t Additiona General Toxic for a	(continued of page 9) cable. cable. crine disrupting properties does not contain substances with endocrine disrupting properties. adverse effects elevant information available. al effects: mined. fish al ecological information:
SECTION 13	: Disposal considerations
<ul> <li>Recomm Must be s</li> <li>Uncleane</li> <li>Recomm</li> </ul>	pecially treated adhering to official regulations. ed packaging:
SECTION 14	: Transport information
	: Transport information Imber or ID number
14.1 UN nu . <b>ADR</b>	Imber or ID number UN2924
14.1 UN nu . <b>ADR</b> . <b>IMDG</b>	Imber or ID number UN2924 UN2924
14.1 UN nu . <b>ADR</b> . <b>IMDG</b> . <b>IATA</b>	Imber or ID number UN2924 UN2924 UN2924 UN2924
14.1 UN nu . <b>ADR</b> . <b>IMDG</b> . <b>IATA</b> 14.2 UN pr	umber or ID number UN2924 UN2924 UN2924 UN2924 oper shipping name
14.1 UN nu . <b>ADR</b> . <b>IMDG</b> . <b>IATA</b> 14.2 UN pr . <b>ADR</b>	oper shipping name 2924 FLAMMABLE LIQUID, CORROSIVE, N.O.S. (THYMUS ZYGIS L.)
14.1 UN nu . ADR . IMDG . IATA 14.2 UN pr . ADR . IMDG	oper shipping name 2924 FLAMMABLE LIQUID, CORROSIVE, N.O.S. (THYMUS ZYGIS L.) FLAMMABLE LIQUID, CORROSIVE, N.O.S. (THYMUS ZYGIS L.)
14.1 UN nu . ADR . IMDG . IATA 14.2 UN pr . ADR . IMDG . IATA	oper shipping name 2924 FLAMMABLE LIQUID, CORROSIVE, N.O.S. (THYMUS ZYGIS L.)
14.1 UN nu . ADR . IMDG . IATA 14.2 UN pr . ADR . IMDG . IATA 14.3 Trans	imber or ID number UN2924 UN2924 UN2924 oper shipping name 2924 FLAMMABLE LIQUID, CORROSIVE, N.O.S. (THYMUS ZYGIS L.) FLAMMABLE LIQUID, CORROSIVE, N.O.S. (THYMUS ZYGIS L.) FLAMMABLE LIQUID, CORROSIVE, N.O.S. (THYMUS ZYGIS L.)
14.1 UN nu . ADR . IMDG . IATA 14.2 UN pr . ADR . IMDG . IATA 14.3 Trans . ADR	imber or ID number UN2924 UN2924 UN2924 oper shipping name 2924 FLAMMABLE LIQUID, CORROSIVE, N.O.S. (THYMUS ZYGIS L.) FLAMMABLE LIQUID, CORROSIVE, N.O.S. (THYMUS ZYGIS L.) FLAMMABLE LIQUID, CORROSIVE, N.O.S. (THYMUS ZYGIS L.) port hazard class(es)
14.1 UN nu ADR IMDG IATA 14.2 UN pr ADR IMDG IATA 14.3 Trans ADR Class	imber or ID number UN2924 UN2924 oper shipping name 2924 FLAMMABLE LIQUID, CORROSIVE, N.O.S. (THYMUS ZYGIS L.) FLAMMABLE LIQUID, CORROSIVE, N.O.S. (THYMUS ZYGIS L.) FLAMMABLE LIQUID, CORROSIVE, N.O.S. (THYMUS ZYGIS L.) port hazard class(es) 3 (FC) Flammable liquids.
14.1 UN nu ADR IMDG IATA 14.2 UN pr ADR IATA 14.3 Trans ADR Class Label	umber or ID number UN2924 UN2924 UN2924 oper shipping name 2924 FLAMMABLE LIQUID, CORROSIVE, N.O.S. (THYMUS ZYGIS L.) FLAMMABLE LIQUID, CORROSIVE, N.O.S. (THYMUS ZYGIS L.) FLAMMABLE LIQUID, CORROSIVE, N.O.S. (THYMUS ZYGIS L.) port hazard class(es) 3 (FC) Flammable liquids.
14.1 UN nu ADR IMDG IATA 14.2 UN pr ADR IATA 14.3 Trans ADR Class Label	imber or ID number UN2924 UN2924 oper shipping name 2924 FLAMMABLE LIQUID, CORROSIVE, N.O.S. (THYMUS ZYGIS L.) FLAMMABLE LIQUID, CORROSIVE, N.O.S. (THYMUS ZYGIS L.) FLAMMABLE LIQUID, CORROSIVE, N.O.S. (THYMUS ZYGIS L.) port hazard class(es) 3 (FC) Flammable liquids.
14.1 UN nu ADR IMDG IATA 14.2 UN pr ADR IATA 14.3 Trans ADR Class Label	imber or ID number UN2924 UN2924 UN2924 oper shipping name 2924 FLAMMABLE LIQUID, CORROSIVE, N.O.S. (THYMUS ZYGIS L.) FLAMMABLE LIQUID, CORROSIVE, N.O.S. (THYMUS ZYGIS L.) FLAMMABLE LIQUID, CORROSIVE, N.O.S. (THYMUS ZYGIS L.) port hazard class(es) 3 (FC) Flammable liquids. 3 (FC) Flammable liquids. 3 Flammable liquids. 3 Flammable liquids.





#### 2889500

. Label	3 8	(continued of page 10)
14.4 Packing group . <b>ADR</b>	111	
. IMDG	III	
	 111	
14.5 Environmental hazards:		
. Marine pollutant:	Yes	
14.6 Special precautions for Warning: Flammable liquids.	user	
. Danger code (Kemler):	38	
EMS Number:	F-E,S-C	
Not applicable. <ul> <li>Transport/Additional inform</li> </ul>	Ik according to IMO instruments nation:	
ADR Excepted guantities (EQ):	E1	
• • • • •	5L	
<ul> <li>Limited quantities (LQ)</li> <li>Transport category</li> </ul>	3	
. Tunnel restriction code	J/E	
. IMDG		
Limited quantities (LQ)	5L	
Excepted quantities (EQ)	E1	
UN "Model Regulation":	CORROSIVE, N.O.S. (THYMUS ZYGIS L.), 3 (8),	
	io machia a	
ECTION 15: Regulatory inf		

- REGULATION (EU) 2019/1148
- Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))
- None of the ingredients is listed.
  Annex II REPORTABLE EXPLOSIVES PRECURSORS None of the ingredients is listed.
- Regulation (EC) No 273/2004 on drug precursors None of the ingredients is listed.
- Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors None of the ingredients is listed.
- National regulations:
- Technical instructions (air):Class Share in %
  - Class Share in % I 1,86
- Waterhazard class: Generally not hazardous for water.



2889500

CHEMICAL SAFETY DATA SHEET according to 2020/878/EC (1907/2006/EC Article 31)

> Reviewed on: 03.07.2024 Printing date: 03.07.2024

#### **PRODUCT**: **THYME Thymol SPAIN ORG OIL**

(continued of page 11)

15.2 Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

#### SECTION 16: Other information

The information in this safety data sheet is based on the state of our knowledge at the date indicated. The information in this sheet must be regarded as a description of the safety requirements for the product, they are not to be considered a warranty or quality specification and have no contractual value on properties and application areas thereof. The information contained in this safety data sheet relate to the specific material designated and may not be valid with respect to the product associated with another product or process, unless it is specified in the text of this document.

The required information complies with EU regulations in force. It does not exempt the user from knowing and applying all the national regulations in force.

- Relevant phrases
  - H226 Flammable liquid and vapour.
  - H228 Flammable solid.
  - H302 Harmful if swallowed.
  - H304 May be fatal if swallowed and enters airways.
  - H314 Causes severe skin burns and eye damage.
  - H315 Causes skin irritation.
  - H317 May cause an allergic skin reaction.
  - H318 Causes serious eye damage.
  - H319 Causes serious eye irritation. H331 Toxic if inhaled.
  - H332 Harmful if inhaled.
  - H336 May cause drowsiness or dizziness.
  - H371 May cause damage to organs.
  - H400 Very toxic to aquatic life.
  - H410 Very toxic to aquatic life with long lasting effects.
  - Toxic to aquatic life with long lasting effects. H411
  - Harmful to aquatic life with long lasting effects. H412

#### Training hints

Minimum training in occupational risk prevention is recommended for personnel who will handle this product, in the purpose of facilitating the understanding and interpretation of this form of safety data in the same way as the labeling of the product.

Abbreviations and acronyms:

IFRA:International Fragrance Association IOFI:International Organization of the Flavor Industry ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ICAO: International Civil Aviation Organisation GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Sources IFRA/IOFI Labelling Manual, REACH registration dossier, supplier information

• \* Data compared to the previous version altered.