

2332502

CHEMICAL SAFETY DATA SHEET according to 2020/878/EC (1907/2006/EC Article 31)

 Section 01: Identification of the substance/mixture and of the company/undertaking 1.1 Product identifier Trade name: YANG MARAGESC LOSS OL FFL Article number: Carticle nu		
 Trade name: YANG WADAGASC I ORG OIL FFL. Article number: BYJF CAS Number: C. Number: C. Number: BYJF CAS Number: C. Number: BYJF CAS Number: BYJF CAS Number: BYJF CAS Number: BYJF CAS ENECCS: BYJF No CAS EINECS: BYJF No CAS EINECS: BYJF No CAS EINECS: BYJF CAS EINECS: BYJF<th>SECTION 01: Identification of the substance/mixture and of the compa</th><th>iny/undertaking</th>	SECTION 01: Identification of the substance/mixture and of the compa	iny/undertaking
TANIS MADAGASCI DRG OLL FFL Article number: ByTF BYTF CAS Number: ByTF CAS Number: ByTF CAS Number: ByTF CAS Number: ByTF CAS Number: ByTF CAS Number: ByTF Draw Case Statement Reveal and the statement of the substance of the substance or mixture and uses advised against Application of the substance / the preparation Perfune ingredient Only for industrial use 1.2 Relevant identified uses of the substance or mixture and uses advised against Application of the substance / the preparation Perfune ingredient Only for industrial use 1.3 Details of the subplier of the safety data sheet Manufacturer/Supplier: COUSEMMA TEL: +33(0)4.68.74.17.89 Rate de FRAZ I Example in the substance or mixture 1.4 Emergency telephone number: PR-ORFLA (INRS):+33(0)145.42.95 95 SECTION 02: Hazards identification 2.1 Classification of the substance or mixture • Classification according to Regulation (EC) No 1272/2008 SECTION 02: Hazards identification Sun Irrit. 2 - H315 Causes skin irritation. Sin Sens: 10 - 1432 May cause an allergic skin reaction. Aquatic Chronic 3 - H412 Hamful to aquatic life with long lasting effects. 2.1 Label elements • Labelle gaments • Hazard statements • Hazard the that if swallowed and enters airways. • Hazard statements • Hazard statements • Hazard the that if swallowed and enters airways. • Hazard tatements • Hazard the that if the function ing lasting effects. • PEI A continued water which we found in the allowed out of the workplace.	1.1 Product identifier	
Periume ingredient Only for industrial use 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: GOLGEMMA Route de FA worked ef FA integro EFRAZA FRANCE 1.4 Emergency telephone number: FRANCE 2.1 Classification according to Regulation (EC) No 1272/2008 2.1 Label elements 1.2 Label elements 2.1 Label elements 1.4 Examption to quadra and enters airways. Hazard pictograms Marge Marge 1.4 Emergency telephone number terms airways. Hazard pictograms Hazard pictograms Hazard pictograms	 YLANG MADAGASC I ORG OIL FFL Article number: B971F CAS Number: 8006-81-3 EC Number: 281-092-1 No CAS EINECS: 83863-30-3 Registration number 01-2120760178-50-0001 1.2 Relevant identified uses of the substance or mixture and uses advised aga 	ainst
Manufacturer/Supplier: GOLGEMMA TEL: +33(0)4.68.74.17.89 Route de FA mail: fds@golgemma.com 11260 ESPERAZA FRANCE 1.4 Emergency telephone number: FRANCE 1.4 Emergency telephone number: FRANCE 1.4 Emergency telephone number: FRANCE 1.1 Classification of the substance or mixture • Classification according to Regulation (EC) No 1272/2008 Image: Comparison of the substance or mixture • Classification according to Regulation (EC) No 1272/2008 Image: Comparison of the substance or mixture • Classification according to Regulation (EC) No 1272/2008 Skin Irrit: 2 - H315 Causes skin irritation. Skin Irrit: 2 - H317 May cause an allergic skin reaction. Aquatic Chronic 3 - H412 Harmful to aquatic life with long lasting effects. 2.1 Label elements • Labelling according to Regulation (EC) No 1272/2008 • Hazard pictograms Image: GHS08 GHS08 GHS08 GHS07 Signal word barger • Labelling according to Regulation (EC) No 1272/2008 • Hazard pictograms	Perfume ingredient Only for industrial use	
FRANCE 1.4 Emergency telephone number: FR-ORFILA (INRS):+33(0)1 45 42 59 59 SECTION 02: Hazards identification 2.1 Classification of the substance or mixture 0. classification according to Regulation (EC) No 1272/2008 	Manufacturer/Supplier: GOLGEMMA TEL: +33(0)4.68.74.17.89 Route de FA email: fds@golgemma.com	
 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Image: Classification according to Regulation (EC) No 1272/2008 Image: Classification according to Regulation (EC) No 1272/2008 Image: Classification according to fatal if swallowed and enters airways. Image: Classification according to fatal if swallowed and enters airways. Image: Classification according to fatal if swallowed and enters airways. Image: Classification according to Regulation. Skin Irrit. 2 - H315 Causes skin irritation. Skin Sens. 1B - H317 May cause an allergic skin reaction. Aquatic Chronic 3 - H412 Harmful to aquatic life with long lasting effects. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Hazard pictograms Image: Classification. Signal Word Signal Word Signal Word CHS08 GHS07 Signal Word H327 May cause an allergic skin reaction. H412 Harmful to aquatic life with long lasting effects. Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P264 Wash thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. 	FRANCE 1.4 Emergency telephone number:	
 Classification according to Regulation (EC) No 1272/2008 GHS08 Asp. Tox. 1 - H304 May be fatal if swallowed and enters airways. Giftson GHS07 Skin Irrit. 2 - H315 Causes skin irritation. Skin Sens. 1B - H317 May cause an allergic skin reaction. Aquetic Chronic 3 - H412 Harmful to aquetic life with long lasting effects. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Hazard pictograms GHS08 GHS07 Signal word Danger Hazard statements H304 May be fatal if swallowed and enters airways. H317 May cause an allergic skin reaction. H316 Awoid breathing dust/fume/gas/mist/vapours/spray. H326 Awoid breath		
 Skin Irrit. 2 - H315 Causes skin irritation. Skin Sens. 1B - H317 May cause an allergic skin reaction. Aquatic Chronic 3 - H412 Harmful to aquatic life with long lasting effects. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Hazard pictograms GHS08 GHS07 Signal word Danger Hazard statements H327 d statements H317 May cause an allergic skin reaction. H317 May cause the math statements P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P264 Wash thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. 	GHS08	
 Skin Sens. 1B - H317 May cause an allergic skin reaction. Aquatic Chronic 3 - H412 Harmful to aquatic life with long lasting effects. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Hazard pictograms GHS08 GHS07 Signal word Danger Hazard statements Hazard statements H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H412 Harmful to aquatic life with long lasting effects. Precautionary statements Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P264 Wash thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. 	\wedge	
 Labelling according to Regulation (EC) No 1272/2008 Hazard pictograms August 2010 GHS08 GHS07 Signal word Danger Hazard statements H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H412 Harmful to aquatic life with long lasting effects. Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P264 Wash thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace.	Skin Sens. 1B - H317 May cause an allergic skin reaction. Aquatic Chronic 3 - H412 Harmful to aquatic life with long lasting	
 Signal word Danger Hazard statements H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H412 Harmful to aquatic life with long lasting effects. Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P264 Wash thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. 	 Labelling according to Regulation (EC) No 1272/2008 	
 Danger Hazard statements H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H412 Harmful to aquatic life with long lasting effects. Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P264 Wash thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. 	GHS08 GHS07	
P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P264 Wash thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace.	Danger - Hazard statements H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H412 Harmful to aquatic life with long lasting effects.	
	 Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P264 Wash thoroughly after handling. 	(continued on page 2)



2332502

RODUCT :	YLANG MADAGASC I ORG OIL FFL	
D3U1 T D310) IF SWALLOWED: Immediately call a POISON CENTER/ doctor.	(continued of page 1)
P405 Store	locked up.	
P501 Dispo	se of contents/container in accordance with local/regional/ national/in	ternational regulations.
2.3 Other ha		
 Results of PBT: 	f PBT and vPvB assessment	
Not applica	ble.	
- vPvB:		
Not applicaDetermina	ation of endocrine-disrupting properties	
	e ingredients is listed.	
	Composition/information on ingredients	
3.1 Substan CAS No.	Ces Description	
8006-81-3	Cananga odorata (Lam.) Hook. f. et Thomson, forma	
	genuina	
	tion number(s)	
 EC number 281-092-1 	er:	
Dangerou	is components:	
CAS Number	•	%
78-70-6	LINALOOL	10,001-20,00
	EC number: 201-134-4	
	🚸 Skin Irrit. 2 - H315, Eye Irrit. 2 -	
	H319, Skin Sens. 1B - H317	
105-87-3	GERANYL ACETATE	10,001-20,00
	EC number: 203-341-5	
	🔅 Skin Irrit. 2 - H315, Skin Sens. 1B -	
	H317; Aquatic Chronic 3 - H412	
87-44-5	BETA-CARYOPHYLLENE	10,001-20,00
	EC number: 201-746-1	
	🚸 Asp. Tox. 1 - H304; 🚸 Skin Sens.	
	1B - H317	
104-93-8	p-Methylanisole	10,001-20,00
	EC number: 203-253-7	
	H315; I Repr. 2 - H361	
	-	
120-51-4	BENZYL BENZOATE EC number: 204-402-9	5,001-10,00
	 Acute Tox. 4 - H302; Aquatic 	
	Acute 1 - H400 (M=1), Aquatic Chronic 2 -	
	H411	
502-61-4	alpha-farnesene	5,001-10,00
	EC number: 207-948-6	-,
	Asp. Tox. 1 - H304	
93-58-3	methyl benzoate	5,001-10,00
	EC number: 202-259-7	
	Acute Tox. 4 - H302	
	benzyl acetate	1,001- 5,000
140-11-4	Denzyracetate	1,001 0,000
140-11-4	EC number: 205-399-7	1,001 0,000



2332502

Reviewed on: 02.08.2024 Printing date: 02.08.2024

PRODUCT :	YLANG MADAGASC I ORG OIL FFL	
4602-84-0	FARNESOL EC number: 225-004-1 Skin Irrit. 2 - H315, Eye Irrit. 2 -	(continued of page 2) 1,001- 5,000
118-58-1	H319, Skin Sens. 1B - H317 BENZYL SALICYLATE EC number: 204-262-9 Skin Sens. 1 - H317; Aquatic Chronic 3	1,001- 5,000
106-24-1	- H412 GERANIOL EC number: 203-377-1 � Eye Dam. 1 - H318;	1,001- 5,000
97-53-0	- H315, Skin Sens. 1 - H317 EUGENOL EC number: 202-589-1 � Eye Irrit. 2 - H319, Skin Sens. 1B -	0,101-1,000
470-82-6	H317 Eucalyptol EC number: 207-431-5 � Flam. Liq. 3 - H226; � Skin Sens.	0,101-1,000
80-56-8	1B - H317 ALPHA-PINENE EC number: 201-291-9 � Asp. Tox. 1 - H304; ∲ Flam. Liq. 3	0,101-1,000
140-67-0	- H226;	0,101-1,000
119-36-8	H317; Image Muta. 2 - H341, Carc. 2 - H351 METHYL SALICYLATE EC number: 204-317-7 Image Acute Tox. 4 - H302, Skin Sens. 1B -	0,101-1,000
5392-40-5	H317;	0,101-1,000
97-54-1	 Skin IIII. 2 - H315, Eye IIII. 2 - H319, Skin Sens. 1B - H317 ISOEUGENOL EC number: 202-590-7 Acute Tox. 4 - H302, Acute Tox. 4 - 	0,010-0,100
	H312, Skin Irrit. 2 - H315, Eye Irrit. 2 - H319, Skin Sens. 1A - H317; Skin Sens. 1A; H317: C >= 0,01 %	

(continued on page 4)



2332502

PRODUCT : YLANG MADAGASC I ORG OIL FFL	(continued of page 3
SECTION 04: First aid measures	(continued of page 3
4.1 Description of first aid measures	
General information:	
Seek immediate medical advice.	
After inhalation: Supply free air and to be over call for a destar	
Supply fresh air and to be sure call for a doctor.After skin contact:	
If skin irritation continues, consult a doctor.	
Immediately wash with water and soap and rinse thoroughly.	
 After eye contact: Rinse opened eye for several minutes under running water. If symptoms 	persist, consult a doctor.
After swallowing:	
Seek immediate medical advice.	
Information for doctor:	
4.2 Most important symptoms and effects, both acute and delayed	1
No further relevant information available.	
4.3 Indication of any immediate medical attention and special trea	tment needed
No further relevant information available.	
SECTION 05: Firefighting measures	
5.1 Extinguishing media	
Suitable extinguishing agents:	
CO2, sand, extinguishing powder. Do not use water.	
Use fire extinguishing methods suitable to surrounding conditions.	
 For safety reasons unsuitable extinguishing agents: Water with full jet 	
5.2 Special hazards arising from the substance or mixture	
Formation of toxic gases is possible during heating or in case of fire.	
5.3 Advice for firefighters	
Protective equipment:	
Do not inhale explosion gases or combustion gases. • Additional information	
Cool endangered receptacles with water spray.	
ECTION 06: Accidental release measures	
6.1 Personal precautions, protective equipment and emergency pr	ocedures
Wear protective equipment. Keep unprotected persons away.	
Ensure adequate ventilation Keep away from ignition sources.	
6.2 Environmental precautions:	
Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage	e system.
	-
6.3 Methods and material for containment and cleaning up:	
Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.	
6.4 Reference to other sections	
See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	
EU	



2332502

PRODUCT	YLANG MADAGASC I ORG OIL FFL
FRODUCI	YLANG MADAGASC 1 ORG OIL FFL (continued of page 4)
SECTION)7: Handling and storage
7.1 Prec	autions for safe handling
	ptacles tightly sealed.
	y from heat and direct sunlight. od ventilation/exhaustion at the workplace.
Prevent fo	rmation of aerosols.
	th care. Avoid jolting, friction and impact.
	nation about fire - and explosion protection: gnition sources away - Do not smoke.
	against electrostatic charges.
7 2 Con	litions for safe storage, including any incompatibilities
Storage	
	rements to be met by storerooms and receptacles:
	nly in the original receptacle. t any seepage into the ground.
	ly receptacles specifically permitted for this substance/ product.
 Inform 	nation about storage in one common storage facility:
Not re	uired. r information about storage conditions:
	ontainer tightly sealed.
	from heat and direct sunlight.
Store	eceptacle in a well ventilated area.
	ific end use(s)
No furthe	relevant information available.
	rol parameters
 Ingree Not ree Additi 	lients with limit values that require monitoring at the workplace:
 Ingree Not re Additi The lis 	lients with limit values that require monitoring at the workplace: uired. onal information:
 Ingree Not re Additi The lis 8.2 Expo Indivi 	lients with limit values that require monitoring at the workplace: quired. onal information: ts valid during the making were used as basis. usure controls dual protection measures, such as personal protective equipment
 Ingree Not re Additi The lis 8.2 Expo Indivi Gener 	lients with limit values that require monitoring at the workplace: quired. onal information: ts valid during the making were used as basis. usure controls dual protection measures, such as personal protective equipment al protective and hygienic measures:
 Ingree Not re Additi The lis 8.2 Expo Indivi Gener The us 	lients with limit values that require monitoring at the workplace: quired. onal information: ts valid during the making were used as basis. usure controls dual protection measures, such as personal protective equipment al protective and hygienic measures: ual precautionary measures are to be adhered to when handling chemicals.
 Ingree Not re Additi The lis 8.2 Expo Indivi Geneu The us Keep a Immed 	lients with limit values that require monitoring at the workplace: juired. onal information: ts valid during the making were used as basis. soure controls dual protection measures, such as personal protective equipment al protective and hygienic measures: ual precautionary measures are to be adhered to when handling chemicals. way from foodstuffs, beverages and feed. liately remove all soiled and contaminated clothing
 Ingree Not ree Additi The lis 8.2 Expo Indivi Geneus The us Keep a Immee Wash 	lients with limit values that require monitoring at the workplace: quired. conal information: ts valid during the making were used as basis. usure controls dual protection measures, such as personal protective equipment al protective and hygienic measures: ual precautionary measures are to be adhered to when handling chemicals. way from foodstuffs, beverages and feed. liately remove all soiled and contaminated clothing hands before breaks and at the end of work.
 Ingree Not re Additi The lis 8.2 Expo Indivi Gener The us Keep a Immed Wash Do not Do not 	lients with limit values that require monitoring at the workplace: juired. onal information: ts valid during the making were used as basis. usure controls dual protection measures, such as personal protective equipment al protective and hygienic measures: ual precautionary measures are to be adhered to when handling chemicals. way from foodstuffs, beverages and feed. liately remove all soiled and contaminated clothing hands before breaks and at the end of work. inhale gases / fumes / aerosols. inhale dust / smoke / mist.
 Ingree Not re- Additi The lis 8.2 Expo Indivi Geneu The us Keep a Immee Wash Do not Do not Avoid 	lients with limit values that require monitoring at the workplace: juired. onal information: ts valid during the making were used as basis. soure controls dual protection measures, such as personal protective equipment al protective and hygienic measures: ual precautionary measures are to be adhered to when handling chemicals. way from foodstuffs, beverages and feed. liately remove all soiled and contaminated clothing hands before breaks and at the end of work. inhale gases / fumes / aerosols. inhale dust / smoke / mist. contact with the skin.
 Ingree Not ree Additi The list 8.2 Expt Indivi Genen The us Keep a Immed Wash Do not Avoid Respinor 	lients with limit values that require monitoring at the workplace: juired. onal information: ts valid during the making were used as basis. soure controls dual protection measures, such as personal protective equipment al protective and hygienic measures: ual precautionary measures are to be adhered to when handling chemicals. way from foodstuffs, beverages and feed. liately remove all soiled and contaminated clothing hands before breaks and at the end of work. inhale gases / fumes / aerosols. inhale dust / smoke / mist. contact with the skin. ratory protection:
 Ingree Not ree Additi The lis 8.2 Expo Indivi Geneu The us Keep a Immed Wash Do not Do not Avoid Respin Use su In case 	lients with limit values that require monitoring at the workplace: juired. onal information: ts valid during the making were used as basis. usure controls dual protection measures, such as personal protective equipment al protective and hygienic measures: ual precautionary measures are to be adhered to when handling chemicals. way from foodstuffs, beverages and feed. liately remove all soiled and contaminated clothing hands before breaks and at the end of work. inhale gases / fumes / aerosols. inhale dust / smoke / mist. contact with the skin. atory protection: itable respiratory protective device in case of insufficient ventilation. e of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use
 Ingree Not ree Additi The lis 8.2 Expo Indivi Geneus The us Keep a Immee Wash Do not Do not Avoid Respin Use su In cas self-co 	<pre>dients with limit values that require monitoring at the workplace: quired. onal information: ts valid during the making were used as basis. sure controls dual protection measures, such as personal protective equipment al protective and hygienic measures: ual precautionary measures are to be adhered to when handling chemicals. way from foodstuffs, beverages and feed. liately remove all soiled and contaminated clothing hands before breaks and at the end of work. inhale gases / fumes / aerosols. inhale dust / smoke / mist. contact with the skin. atory protection: itable respiratory protective device in case of insufficient ventilation. e of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure us ntained respiratory protective device.</pre>
 Ingree Not ree Additi The lis 8.2 Expo Indivi Geneu The us Keep a Immee Wash Do not Do not Avoid Respi Use su In cas self-cc Protee Protecc 	lients with limit values that require monitoring at the workplace: juired. onal information: ts valid during the making were used as basis. usesure controls dual protection measures, such as personal protective equipment al protective and hygienic measures: ual precautionary measures are to be adhered to when handling chemicals. way from foodstuffs, beverages and feed. liately remove all soiled and contaminated clothing hands before breaks and at the end of work. inhale gases / fumes / aerosols. inhale dust / smoke / mist. contact with the skin. atory protection: itable respiratory protective device in case of insufficient ventilation. of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure us nationed respiratory protective device. tion of hands: ive gloves
 Ingree Not revent Additi The list 8.2 Expo Indivi Genen The usking Genen The usking Genen The usking Genen The usking Genen Wash Do not Avoid Respin Use su In cassisself-co Protect Protect Protect 	lients with limit values that require monitoring at the workplace: juired. onal information: ts valid during the making were used as basis. soure controls dual protection measures, such as personal protective equipment al protective and hygienic measures: ual precautionary measures are to be adhered to when handling chemicals. way from foodstuffs, beverages and feed. liately remove all soiled and contaminated clothing hands before breaks and at the end of work. inhale gases / fumes / aerosols. inhale dust / smoke / mist. contact with the skin. atory protection: itable respiratory protective device in case of insufficient ventilation. a of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure us ntained respiratory protective device. tion of hands: ive gloves we material has to be impermeable and resistant to the product/ the substance/ the preparation.
 Ingree Not revent Additity The list 8.2 Expo Indivi Geneut The ustopic Keep a Immed Wash Do not Do not Avoid Respin Use su In castopic Protect Protect The glupon Due to 	lients with limit values that require monitoring at the workplace: juired. onal information: ts valid during the making were used as basis. usesure controls dual protection measures, such as personal protective equipment al protective and hygienic measures: ual precautionary measures are to be adhered to when handling chemicals. way from foodstuffs, beverages and feed. liately remove all soiled and contaminated clothing hands before breaks and at the end of work. inhale gases / fumes / aerosols. inhale dust / smoke / mist. contact with the skin. atory protection: itable respiratory protective device in case of insufficient ventilation. of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure us nationed respiratory protective device. tion of hands: ive gloves
 Ingree Not revent Additity The list 8.2 Exposignment Indivi Geneus The ussist Keep at the ussist Keep at the ussist Keep at the ussist Keep at the use of the use	lients with limit values that require monitoring at the workplace: juired. onal information: ts valid during the making were used as basis. usure controls dual protection measures, such as personal protective equipment al protective and hygienic measures: ual precautionary measures are to be adhered to when handling chemicals. way from foodstuffs, beverages and feed. liately remove all soiled and contaminated clothing hands before breaks and at the end of work. inhale gases / fumes / aerosols. inhale dust / smoke / mist. contact with the skin. atory protection: itable respiratory protective device in case of insufficient ventilation. of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure us nationed respiratory protective device. tion of hands: ive gloves pre material has to be impermeable and resistant to the product/ the substance/ the preparation. missing tests no recommendation to the glove material can be given for the product/ the preparation/ th al mixture. on of the glove material on consideration of the penetration times, rates of diffusion and the degradation
 Ingree Not revent Additi The list 8.2 Exposion Indivi Genered The uskip Keep a Immee Wash Do not Do not Do not Avoid Respin Use su In cass self-co Protect Protect The glub Due to chemia Selecti Mater 	lients with limit values that require monitoring at the workplace: juired. onal information: ts valid during the making were used as basis. usure controls dual protection measures, such as personal protective equipment al protective and hygienic measures: ual precautionary measures are to be adhered to when handling chemicals. way from foodstuffs, beverages and feed. liately remove all soiled and contaminated clothing hands before breaks and at the end of work. inhale gases / fumes / aerosols. inhale dust / smoke / mist. contact with the skin. atory protection: itable respiratory protective device in case of insufficient ventilation. of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure us ntained respiratory protective device. tion of hands: ive gloves we material has to be impermeable and resistant to the product/ the substance/ the preparation. missing tests no recommendation to the glove material can be given for the product/ the preparation/ tf al mixture. on of the glove material on consideration of the penetration times, rates of diffusion and the degradation al of gloves
 Ingree Not revent Additity The list 8.2 Expo Indivi Geneut The ustory Keep a Immed Wash 1 Do not Do not Avoid Respin Use su In cass self-cc Protect Protect The glu Due to Selecti Mater The set 	lients with limit values that require monitoring at the workplace: juired. onal information: ts valid during the making were used as basis. usure controls dual protection measures, such as personal protective equipment al protective and hygienic measures: ual precautionary measures are to be adhered to when handling chemicals. way from foodstuffs, beverages and feed. liately remove all soiled and contaminated clothing hands before breaks and at the end of work. inhale gases / fumes / aerosols. inhale dust / smoke / mist. contact with the skin. atory protection: itable respiratory protective device in case of insufficient ventilation. of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure us nationed respiratory protective device. tion of hands: ive gloves pre material has to be impermeable and resistant to the product/ the substance/ the preparation. missing tests no recommendation to the glove material can be given for the product/ the preparation/ th al mixture. on of the glove material on consideration of the penetration times, rates of diffusion and the degradation
 Ingree Not revent Additity The list 8.2 Expo Indivi Genent The ustop of the ustop o	lients with limit values that require monitoring at the workplace: juired. onal information: ts valid during the making were used as basis. usure controls fual protection measures, such as personal protective equipment al protection measures, such as personal protective equipment al protection measures are to be adhered to when handling chemicals. way from foodstuffs, beverages and feed. liately remove all soiled and contaminated clothing hands before breaks and at the end of work. inhale gases / fumes / aerosols. inhale dust / smoke / mist. contact with the skin. atory protection: table respiratory protective device in case of insufficient ventilation. a of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure us ntained respiratory protective device. tion of hands: ive gloves we material has to be impermeable and resistant to the product/ the substance/ the preparation. missing tests no recommendation to the glove material can be given for the product/ the preparation/ th al mixture. on of the glove material on consideration of the penetration times, rates of diffusion and the degradation al of gloves lection of the suitable gloves does not only depend on the material, but also on further marks of quality an from manufacturer to manufacturer. ration time of glove material
 Ingree Not revent Additity The list 8.2 Expo Indivition Generative Generative Generative Generative Generative Materative Materative Protective Chemical Selective Materative Materative Penetative Penetative 	tients with limit values that require monitoring at the workplace: jured. onal information: ts valid during the making were used as basis. sure controls dual protection measures, such as personal protective equipment al protective and hygienic measures: ual precautionary measures are to be adhered to when handling chemicals. way from foodstuffs, beverages and feed. liately remove all soiled and contaminated clothing hands before breaks and at the end of work. inhale gases / fumes / aerosols. inhale dust / smoke / mist. ontact with the skin. atory protection: table respiratory protective device in case of insufficient ventilation. e of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure us natined respiratory protective device. tion of hands: ive gloves bye material has to be impermeable and resistant to the product/ the substance/ the preparation. missing tests no recommendation to the glove material can be given for the product/ the preparation. missing tests no recommendation to the glove material can be given for the product/ the preparation of on of the gloves lection of the suitable gloves does not only depend on the material, but also on further marks of quality an from manufacturer to manufacturer. ator time of glove material at break through time has to be found out by the manufacturer of the protective gloves and has to br
 Ingree Not revent Additis The liss 8.2 Expo Indivi Geneu The usking Keep a Immed Wash Do not Avoid Respin Use su In cask self-co Protect Protect Protect The gli Due to Selecti Mater The se varies Penet The exposery Eye/fa 	Hierts with limit values that require monitoring at the workplace: jured. onal information: ts valid during the making were used as basis. How controls dual protection measures, such as personal protective equipment al protection measures, such as personal protective equipment al protective and hygienic measures: ual precautionary measures are to be adhered to when handling chemicals. way from foodstuffs, beverages and feed. liately remove all solied and contaminated clothing hands before breaks and at the end of work. inhale gases / fumes / aerosols. inhale gases / fumes / aerosols. inhale dust / smoke / mist. contact with the skin. atory protection: itable respiratory protective device in case of insufficient ventilation. e of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use nationed respiratory protective device. tion of hands: ive gloves ve material has to be impermeable and resistant to the product/ the substance/ the preparation. missing tests no recommendation to the glove material can be given for the product/ the preparation / that mixture. on of the glove material on consideration of the penetration times, rates of diffusion and the degradation al of gloves lection of the suitable gloves does not only depend on the material, but also on further marks of quality an from manufacturer to manufacturer. ration time of glove material act break through time has to be found out by the manufacturer of the protective gloves and has to be found out by the manufacturer of the protective gloves and has to be do. loce protection
 Ingree Not re- Not re- Additi The lis 8.2 Expo Indivi Geneu The us Keep a Immed Wash 1 Do not Do not Avoid Respin Use su In cas self-cc Protec Protec The glu Due to chemid Selecti Mater The se varies Penet The ey observ Eye/fa Safety 	<pre>lients with limit values that require monitoring at the workplace: juired. onal information: is valid during the making were used as basis. sure controls fual protection measures, such as personal protective equipment al protective and hygienic measures: ual precautionary measures are to be adhered to when handling chemicals. way from foodstuffs, beverages and feed. liately remove all solied and contaminated clothing hands before breaks and at the end of work. inhale gases / fumes / aerosols. inhale dust / smoke / mist. contact with the skin. atory protection: table respiratory protective device in case of insufficient ventilation. e of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure us ntained respiratory protective device. tion of hands: ive gloves vee material has to be impermeable and resistant to the product/ the substance/ the preparation. missing tests no recommendation to the glove material can be given for the product/ the preparation/ tf al mixture. on of the gloves does not only depend on the material, but also on further marks of quality an from manufacturer to manufacturer. ration time of gloves lection of the suitable gloves does not only depend on the material, but also on further marks of quality an from manufacturer to manufacturer. ration time of glove material act break through time has to be found out by the manufacturer of the protective gloves and has to be ed. uce protection glasses</pre>
 Ingree Not revent Additity The list 8.2 Expo Indivi Generation Generation Generation Generation Gonot Do not Do not Avoid Respire Use sure In cass self-cc Protection Protection Protection Chemic Selection Materian The service Penetation Eye/fation Safety Body 	Hierts with limit values that require monitoring at the workplace: jured. onal information: ts valid during the making were used as basis. How controls dual protection measures, such as personal protective equipment al protection measures, such as personal protective equipment al protective and hygienic measures: ual precautionary measures are to be adhered to when handling chemicals. way from foodstuffs, beverages and feed. liately remove all solied and contaminated clothing hands before breaks and at the end of work. inhale gases / fumes / aerosols. inhale gases / fumes / aerosols. inhale dust / smoke / mist. contact with the skin. atory protection: itable respiratory protective device in case of insufficient ventilation. e of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use nationed respiratory protective device. tion of hands: ive gloves ve material has to be impermeable and resistant to the product/ the substance/ the preparation. missing tests no recommendation to the glove material can be given for the product/ the preparation / that mixture. on of the glove material on consideration of the penetration times, rates of diffusion and the degradation al of gloves lection of the suitable gloves does not only depend on the material, but also on further marks of quality an from manufacturer to manufacturer. ration time of glove material act break through time has to be found out by the manufacturer of the protective gloves and has to be found out by the manufacturer of the protective gloves and has to be do. loce protection



2332502

	(continued of pag	e 5)
ECTION 09: Physical and chemical	properties	
9.1 Information on basic physical and chemi	cal properties	
General Information		
Physical state	Fluid	
Colour:	yellow to orange-yellow	
Odour:	floral	
Odour threshold:	Not determined.	
Boiling point or initial boiling point and boiling range	Not determined.	
Flammability	Not determined.	
Lower and upper explosion limit		
Lower:	Not determined.	
Upper:	Not determined.	
Flash point:	78,0 °C NFT 60-103 CC	
Decomposition temperature:	Not determined.	
рН	Not determined.	
Viscosity:		
Kinematic viscosity	Not determined.	
Dynamic:	Not determined.	
Solubility		
water:	Not determined.	
Partition coefficient n-octanol/water (log value)	Not determined.	
Vapour pressure:	Not determined.	
Density and/or relative density		
Density:	Not determined.	
Relative density	0,9250 0,9600 D20/20	
Vapour density	Not determined.	
9.2 Other information	No further relevant information available.	
Appearance:		
Form:	liquid sometimes cloudy	
Important information on protection of healt	-	
Auto-ignition temperature:	Not determined.	
Explosive properties:	Not determined.	
Solvent content:		
Solids content:	0,00 %	
Change in condition		
Evaporation rate	Not determined.	
Information with regard to physical hazard c		
Explosives	not applicable	
Flammable gases	not applicable	
Aerosols	not applicable	
Oxidising gases	not applicable	
Gases under pressure	not applicable	
Flammable liquids	not applicable	
Flammable solids	not applicable	
Self-reactive substances and mixtures	not applicable	
Pyrophoric liquids	not applicable	
Pyrophoric solids	not applicable	
Self-heating substances and mixtures	not applicable	
Substances and mixtures, which emit flammable gases in contact with water	not applicable	



2332502

Reviewed on: 02.08.2024 Printing date: 02.08.2024

Printing date: 02.08.20)24
-------------------------	-----

PRODUCT : YLANG MADAGA	SC I ORG OIL FFL	
		(continued of page 6
Oxidising liquids	not applicable	
Oxidising solids	not applicable	
Organic peroxides	not applicable	
Corrosive to metals	not applicable	
Desensitised explosives	not applicable	

SECTION 10: Stability and reactivity

10.1 Reactivity

No further relevant information available.

10.2 Chemical stability

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: Not determined.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

• LD/LC50 values relevant for classification:

ISO LD/LC

8006-81-3 Cananga odorata (Lam.) Hook. f. et Thomson, forma genuina Oral, LD50: > 5000 mg/kg (rat) (OECD Guideline 401 (Acute Oral

Toxicity) Dermal, LD50: > 5 Toxicity)	000 mg/kg (Rabbit) (OECD Guideline 402 (Acute Dermal
78-70-6 Oral, LD50: 2790 n Dermal, LD50: 561	
105-87-3 Oral, LD50: >4000	GERANYL ACETATE mg/kg (rat) (NTP 1987)
87-44-5 Oral, LD50: > 5000	BETA-CARYOPHYLLENE D mg/kg (rat) (Hart and Wong 1971)
104-93-8 Oral, LD50: 1920 n	p-Methylanisole ng/kg (rat)
120-51-4 Oral, LD50: 1700 n Oral, LD50: 3450 n Dermal, LD50: 400	ng/kg (mouse) (Bier, 1979)
93-58-3	methyl benzoate

93-58-3 methyl benzoate Oral, LD50: 1177 mg/kg (rat) 140-11-4 benzyl acetate Oral, LD50: 2490 mg/kg (rat) (INRS 2011)

Dermal, LD50: >5000 mg/kg (Rabbit) (INRS 2011) 4602-84-0 FARNESOL

- Oral, LD50: 20000 mg/kg (rat) Dermal, LD50: 15000 mg/kg (rat)
- **97-53-0 EUGENOL** Oral, LD50: 1930 mg/kg (rat)

470-82-6 Eucalyptol

(continued on page 8)

4

*

* * * * *

*

*

*

*

*

*

*



2332502

	PRODUCT :	YLANG MADAGASC I ORG OIL FFL	
			(continued of page 7)
*	Oral, LD50:	: 3849 mg/kg (mouse) (Jiao Xu, 2014)	
*	140-67-0	ESTRAGOL	
*	Oral, LD50:	: 1230 mg/kg (rat) (Moreno 1972)	
*	119-36-8	METHYL SALICYLATE	
*	Oral, LD50:	: 890 mg/kg (ATE)	
Î.		: 887 mg/kg (rat)	
*	5392-40-5		
		: 4960 mg/kg (rat)	
*	97-54-1		
		: 1560 mg/kg (rat) ritant effect:	
		psion/irritation	
	8006-81-3	Cananga odorata (Lam.) Hook. f. et Thomson, forma	
	0000-01-5		
	Irritation of	genuina f skin, OECD 439: IRRITANT (in vitro) (OECD Guideline 439	
		oss from Ylang III)	
		skin and mucous membranes.	
	Causes skir		
		ye damage/irritation	
	8006-81-3	Cananga odorata (Lam.) Hook. f. et Thomson, forma	
		genuina	
		f eyes, OECD 437 BCOP: NOT CLASSIFIED (in vitro) (OECD	
	Guideline 4	ry or skin sensitisation	
	•	,	
	8006-81-3	Cananga odorata (Lam.) Hook. f. et Thomson, forma	
	Dormal OF	genuina ECD 429 LLNA: SENSITIZER (mouse) (OECD Guideline 429 - 2006)	
	120-51-4	BENZYL BENZOATE on, NESIL: 59000 ug/cm2 (human being) (Standard IFRA)	
		mutagenicity	
	8006-81-3	Cananga odorata (Lam.) Hook. f. et Thomson, forma	
	0000-01-5		
	0FCD 471	genuina AMES: NEGATIVE (in vitro) (OECD Guideline 471 - 1997)	
*	78-70-6	LINALOOL	
		AMES: NEGATIVE (in vitro) (Letizia and al., 2007)	
*	105-87-3	GERANYL ACETATE	
	OECD 471 /	AMES: NEGATIVE (in vitro) (NTP 1987)	
*	87-44-5	BETA-CARYOPHYLLENE	
*	OECD 471	AMES: NEGATIVE (in vitro) (Heck and al., 1989)	
*	104-93-8	p-Methylanisole	
*	OECD 471	AMES: NEGATIVE (in vitro) (RIFM 1984)	
*	120-51-4	BENZYL BENZOATE	
Î		AMES: NEGATIVE (in vitro) (Schunk and al., 1986)	
	140-11-4	benzyl acetate AMES: NEGATIVE (in vitro) (Tennant and al., 1987)	
	470-82-6		
		Eucalyptol AMES: NEGATIVE (in vitro) (Haworth, 1983)	
	 Carcinoge 		
*	78-70-6	LINALOOL	
		I: NEGATIVE (mouse) (in vivo, Letizia and al., 2007)	
	Micronoyau	I: NEGATIVE (in vitro) (DiSotto and al., 2011)	
*	105-87-3	GERANYL ACETATE	
	-	I: NEGATIVE (mouse) (in vivo, Shelby 1993)	
	104-93-8 Micropovou	p-Methylanisole	
		I: NEGATIVE (mouse) (RIFM 2018)	
*	140-67-0 Micropovau	ESTRAGOL I: NEGATIVE (mouse) (NTP 2008)	
	 Reproduct 		
	Not determ	,	
	 STOT-sing 	gle exposure	
	Not determ		
	 STOT-reponent Not determ 	eated exposure	
	NOT determ	inicu.	(continued on page 9)



2332502

		Printing date: 02.08.2
PRODUCT :	YLANG MADAGASC I ORG OIL FFL	
		(continued of page 8)
	ition hazard fatal if swallowed and enters airways.	
,	e fatal if swallowed and enters airways.	
	rute to chronic toxicity:	
* 78-70-6	LINALOOL	
	IOAEL: 200 mg/kg (rat) (maternal toxicity, Politano and al.,	
2008)		
* 87-44-5	BETA-CARYOPHYLLENE	
* Oral, N	IOAEL: 700 mg/kg (rat) (90 days Schmitt 2016)	
* 104-93-8		
* Oral, N	IOAEL: 100 mg/kg (rat) (28 days, RIFM 2013)	
140-11-4		
	IOAEL: 14,5 mg/kg (rat) (2 years, NTP 1993)	
	nformation on other hazards	
	rine disrupting properties of the ingredients is listed.	
SECTION 1	L2: Ecological information	
12.1 Tox		
 Aquat 	ic toxicity:	
8006-81-	3 Cananga odorata (Lam.) Hook. f. et Thomson, forma	
	genuina	
	I8h: 11,2 mg/l (daphnia) (OECD Guideline 202 - 2017) 0-72h): 100 mg/l (algae) (OECD Guideline 201 - 2018)	
* 78-70-6	LINALOOL 27,8 mg/l (fish) ((OECD 203) RIFM 1991)	
ErC50(0-72h): 156,7 mg/l (algae)	
	0-48h): 59 mg/l (daphnia) ((OECD 202)	
104-93-8	p-Methylanisole	
	l8h: 17 mg/l (daphnia) (RIFM 2018)	
96h-LC	50: 68,2 mg/l (fish) (RIFM 2018)	
140-11-4		
	0-72h): 92 mg/l (algae) (RIFM 2017)	
	0-48h): 37 mg/l (daphnia) (RIFM 2011) 50: 4,6 mg/l (fish) (RIFM 1994)	
5011 EC		
12.2 Per	sistence and degradability	
	r relevant information available.	
 Behav 	iour in environmental systems:	
Not de	termined.	
12.2.0		
	accumulative potential r relevant information available.	
No further		
12.4 Mol	bility in soil	
	r relevant information available.	
12.5 Res	sults of PBT and vPvB assessment	
 PBT: 		
	plicable.	
 vPvB: 		
	plicable. locrine disrupting properties	
	ict does not contain substances with endocrine disrupting properties.	
	er adverse effects	
	r relevant information available.	
	kical effects:	
 Not dei Remai 	termined.	
	rk. Jl to fish	
	onal ecological information:	
	al notes:	



2332502

CHEMICAL SAFETY DATA SHEET according to 2020/878/EC (1907/2006/EC Article 31)

> Reviewed on: 02.08.2024 Printing date: 02.08.2024

		Printing date: 02
PRODUCT :	YLANG MADAGASC I ORG OIL FFL	
		(continued of page s
SECTION 1	3: Disposal considerations	
13.1 Was	te treatment methods	
	mendation	
	specially treated adhering to official regulations. ned packaging:	
 Recom 	mendation:	
Disposa	I must be made according to official regulations.	
SECTION 1	4: Transport information	
	number or ID number	
. ADR . IMDG	Not classified Not classified	
. IATA	Not classified	
	proper shipping name	
. ADR	Not classified	
. IMDG	Not classified	
. IATA	Not classified	
14.3 Trar . ADR	sport hazard class(es)	
. Class	Not classified	
. IMDG		
. Class	Not classified	
. IATA		
. Class	Not classified	
	ing group	
ADR	Not classified	
. IMDG	Not classified	
. IATA	Not classified	
14.5 Envi Not applica	ronmental hazards: ble.	
14.6 Spe Not applica	cial precautions for user ble.	
14.7 Mar	time transport in bulk according to IMO instruments	

Not applicable.

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
 DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II None of the ingredients is listed.
 - REGULATION (EU) 2019/1148
- Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))
- None of the ingredients is listed. • Annex II - REPORTABLE EXPLOSIVES PRECURSORS
- None of the ingredients is listed.
- Regulation (EC) No 273/2004 on drug precursors
- None of the ingredients is listed.
- Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors None of the ingredients is listed.
 - National regulations:

*

*

*

*

,



2332502

Reviewed on: 02.08.2024 Printing date: 02.08.2024

PRODUCT :	YLANG MADAGASC I ORG OIL FFL
PRODUCT :	
Technical	instructions (air): (continued of page 10)
Class Sha	
I	
Waterhaz	
	ard class. ard class 2 (Self-assessment): hazardous for water.
15.2 Chami	
	cal safety assessment: afety Assessment has not been carried out.
SECTION 16:	Other information
The informat	ion in this safety data sheet is based on the state of our knowledge at the date indicated. The
	n this sheet must be regarded as a description of the safety requirements for the product, they are not
	ered a warranty or quality specification and have no contractual value on properties and application . The information contained in this safety data sheet relate to the specific material designated and may
not be valid	with respect to the product associated with another product or process, unless it is specified in the text
of this docum The required	ent. information complies with EU regulations in force. It does not exempt the user from knowing and
	he national regulations in force.
 Relevant 	
H226 H302	Flammable liquid and vapour. Harmful if swallowed.
H302	May be fatal if swallowed and enters airways.
H312	Hary be later in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H341	Suspected of causing genetic defects.
H351 H361	Suspected of causing cancer. Suspected of damaging fertility or the unborn child.
H361d	Suspected of damaging the unborn child.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Training	hints
Minimum	raining in occupational risk prevention is recommended for personnel who will handle this product, in the
	f facilitating the understanding and interpretation of this form of safety data in the same way as the the product.
-	
	tions and acronyms: national Fragrance Association IOFI:International Organization of the Flavor Industry
	rd européen sur le transport des marchandises dangereuses par Route (European Agreement concerning
	ational Carriage of Dangerous Goods by Road)
	ement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations
	g the International Transport of Dangerous Goods by Rail)
	ernational Maritime Code for Dangerous Goods Department of Transportation
	rnational Air Transport Association
	ernational Civil Aviation Organisation
GHS: Glob	ally Harmonised System of Classification and Labelling of Chemicals
	uropean Inventory of Existing Commercial Chemical Substances
	uropean List of Notified Chemical Substances
	nical Abstracts Service (division of the American Chemical Society)
	al concentration, 50 percent al dose, 50 percent
	stent, Bioaccumulative and Toxic
	Persistent and very Bioaccumulative
VPVB: Very	
• Sources	

• * Data compared to the previous version altered.