


2800501

CHEMICAL SAFETY DATA SHEET according to 2020/878/EC (1907/2006/EC Article 31)

> Reviewed on: 26.11.2024 Printing date: 26.11.2024





2800501

Reviewed on: 26.11.2024 Printing date: 26.11.2024

PRODUCT :	YLANG MADAGASC III ORG OIL FFL	
		(continued of page 1)
P272 Conta P301+P310	thoroughly after handling. minated work clothing should not be allowed out of the workplace. IF SWALLOWED: Immediately call a POISON CENTER/ doctor.	
P405 Store P501 Dispos	locked up. se of contents/container in accordance with local/regional/ national/	international regulations.
2.3 Other ha		
 Results of PBT: 	PBT and vPvB assessment	
Not applica	ble.	
 vPvB: Not applical 	ble.	
	ation of endocrine-disrupting properties ingredients is listed.	
SECTION 03:	Composition/information on ingredients	
3.1 Substand CAS No.	ces Description	
8006-81-3	Cananga odorata (Lam.) Hook. f. et Thomson, forma	
	genuina ion number(s)	
 EC number 947-049-2 		
-	s components:	
CAS Number 87-44-5	BETA-CARYOPHYLLENE	% 10,001-20,00
07-44-0	EC number: 201-746-1	10,001-20,00
	🚸 Asp. Tox. 1 - H304; 🚸 Skin Sens.	
	1B - H317	
502-61-4	alpha-farnesene	10,001-20,00
	EC number: 207-948-6 ♦ Asp. Tox. 1 - H304	
120-51-4	BENZYL BENZOATE	5,001-10,00
	EC number: 204-402-9	•,•••
	🚸 Acute Tox. 4 - H302; 🚸 Aquatic	
	Acute 1 - H400 (M=1), Aquatic Chronic 2 -	
	H411	
105-87-3	GERANYL ACETATE EC number: 203-341-5	1,001- 5,000
	Skin Irrit. 2 - H315, Skin Sens. 1B -	
	H317; Aquatic Chronic 3 - H412	
4602-84-0	FARNESOL	1,001- 5,000
	EC number: 225-004-1	
	Skin Irrit. 2 - H315, Eye Irrit. 2 -	
118-58-1	H319, Skin Sens. 1B - H317 BENZYL SALICYLATE	1,001- 5,000
110-30-1	EC number: 204-262-9	1,001- 5,000
	Skin Sens. 1 - H317; Aquatic Chronic 3	
	- H412	
78-70-6	LINALOOL	1,001- 5,000
	EC number: 201-134-4	
	Skin Irrit. 2 - H315, Eye Irrit. 2 -	
140-11-4	H319, Skin Sens. 1B - H317 benzyl acetate	1,001- 5,000
140-11-4	Delizyi acelale	(continued on page 3)



2800501

Reviewed on: 26.11.2024 Printing date: 26.11.2024

	PRODUCT :	YLANG MADAGASC III ORG OIL FFL	
			(continued of page 2)
*		EC number: 205-399-7	
*		Aquatic Chronic 3 - H412	
*	104-93-8	p-Methylanisole	0,101-1,000
*		EC number: 203-253-7	
*		🕩 Acute Tox. 4 - H302, Skin Irrit. 2 -	
*		H315; 🚸 Repr. 2 - H361	
*	106-24-1	GERANIOL	0,101-1,000
*		EC number: 203-377-1	
*		< Eye Dam. 1 - H318; 🚸 Skin Irrit. 2	
*		- H315, Skin Sens. 1 - H317	
*	97-54-1	ISOEUGENOL	0,101-1,000
*		EC number: 202-590-7	
*		🚸 Acute Tox. 4 - H302, Acute Tox. 4 -	
*		H312, Skin Irrit. 2 - H315, Eye Irrit. 2 -	
*		H319, Skin Sens. 1A - H317;	
*		Skin Sens. 1A; H317: C >= 0,01 %	
*	97-53-0	EUGENOL	0,101-1,000
*		EC number: 202-589-1	
*		🚸 Eye Irrit. 2 - H319, Skin Sens. 1B -	
*		H317	
*	80-56-8	ALPHA-PINENE	0,101-1,000
*		EC number: 201-291-9	
*		🚸 Asp. Tox. 1 - H304; 🚸 Flam. Liq. 3	
*		- H226; 솻 Acute Tox. 4 - H302, Skin	
*		Irrit. 2 - H315, Skin Sens. 1B - H317	

SECTION 04: First aid measures

- 4.1 Description of first aid measures
- General information: Seek immediate medical advice.
- After inhalation:
- Supply fresh air and to be sure call for a doctor.
- After skin contact: If skin irritation continues, consult a doctor. Immediately wash with water and soap and rinse thoroughly.
- After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. • After swallowing:
- Seek immediate medical advice.
- Information for doctor:

4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 05: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water. Use fire extinguishing methods suitable to surrounding conditions.
- For safety reasons unsuitable extinguishing agents: Water with full jet

(continued on page 4)



2800501

CHEMICAL SAFETY DATA SHEET according to 2020/878/EC (1907/2006/EC Article 31)

Reviewed on: 26.11.2024 Printing date: 26.11.2024

PRODUCT : YLANG MADAGASC III ORG OIL FFL	
E.2. Consist homenda existing forms that the state of the	(continued of page 3)
5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire.	
5.3 Advice for firefighters	
 Protective equipment: Do not inhale explosion gases or combustion gases. 	
 Additional information Cool endangered receptacles with water spray. 	
SECTION 06: Accidental release measures	
6.1 Personal precautions, protective equipment and emergency procedures	
Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation	
Keep away from ignition sources.	
6.2 Environmental precautions:	
Do not allow product to reach sewage system or any water course.	
Inform respective authorities in case of seepage into water course or sewage system.	
6.3 Methods and material for containment and cleaning up:	
Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.	
6.4 Reference to other sections	
See Section 7 for information on safe handling.	
See Section 8 for information on personal protection equipment. See Section 13 for disposal information.	
SECTION 07: Handling and storage	
7.1 Precautions for safe handling	
Keep receptacles tightly sealed. Keep away from heat and direct sunlight.	
Ensure good ventilation/exhaustion at the workplace.	
Prevent formation of aerosols. Handle with care. Avoid jolting, friction and impact.	
 Information about fire - and explosion protection: 	
Keep ignition sources away - Do not smoke. Protect against electrostatic charges.	
7.2 Conditions for safe storage, including any incompatibilities	
Storage:	
 Requirements to be met by storerooms and receptacles: Store only in the original receptacle. 	
Prevent any seepage into the ground.	
Use only receptacles specifically permitted for this substance/ product.Information about storage in one common storage facility:	
Not required.	

- Not required.
 Further information about storage conditions: Keep container tightly sealed. Protect from heat and direct sunlight. Store receptacle in a well ventilated area.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 08: Exposure controls/personal protection

- 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:
- Not required.Additional information: The lists valid during the making were used as basis.

(continued on page 5)



2800501

Reviewed on: 26.11.2024 Printing date: 26.11.2024

		Printing date: 26.11.20
PRODUCT : YLANG	G MADAGASC III (ORG OIL FFL
		(continued of page 4)
 8.2 Exposure control Individual protection 		as personal protective equipment
General protective		
		be adhered to when handling chemicals.
	stuffs, beverages and all soiled and contam	
	reaks and at the end of	
Do not inhale gases		
Do not inhale dust / Avoid contact with th		
 Respiratory protection 		
		in case of insufficient ventilation.
	atory protective device	use respiratory filter device. In case of intensive or longer exposure use e.
 Protection of hand 		
Protective gloves	ac to be impormeable	and resistant to the product/ the substance/ the preparation.
		to the glove material can be given for the product/ the preparation/ the
chemical mixture.		
 Selection of the glov Material of gloves 	e material on consider	ration of the penetration times, rates of diffusion and the degradation
	suitable gloves does r	not only depend on the material, but also on further marks of quality and
	turer to manufacturer.	
 Penetration time of The exact break thr 		found out by the manufacturer of the protective gloves and has to be
observed.		
 Eye/face protection 	n	
Safety glassesBody protection:		
Impervious protectiv	e clothing	
Boots		
9.1 Information on basic	physical and chemic	cal properties
General Information		
Physical state		Fluid
Colour:		pale yellow to yellow
Odour:		floral
Odour threshold:		Not determined.
Melting point/freezing po	pint:	< 80,0 °C
Boiling point or initial bo	iling point and	> 125,0 °C
boiling range		
Flammability		Not determined.
Lower and upper explos	ion limit	
Lower:		Not determined.
Upper:		Not determined.
Flash point:		112,0 °C NFT 60-103 CC
Decomposition temperat	ure:	Not determined.
рН		Not determined.
Viscosity:		
Kinematic viscosity		Not determined.
Dynamic:		Not determined.
Solubility		
water:		Not determined.
Partition coefficient n-oc	tanol/water (log	Not determined.
value)		
Vapour pressure:		Not determined.
Density and/or relative d	ensity	Not determined
Lloneity		Not determined

Density:



2800501

Reviewed on: 26.11.2024 Printing date: 26.11.2024

	(continued of page
Relative density	0,9150 0,945 D20/20
Vapour density	Not determined.
9.2 Other information	No further relevant information available.
Appearance:	
Form:	liquid sometimes cloudy
mportant information on protection of healt	th and environment, and on safety.
Auto-ignition temperature:	Not determined.
Explosive properties:	Not determined.
Solvent content:	
Solids content:	0,00 %
Change in condition	
Evaporation rate	Not determined.
nformation with regard to physical hazard o	classes
Explosives	not applicable
Flammable gases	not applicable
Aerosols	not applicable
Oxidising gases	not applicable
Gases under pressure	not applicable
Flammable liquids	not applicable
Flammable solids	not applicable
Self-reactive substances and mixtures	not applicable
Pyrophoric liquids	not applicable
Pyrophoric solids	not applicable
Self-heating substances and mixtures	not applicable
Substances and mixtures, which emit flammable gases in contact with water	not applicable
Oxidising liquids	not applicable
Oxidising solids	not applicable
Organic peroxides	not applicable
Corrosive to metals	not applicable

SECTION 10: Stability and reactivity

10.1 Reactivity

No further relevant information available.

10.2 Chemical stability

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: Not determined.

(continued on page 7)



2800501

Reviewed on: 26.11.2024 Printing date: 26.11.2024

			Printing date: 26.11.2024
	PRODUCT :	YLANG MADAGASC III ORG OIL FFL	
			(continued of page 6)
	SECTION 11:	Toxicological information	
		ation on hazard classes as defined in Regulation (EC) No 1272/2008	
*	Acute tox	icity values relevant for classification:	
	• LD/LC50		
	8006-81-3	ISO LD/LC Cananga odorata (Lam.) Hook. f. et Thomson, forma	
	0000-01-5	genuina	
	Oral, LD50	: >=5000 mg/kg (rat)	
		050: >=5000 mg/kg (Rabbit)	
*	87-44-5 Oral, LD50	BETA-CARYOPHYLLENE : > 5000 mg/kg (rat) (Hart and Wong 1971)	
*	120-51-4	BENZYL BENZOATE	
		: 1700 mg/kg (rat)	
		: 3450 mg/kg (mouse) (Bier, 1979) 050: 4000 mg/kg (Rabbit)	
*	105-87-3	GERANYL ACETATE	
	Oral, LD50	: >4000 mg/kg (rat) (NTP 1987)	
*	4602-84-0	FARNESOL : 20000 mg/kg (rat)	
		50: 15000 mg/kg (rat)	
*	78-70-6	LINALOOL	
*		: 2790 mg/kg (rat) 950: 5610 mg/kg (Rabbit)	
*	140-11-4	benzyl acetate	
*	Oral, LD50	: 2490 mg/kg (rat) (INRS 2011)	
*		050: >5000 mg/kg (Rabbit) (INRS 2011)	
	104-93-8 Oral, LD50	p-Methylanisole : 1920 mg/kg (rat)	
*	97-54-1	ISOEUGENOL	
*	Oral, LD50	: 1560 mg/kg (rat)	
*	97-53-0	EUGENOL : 1930 mg/kg (rat)	
		rritant effect:	
		osion/irritation	
		skin and mucous membranes. n irritation.	
*	 Serious e 	ye damage/irritation	
*	No irritatin	g effect. ry or skin sensitisation	
*	120-51-4	BENZYL BENZOATE	
		on, NESIL: 59000 ug/cm2 (human being) (Standard IFRA)	
*		mutagenicity	
*	87-44-5 OFCD 471	BETA-CARYOPHYLLENE AMES: NEGATIVE (in vitro) (Heck and al., 1989)	
*	120-51-4	BENZYL BENZOATE	
	OECD 471	AMES: NEGATIVE (in vitro) (Schunk and al., 1986)	
*	105-87-3 OFCD 471	GERANYL ACETATE AMES: NEGATIVE (in vitro) (NTP 1987)	
*	78-70-6		
*		AMES: NEGATIVE (in vitro) (Letizia and al., 2007)	
*	140-11-4	benzyl acetate	
*		AMES: NEGATIVE (in vitro) (Tennant and al., 1987)	
	104-93-8 OECD 471	p-Methylanisole AMES: NEGATIVE (in vitro) (RIFM 1984)	
	Carcinoge		
*	105-87-3	GERANYL ACETATE	
*	Micronoyau 78-70-6	u: NEGATIVE (mouse) (in vivo, Shelby 1993) LINALOOL	
	Micronoyau	u: NEGATIVE (mouse) (in vivo, Letizia and al., 2007)	
	-	u: NEGATIVE (in vitro) (DiSotto and al., 2011)	
	104-93-8 Micronova	p-Methylanisole J: NEGATIVE (mouse) (RIFM 2018)	
		tive toxicity	
			(continued on page 8)
	— EU ———		



2800501

Reviewed on: 26 11 2024

			Reviewed on: 26.11.2024 Printing date: 26.11.2024
	PRODUCT :	YLANG MADAGASC III ORG OIL FFL	
			(continued of page 7)
	Not deter		
	 SIUI-SIF Not deterr 	igle exposure	
		peated exposure	
	Not deter	•	
	 Aspiratio 		
		tal if swallowed and enters airways.	
*		tal if swallowed and enters airways. e to chronic toxicity:	
+		,	
~	87-44-5	EL: 700 mg/kg (rat) (90 days Schmitt 2016)	
*	78-70-6	LINALOOL	
*		EL: 200 mg/kg (rat) (maternal toxicity, Politano and al.,	
*	2008)		
*	140-11-4	benzyl acetate	
*	Oral, NOA	EL: 14,5 mg/kg (rat) (2 years, NTP 1993)	
		ormation on other hazards	
*		e disrupting properties	
	None o	f the ingredients is listed.	
	SECTION 12	Ecological information	
	12.1 Toxici	t v	
	 Aquatic t 		
	8006-81-3	Cananga odorata (Lam.) Hook. f. et Thomson, forma	
		genuina	
	CE50/48h	: 11,2 mg/l (daphnia)	
*	78-70-6	LINALOOL	
*		8 mg/l (fish) ((OECD 203) RIFM 1991)	
*		(2h): 156,7 mg/l (algae)	
	•	8h): 59 mg/l (daphnia) ((OECD 202)	
*	140-11-4	benzyl acetate 2h): 92 mg/l (algae) (RIFM 2017)	
*		8h): 37 mg/l (daphnia) (RIFM 2017)	
*	96h-LC50	: 4,6 mg/l (fish) (RIFM 1994)	

04-93-8 p-Methylanisole CE50/48h: 17 mg/l (daphnia) (RIFM 2018) 96h-LC50: 68,2 mg/l (fish) (RIFM 2018) 104-93-8

12.2 Persistence and degradability

No further relevant information available.

• Behaviour in environmental systems: Not determined.

12.3 Bioaccumulative potential

No further relevant information available.

12.4 Mobility in soil

No further relevant information available.

12.5 Results of PBT and vPvB assessment • PBT:

Not applicable.

vPvB:

Not applicable.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.6 Other adverse effects

No further relevant information available.

- Ecotoxical effects:
- Not determined.
- Remark:

Toxic for fish Additional ecological information: •

• General notes:

(continued on page 9)



2800501

Reviewed on: 26.11.2024 Printing date: 26.11.2024

(continued of page 8)


PRODUCT : YLANG MADAGASC III ORG OIL FFL

Toxic for aquatic organisms The material is harmful to the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

- Recommendation
- Must be specially treated adhering to official regulations.
- Uncleaned packaging:
- Recommendation:
 - Disposal must be made according to official regulations.





2800501

			Reviewed on: 26.11.2024 Printing date: 26.11.2024
	PRODUCT :	YLANG MADA	GASC III ORG OIL FFL
*	Marine po Danger co EMS Numi 14.6 Specia Warning: Mis 14.7 Maritir Not applicabl Transport ADR Excepted of Limited qu Excepted of UN "Mode	de (Kemler): ber: al precautions for scellaneous dangero me transport in b e. t/Additional infor quantities (EQ): Jantities (LQ) category Jantities (LQ) quantities (EQ) el Regulation": ENVIRONMENTALLY	Yes 90 F-A,S-F user is substances and articles. ilk according to IMO instruments
* * * *	15.1 Safety DIRECTIV and elect None of th REGULAT Annex I under Ar None of th Regulatic None of th Regulatic Commun	VE 2011/65/EU of cronic equipment in ingredients is list TON (EU) 2019/1 - RESTRICTED EX ticle 5(3)) he ingredients is list - REPORTABLE E he ingredients is list on (EC) No 273/2 he ingredients is list on (EC) No 111/2	ronmental regulations/legislation specific for the substance or mixture of the restriction of the use of certain hazardous substances in electrical - Annex II ed. 148 PLOSIVES PRECURSORS (Upper limit value for the purpose of licensing ed. KPLOSIVES PRECURSORS ed. 004 on drug precursors ed. 005 laying down rules for the monitoring of trade between the tries in drug precursors

- National regulations:
- Technical instructions (air):
- Class Share in %
- 0,02 I

*

*

• Waterhazard class: Generally not hazardous for water.

None of the ingredients is listed.

15.2 Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

The information in this safety data sheet is based on the state of our knowledge at the date indicated. The information in this sheet must be regarded as a description of the safety requirements for the product, they are not to be considered a warranty or quality specification and have no contractual value on properties and application areas thereof. The information contained in this safety data sheet relate to the specific material designated and may not be valid with respect to the product associated with another product or process, unless it is specified in the text of this document.

The required information complies with EU regulations in force. It does not exempt the user from knowing and applying all the national regulations in force.

(continued on page 11)



2800501

CHEMICAL SAFETY DATA SHEET according to 2020/878/EC (1907/2006/EC Article 31)

> Reviewed on: 26.11.2024 Printing date: 26.11.2024

(continued of page 10) ISES Flammable liquid and vapour. Harmful if swallowed. May be fatal if swallowed and enters airways. Harmful in contact with skin. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Causes serious eye damage. Causes serious eye damage. Causes serious eye irritation. Suspected of damaging fertility or the unborn child. Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.
Flammable liquid and vapour. Harmful if swallowed. May be fatal if swallowed and enters airways. Harmful in contact with skin. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Causes serious eye irritation. Suspected of damaging fertility or the unborn child. Very toxic to aquatic life.
Harmful to aquatic life with long lasting effects.
ng in occupational risk prevention is recommended for personnel who will handle this product, in the litating the understanding and interpretation of this form of safety data in the same way as the product. and acronyms: nal Fragrance Association IOFI:International Organization of the Flavor Industry iropéen sur le transport des marchandises dangereuses par Route (European Agreement concerning al Carriage of Dangerous Goods by Road) i international concernant le transport des marchandises dangereuses par chemin de fer (Regulations International Transport of Dangerous Goods by Rail) onal Maritime Code for Dangerous Goods by Rail) onal Air Transport Association onal Civil Aviation Organisation tarmonised System of Classification and Labelling of Chemicals an Inventory of Existing Commercial Chemical Substances that is of Notified Chemical Substances Abstracts Service (division of the American Chemical Society) ncentration, 50 percent Bioaccumulative and Toxic istent and very Bioaccumulative lling Manual,REACH registration dossier,supplier information mered to the previous version altered.
nal Fra Iropéer I Carri. t interna Interna onal Mit tment conal Ain onal Ci Harmon ean Inv ean Inv ean Inv ean Se, 50 Bioacc istent a Iling M