

2801101

CHEMICAL SAFETY DATA SHEET according to 2020/878/EC (1907/2006/EC Article 31)

SECTION 01: Identification of the substance/mixture and of the company/undertaking
1.1 Product identifier
 Trade name: AGRESTIC BLEND ORGANIC Article number: CB030 UFI: FFP0-V07R-E00W-E712
1.2 Relevant identified uses of the substance or mixture and uses advised against Application of the substance / the preparation Only for industrial use
1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: GOLGEMMA TEL: +33(0)4.68.74.17.89 Route de FA email: fds@golgemma.com 11260 ESPERAZA FRANCE
1.4 Emergency telephone number: FR-ORFILA (INRS):+33(0)1 45 42 59 59
SECTION 02: Hazards identification 2.1 Classification of the substance or mixture • Classification according to Regulation (EC) No 1272/2008
GHS08
STOT SE 2 - H371 May cause damage to organs. Asp. Tox. 1 - H304 May be fatal if swallowed and enters airways.
GHS02 Flam. Liq. 3 - H226 Flammable liquid and vapour.
GHS07
Skin Irrit. 2 - H315 Causes skin irritation. Eye Irrit. 2 - H319 Causes serious eye irritation. Skin Sens. 1 - H317 May cause an allergic skin reaction.
GHS09
Aquatic Chronic 2 - H411 Toxic to aquatic life with long lasting effects.
 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Hazard pictograms
GHS08 GHS02 GHS07 GHS09 - Signal word Danger
Hazard-determining components of labelling: Eucalyptol / CAMPHOR / LINALOOL / ALPHA-PINENE (continued on page 2)
—— EU —



2801101

RODUCT :	AGRESTIC BLEND ORGANIC	
		(continued of page 1)
- Hazard sta		(1111)
	nable liquid and vapour. e fatal if swallowed and enters airways.	
	s skin irritation.	
H317 May c	ause an allergic skin reaction.	
	s serious eye irritation. ause damage to organs.	
	to aquatic life with long lasting effects.	
- Precaution	ary statements	
	away from heat, hot surfaces, sparks, open flames and other ignition container tightly closed.	sources. No smoking.
P240 Groun	d and bond container and receiving equipment.	
	IF SWALLOWED: Immediately call a POISON CENTER/ doctor. Store in a well-ventilated place. Keep cool.	
	se of contents/container in accordance with local/regional/ national/i	nternational regulations.
·		5
2.3 Other ha	zards PBT and vPvB assessment	
 Results of PBT: 	PDT and VPVD assessment	
Not applical	ble.	
- vPvB:		
Not applical Determinal 	ble. Ition of endocrine-disrupting properties	
	ingredients is listed.	
SECTION 03:	Composition/information on ingredients	
 3.2 Mixtur 		
 Descriptio 	n:	
Mixture		
Dangerous	s components:	
 Dangerous CAS Number 	s components:	%
-	s components: Eucalyptol	% 20,001-50,00
CAS Number		
CAS Number	Eucalyptol	
CAS Number	Eucalyptol EC number: 207-431-5	
CAS Number	Eucalyptol EC number: 207-431-5 Ilam. Liq. 3 - H226; I Skin Sens.	20,001-50,00
CAS Number 470-82-6	Eucalyptol EC number: 207-431-5	
CAS Number 470-82-6	Eucalyptol EC number: 207-431-5 ♦ Flam. Liq. 3 - H226; Skin Sens. 1B - H317 CAMPHOR EC number: 200-945-0	20,001-50,00
CAS Number 470-82-6	Eucalyptol EC number: 207-431-5	20,001-50,00
CAS Number 470-82-6	Eucalyptol EC number: 207-431-5 ♦ Flam. Liq. 3 - H226; Skin Sens. 1B - H317 CAMPHOR EC number: 200-945-0 ♦ Flam. Sol. 2 - H228; ♦ Acute Tox. 4 - H302, Acute Tox. 4 - H332; ♦ STOT SE	20,001-50,00
CAS Number 470-82-6	Eucalyptol EC number: 207-431-5 ♦ Flam. Liq. 3 - H226; Skin Sens. 1B - H317 CAMPHOR EC number: 200-945-0 ♦ Flam. Sol. 2 - H228; ♦ Acute Tox. 4 - H302, Acute Tox. 4 - H332; ♦ STOT SE 2 - H371	20,001-50,00
CAS Number 470-82-6	Eucalyptol EC number: 207-431-5	20,001-50,00
CAS Number 470-82-6 76-22-2	Eucalyptol EC number: 207-431-5	20,001-50,00 10,001-20,00
CAS Number 470-82-6	Eucalyptol EC number: 207-431-5	20,001-50,00
CAS Number 470-82-6 76-22-2	Eucalyptol EC number: 207-431-5 Flam. Liq. 3 - H226; Skin Sens. 1B - H317 CAMPHOR EC number: 200-945-0 Flam. Sol. 2 - H228; Flam. Sol. 2 - H228; Store Tox. 4 - H302, Acute Tox. 4 - H332; STOT SE 2 - H371 Oral: ATE = 500 mg/kg; Dermal: ATE > 1000 mg/kg; Inhalative: ATE = 11 mg/l LINALOOL EC number: 201-134-4	20,001-50,00
CAS Number 470-82-6 76-22-2	Eucalyptol EC number: 207-431-5	20,001-50,00
CAS Number 470-82-6 76-22-2 78-70-6	Eucalyptol EC number: 207-431-5 Flam. Liq. 3 - H226; Skin Sens. 1B - H317 CAMPHOR EC number: 200-945-0 Flam. Sol. 2 - H228; Flam. Sol. 2 - H228; Store Tox. 4 - H302, Acute Tox. 4 - H332; STOT SE 2 - H371 Oral: ATE = 500 mg/kg; Dermal: ATE > 1000 mg/kg; Inhalative: ATE = 11 mg/l LINALOOL EC number: 201-134-4	20,001-50,00 10,001-20,00 10,001-20,00
CAS Number 470-82-6 76-22-2	Eucalyptol EC number: 207-431-5 Flam. Liq. 3 - H226; Skin Sens. 1B - H317 CAMPHOR EC number: 200-945-0 Flam. Sol. 2 - H228; Store Tox. 4 - H302, Acute Tox. 4 - H332; Store Tox. 2 - H371 Oral: ATE = 500 mg/kg; Dermal: ATE > 1000 mg/kg; Inhalative: ATE = 11 mg/l LINALOOL EC number: 201-134-4 Skin Irrit. 2 - H315, Eye Irrit. 2 - H319, Skin Sens. 1B - H317 ALPHA-PINENE	20,001-50,00
CAS Number 470-82-6 76-22-2 78-70-6	Eucalyptol EC number: 207-431-5 Flam. Liq. 3 - H226; Skin Sens. 1B - H317 CAMPHOR EC number: 200-945-0 Flam. Sol. 2 - H228; Acute Tox. 4 - H302, Acute Tox. 4 - H332; STOT SE 2 - H371 Oral: ATE = 500 mg/kg; Dermal: ATE > 1000 mg/kg; Inhalative: ATE = 11 mg/l LINALOOL EC number: 201-134-4 Skin Irrit. 2 - H315, Eye Irrit. 2 - H319, Skin Sens. 1B - H317 ALPHA-PINENE EC number: 201-291-9	20,001-50,00 10,001-20,00 10,001-20,00
CAS Number 470-82-6 76-22-2 78-70-6	Eucalyptol EC number: 207-431-5 Flam. Liq. 3 - H226; Skin Sens. 1B - H317 CAMPHOR EC number: 200-945-0 Flam. Sol. 2 - H228; Store Tox. 4 - H302, Acute Tox. 4 - H332; Store Tox. 2 - H371 Oral: ATE = 500 mg/kg; Dermal: ATE > 1000 mg/kg; Inhalative: ATE = 11 mg/l LINALOOL EC number: 201-134-4 Skin Irrit. 2 - H315, Eye Irrit. 2 - H319, Skin Sens. 1B - H317 ALPHA-PINENE	20,001-50,00 10,001-20,00 10,001-20,00
CAS Number 470-82-6 76-22-2 78-70-6	Eucalyptol EC number: 207-431-5 Flam. Liq. 3 - H226; Skin Sens. 1B - H317 CAMPHOR EC number: 200-945-0 Flam. Sol. 2 - H228; Acute Tox. 4 - H302, Acute Tox. 4 - H332; STOT SE 2 - H371 Oral: ATE = 500 mg/kg; Dermal: ATE > 1000 mg/kg; Inhalative: ATE = 11 mg/l LINALOOL EC number: 201-134-4 Skin Irrit. 2 - H315, Eye Irrit. 2 - H319, Skin Sens. 1B - H317 ALPHA-PINENE EC number: 201-291-9	20,001-50,00 10,001-20,00 10,001-20,00
CAS Number 470-82-6 76-22-2 78-70-6	Eucalyptol EC number: 207-431-5 Image: Flam. Liq. 3 - H226; Skin Sens. 1B - H317 CAMPHOR EC number: 200-945-0 Image: Flam. Sol. 2 - H228; Acute Tox. 4 - H302, Acute Tox. 4 - H332; STOT SE 2 - H371 Oral: ATE = 500 mg/kg; Dermal: ATE > 1000 mg/kg; Inhalative: ATE = 11 mg/l Dral: ATE = 500 mg/kg; Dermal: ATE > 1000 mg/kg; Inhalative: ATE = 11 mg/l LINALOOL EC number: 201-134-4 Image: Skin Irrit. 2 - H315, Eye Irrit. 2 - H319, Skin Sens. 1B - H317 ALPHA-PINENE EC number: 201-291-9 Image: Asp. Tox. 1 - H304; Flam. Liq. 3 - H226; Acute Tox. 4 - H302, Skin	20,001-50,00 10,001-20,00 10,001-20,00
CAS Number 470-82-6 76-22-2 78-70-6	Eucalyptol EC number: 207-431-5 Flam. Liq. 3 - H226; Skin Sens. 1B - H317 CAMPHOR EC number: 200-945-0 Flam. Sol. 2 - H228; Acute Tox. 4 - H302, Acute Tox. 4 - H332; STOT SE 2 - H371 Oral: ATE = 500 mg/kg; Dermal: ATE > 1000 mg/kg; Inhalative: ATE = 11 mg/l LINALOOL EC number: 201-134-4 Skin Irrit. 2 - H315, Eye Irrit. 2 - H319, Skin Sens. 1B - H317 ALPHA-PINENE EC number: 201-291-9 Asp. Tox. 1 - H304; Flam. Liq. 3 - H226; Acute Tox. 4 - H302, Skin Irrit. 2 - H315, Skin Sens. 1B - H317	20,001-50,00 10,001-20,00 10,001-20,00
CAS Number 470-82-6 76-22-2 78-70-6 80-56-8	Eucalyptol EC number: 207-431-5 Flam. Liq. 3 - H226; Skin Sens. 1B - H317 CAMPHOR EC number: 200-945-0 Flam. Sol. 2 - H228; C Acute Tox. 4 - H302, Acute Tox. 4 - H332; S STOT SE 2 - H371 Oral: ATE = 500 mg/kg; Dermal: ATE > 1000 mg/kg; Inhalative: ATE = 11 mg/l LINALOOL EC number: 201-134-4 Skin Irrit. 2 - H315, Eye Irrit. 2 - H319, Skin Sens. 1B - H317 ALPHA-PINENE EC number: 201-291-9 Asp. Tox. 1 - H304; Flam. Liq. 3 - H226; Acute Tox. 4 - H302, Skin Irrit. 2 - H315, Skin Sens. 1B - H317 Oral: ATE = 500 mg/kg	20,001-50,00 10,001-20,00 10,001-20,00 5,001-10,00
CAS Number 470-82-6 76-22-2 78-70-6	Eucalyptol EC number: 207-431-5 Flam. Liq. 3 - H226; Skin Sens. 1B - H317 CAMPHOR EC number: 200-945-0 Flam. Sol. 2 - H228; Acute Tox. 4 - H302, Acute Tox. 4 - H332; STOT SE 2 - H371 Oral: ATE = 500 mg/kg; Dermal: ATE > 1000 mg/kg; Inhalative: ATE = 11 mg/l LINALOOL EC number: 201-134-4 Skin Irrit. 2 - H315, Eye Irrit. 2 - H319, Skin Sens. 1B - H317 ALPHA-PINENE EC number: 201-291-9 Sap. Tox. 1 - H304; Flam. Liq. 3 - H226; Acute Tox. 4 - H302, Skin Irrit. 2 - H315, Skin Sens. 1B - H317 Oral: ATE = 500 mg/kg BETA-PINENE	20,001-50,00 10,001-20,00 10,001-20,00
CAS Number 470-82-6 76-22-2 78-70-6 80-56-8	Eucalyptol EC number: 207-431-5 Flam. Liq. 3 - H226; Skin Sens. 1B - H317 CAMPHOR EC number: 200-945-0 Flam. Sol. 2 - H228; C Acute Tox. 4 - H302, Acute Tox. 4 - H332; S STOT SE 2 - H371 Oral: ATE = 500 mg/kg; Dermal: ATE > 1000 mg/kg; Inhalative: ATE = 11 mg/l LINALOOL EC number: 201-134-4 Skin Irrit. 2 - H315, Eye Irrit. 2 - H319, Skin Sens. 1B - H317 ALPHA-PINENE EC number: 201-291-9 Asp. Tox. 1 - H304; Flam. Liq. 3 - H226; Acute Tox. 4 - H302, Skin Irrit. 2 - H315, Skin Sens. 1B - H317 Oral: ATE = 500 mg/kg	20,001-50,00 10,001-20,00 10,001-20,00 5,001-10,00



2801101

Γ

Reviewed on: 23.09.2024

Printing	date:	23.09.2024	
----------	-------	------------	--

Р	RODUCT :	AGRESTIC BLEND ORGANIC	
			(continued of page 2)
	79-92-5	Sens. 1B - H317 camphene EC number: 201-234-8 � Flam. Sol. 1 - H228; ♥ Eye Irrit.	1,001- 5,000
		2 - H319; 🚯 Aquatic Acute 1 - H400 (M=1)	
	507-70-0	, Aquatic Chronic 1 - H410 (M=1) I-Borneol EC number: 208-080-0 Flam. Sol. 2 - H228; Skin Irrit.	1,001- 5,000
		2 - H315	
	5989-27-5	d-limonene EC number: 227-813-5 � Asp. Tox. 1 - H304; � Flam. Liq. 3	1,001- 5,000
		- H226; 🚸 Skin Irrit. 2 - H315, Skin	
		Sens. 1B - H317; 🚯 Aquatic Acute 1 -	
	98-55-5	H400 (M=1); Aquatic Chronic 3 - H412 p-menth-1-en-8-ol EC number: 202-680-6 ① Skin Irrit. 2 - H315, Eye Irrit. 2 -	1,001- 5,000
		H319	
	87-44-5	BETA-CARYOPHYLLENE EC number: 201-746-1 � Asp. Tox. 1 - H304; � Skin Sens.	1,001- 5,000
	115-95-7	1B - H317 LINALYL ACETATE EC number: 204-116-4 ∲ Skin Irrit. 2 - H315, Eye Irrit. 2 -	1,001- 5,000
		H319, Skin Sens. 1 - H317	
	123-35-3	Myrcene EC number: 204-622-5 � Asp. Tox. 1 - H304; � Flam. Liq. 3 - H226; ∲ Skin Irrit. 2 - H315, Eye	1,001- 5,000
		Irrit. 2 - H319	
	8007-35-0	Terpinyl acetate (Isomer mixture) EC number: 232-357-5	1,001- 5,000
	99-87-6	p-cymene EC number: 202-796-7 參 Acute Tox. 3 - H331; 參 Asp. Tox. 1	1,001- 5,000
		- H304; 🚸 Flam. Liq. 3 - H226; 🚯	
	3387-41-5	Aquatic Chronic 2 - H411 sabinene EC number: 222-212-4 Acute Tox. 4 - H302	1,001- 5,000
	562-74-3	p-Menth-1-en-4-ol EC number: 209-235-5 � Acute Tox. 4 - H302, Acute Tox. 4 -	0,101-1,000
		H332, Skin Irrit. 2 - H315, Eye Irrit. 2 - H319, Skin Sens. 1B - H317, STOT SE 3 - H336 Oral: ATE = 500 mg/kg	
			(continued on page 4)



2801101

Reviewed on: 23.09.2024 Printing date: 23.09.2024

	PRODUCT :	AGRESTIC BLEND ORGANIC	
			(continued of page 3)
*	13877-91-3	3,7-Dimethyl-1,3,6-octatriene	0,101-1,000
*		EC number: 237-641-2	
*		🚸 Asp. Tox. 1 - H304; 🚸 Flam. Liq. 3	
*		- H226; 🚸 Skin Irrit. 2 - H315; 🚯	
*		Aquatic Acute 1 - H400 (M=1), Aquatic	
*		Chronic 2 - H411	
*	99-86-5	1-isopropyl-4-methylcyclohexa-1,3-diene	0,101-1,000
*		EC number: 202-795-1	
*		🚸 Asp. Tox. 1 - H304; 🚸 Flam. Liq. 3	
*		- H226; 🚸 Acute Tox. 4 - H302, Skin	
*		Sens. 1 - H317; 🚸 Aquatic Chronic 2 -	
*		H411	
*		Oral: ATE = 500 mg/kg	
*	586-62-9	TERPINOLENE	0,101-1,000
*		EC number: 209-578-0	
*		🚸 Asp. Tox. 1 - H304; 🚸 Skin Sens.	
*		1B - H317; 😟 Aquatic Acute 1 - H400	
*		(M=1), Aquatic Chronic 1 - H410 (M=1)	
*	106-24-1	GERANIOL	0,101-1,000
*		EC number: 203-377-1	
*		< Eye Dam. 1 - H318; 🚸 Skin Irrit. 2	
*		- H315, Skin Sens. 1 - H317	
*	105-87-3	GERANYL ACETATE	0,101-1,000
*		EC number: 203-341-5	
*		🚸 Skin Irrit. 2 - H315, Skin Sens. 1B -	
*		H317; Aquatic Chronic 3 - H412	
		l information:	
	FOT THE WO	rding of the listed risk phrases refer to section 16.	

SECTION 04: First aid measures

- 4.1 Description of first aid measures
- General information: Seek immediate medical advice.
- After inhalation:
- Supply fresh air and to be sure call for a doctor.
- After skin contact: If skin irritation continues, consult a doctor. Immediately wash with water and soap and rinse thoroughly.
- After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing:
- Seek immediate medical advice.
- Information for doctor:

4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

EU

(continued on page 5)



2801101

		Reviewed on: 23. Printing date: 23.
PRODUCT :	AGRESTIC BLEND ORGANIC	
	Firefighting measures	(continued of page 4)
 5.1 Extingu Suitable CO2, sand Use fire ex For safet 	ishing media extinguishing agents: , extinguishing powder. Do not use water. tinguishing methods suitable to surrounding conditions. y reasons unsuitable extinguishing agents:	
	hazards arising from the substance or mixture toxic gases is possible during heating or in case of fire.	
 5.3 Advice Protectiv Do not inh Additional 	For firefighters e equipment: ale explosion gases or combustion gases. I information ngered receptacles with water spray.	
SECTION 06:	Accidental release measures	
Wear protect Ensure adequ	l precautions, protective equipment and emergency procedures ve equipment. Keep unprotected persons away. ate ventilation om ignition sources.	
Do not allow	mental precautions: product to reach sewage system or any water course. ctive authorities in case of seepage into water course or sewage system.	
Dispose conta	s and material for containment and cleaning up: aminated material as waste according to item 13. ate ventilation.	
See Section 2 See Section 8	ce to other sections ? for information on safe handling. 8 for information on personal protection equipment. 3 for disposal information.	
SECTION 07:	Handling and storage	
7.1 Precaut Keep recepta Keep away fr Ensure good Handle with c Informat Keep ignit	ions for safe handling cles tightly sealed. om heat and direct sunlight. ventilation/exhaustion at the workplace. are. Avoid jolting, friction and impact. on about fire - and explosion protection: ion sources away - Do not smoke. ainst electrostatic charges.	
 7.2 Condition Storage: Requirem Store only Prevent ar Use only r Informat Not requir Further in Keep cont Protect from 	ons for safe storage, including any incompatibilities nents to be met by storerooms and receptacles: in the original receptacle. y seepage into the ground. eceptacles specifically permitted for this substance/ product. on about storage in one common storage facility:	

7.3 Specific end use(s) No further relevant information available.



2801101

Reviewed on: 23.09.2024 Printing date: 23.09.2024

	(continued of page 5)
SECTION 08	: Exposure controls/personal protection
8 1 Contro	parameters
	nts with limit values that require monitoring at the workplace:
	uct does not contain any relevant quantities of materials with critical values that have to be monitored at
the work	
	al information:
The lists	valid during the making were used as basis.
8.2 Exposu	ire controls
	al protection measures, such as personal protective equipment
	protective and hygienic measures:
	precautionary measures are to be adhered to when handling chemicals. y from foodstuffs, beverages and feed.
	ely remove all soiled and contaminated clothing
	ds before breaks and at the end of work.
Avoid cor	tact with the eyes.
	ory protection:
	ble respiratory protective device in case of insufficient ventilation.
Protection Protection	on of hands:
	material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to m	issing tests no recommendation to the glove material can be given for the product/ the preparation/ the
chemical	
 Selection Material 	of the glove material on consideration of the penetration times, rates of diffusion and the degradation
	tion of the suitable gloves does not only depend on the material, but also on further marks of quality and
	m manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of
	material can not be calculated in advance and has therefore to be checked prior to the application.
	ion time of glove material
The exac observed	t break through time has to be found out by the manufacturer of the protective gloves and has to be
	protection
Safety gla	
 Body press 	
	us protective clothing
Boots	

SECTION 09: Physical and chemical properties

9.1 Information on basic physical and chemi	cal properties
General Information	
Physical state	Fluid
Colour:	light yellow to dark yellow
Odour:	fresh
Odour threshold:	Not determined.
Boiling point or initial boiling point and boiling range	0,0 °C
Flammability	Not determined.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	47,0 °C NFT 60-103 CC
Decomposition temperature:	Not determined.
рН	Not determined.
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
water:	Not determined.



2801101

Reviewed on: 23.09.2024 Printing date: 23.09.2024

Printing date: 23.0	09.2024
---------------------	---------

	(continued of	page 6)
Partition coefficient n-octanol/water (log value)	Not determined.	
Vapour pressure:	Not determined.	
Density and/or relative density		
Density:	Not determined.	
Relative density	0,9000 0,920 D20/20	
Vapour density	Not determined.	
9.2 Other information	No further relevant information available.	
Appearance:		
Form:	fluid	
Important information on protection of health	h and environment, and on safety.	
Auto-ignition temperature:	Not determined.	
Explosive properties:	Not determined.	
Solvent content:		
Solids content:	0,00 %	
Change in condition		
Evaporation rate	Not determined.	
Information with regard to physical hazard c	lasses	
Explosives	not applicable	
Flammable gases	not applicable	
Aerosols	not applicable	
Oxidising gases	not applicable	
Gases under pressure	not applicable	
Flammable liquids	Flammable liquid and vapour.	
Flammable solids	not applicable	
Self-reactive substances and mixtures	not applicable	
Pyrophoric liquids	not applicable	
Pyrophoric solids	not applicable	
Self-heating substances and mixtures	not applicable	
Substances and mixtures, which emit flammable gases in contact with water	not applicable	
Oxidising liquids	not applicable	
Oxidising solids	not applicable	
Organic peroxides	not applicable	
Corrosive to metals	not applicable	
Desensitised explosives	not applicable	

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: Not determined.



2801101

			Printing date: 23.09.2024
	PRODUCT :	AGRESTIC BLEND ORGANIC	
			(continued of page 7)
	SECTION 11:	Toxicological information	
I		ation on hazard classes as defined in Regulation (EC) No 1272/2008	
*	Acute tox	icity values relevant for classification:	
	• LD/LCJU	ISO LD/LC	
	470-82-6	Eucalyptol	
		: 3849 mg/kg (mouse) (Jiao Xu, 2014)	
*	76-22-2 Oral 1050	CAMPHOR : >5000 mg/kg (rat) (Opdyke 1978)	
		050: >1000 mg/kg (mouse) (NTP 1998)	
*	78-70-6	LINALOOL : 2790 mg/kg (rat)	
		550: 5610 mg/kg (Rabbit)	
	79-92-5	camphene	
		: 5000 mg/kg (rat) 050: 2500 mg/kg (Rabbit)	
*	5989-27-5	(R)-p-mentha-1,8-diene	
*	Oral, LD50 98-55-5	: 4400 mg/kg (rat) p-menth-1-en-8-ol	
		: 4300 mg/kg (rat)	
*	87-44-5	BETA-CARYOPHYLLENE	
*	99-86-5	: > 5000 mg/kg (rat) (Hart and Wong 1971) ALPHA-TERPINENE	
		: 1680 mg/kg (ATE)	
*	105-87-3	GERANYL ACETATE : >4000 mg/kg (rat) (NTP 1987)	
		rritant effect:	
		osion/irritation skin and mucous membranes.	
	Causes ski	n irritation.	
	 Serious e Irritating e 	ye damage/irritation ffect.	
	Causes ser	ious eye irritation.	
		ry or skin sensitisation on possible through skin contact.	
		mutagenicity	
	470-82-6 OECD 471	Eucalyptol AMES: NEGATIVE (in vitro) (Haworth, 1983)	
*	76-22-2	CAMPHOR	
+		AMES: NEGATIVE (in vitro) (Anderson and Styles 1978)	
	78-70-6 OECD 471	LINALOOL AMES: NEGATIVE (in vitro) (Letizia and al., 2007)	
*	87-44-5	BETA-CARYOPHYLLENE	
*	OECD 471 115-95-7	AMES: NEGATIVE (in vitro) (Heck and al., 1989)	
		LINALYL ACETATE AMES: NEGATIVE (in vitro) (RIFM 1989)	
*	105-87-3		
	OECD 4/1 Carcinoge	AMES: NEGATIVE (in vitro) (NTP 1987) enicity	
*	76-22-2	CAMPHOR	
	-	u: NEGATIVE (mouse) (NTP 1999)	
^	78-70-6 Micronoya	LINALOOL u: NEGATIVE (mouse) (in vivo, Letizia and al., 2007)	
	-	u: NEGATIVE (in vitro) (DiSotto and al., 2011)	
*	105-87-3 Micronoya	GERANYL ACETATE u: NEGATIVE (mouse) (in vivo, Shelby 1993)	
	 Reproduce 	tive toxicity	
	Not detern • STOT-sin	gle exposure	
	May cause	damage to organs.	
	 STOT-rep Not detern 	eated exposure nined.	
	 Aspiration May be fat 	n hazard al if swallowed and enters airways.	
	may be fat	ar ir swanoweu ariu eriters ar ways.	(continued on page 9)
	— FII ———		



2801101

Reviewed on: 23.09.2024 Printing date: 23.09.2024

 PRODUCT :	AGRESTIC BLEND ORGANIC
	(continued of page 8)
	al if swallowed and enters airways. e to chronic toxicity:
76-22-2	CAMPHOR
Oral, NOA	EL: >800 mg/kg (rat) (fetal toxicity GD 6 to 15, NTP 1992)
78-70-6	LINALOOL
Oral, NOA 2008)	EL: 200 mg/kg (rat) (maternal toxicity, Politano and al.,
87-44-5	BETA-CARYOPHYLLENE
Oral, NOA	EL: 700 mg/kg (rat) (90 days Schmitt 2016)
115-95-7	
	EL: 250 mg/kg (rat) (90days, RIFM 1980) al toxicological information:
	ict shows the following dangers according to the calculation method of the General EU Classification
	s for Preparations as issued in the latest version:
Harmful	
Irritant	
	nic if inhaled.
	prmation on other hazards
	e disrupting properties
None of	f the ingredients is listed.

SECTION 12: Ecological information

,

4

*

*

*

*

*

*

*

+

12.1 Toxicity • Aquatic toxicity: 76-22-2 CAMPHOR CE50/48h: 26,82 mg/l (daphnia) ErC50(0-72h): 23,8 mg/l (algae) 78-70-6 LINALOOL LD50: 27,8 mg/l (fish) ((OECD 203) RIFM 1991) ErC50(0-72h): 156,7 mg/l (algae) ErC50(0-48h): 59 mg/l (daphnia) ((OECD 202) 5989-27-5 (R)-p-mentha-1,8-diene LD50: 0,71 mg/l (fish) (OECD 203) 115-95-7 LINALYL ACETATE ErC50(0-72h): 9,6 mg/l (algae) (RIFM 2015) ErC50(0-48h): 15 mg/l (daphnia) (RIFM 2015) 96h-LC50: 11 mg/l (fish) (RIFM 1998) 123-35-3 Myrcene LD50: 0,51 mg/l (fish) (OECD 203) CE50/48h: 0,65 mg/l (daphnia) p-cymene 99-87-6 LD50: 1,63 mg/l (fish) (OECD 203)

12.2 Persistence and degradability

- No further relevant information available. • Behaviour in environmental systems: Not determined.
- 12.3 Bioaccumulative potential
- No further relevant information available.

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

- PBT:
- Not applicable. vPvB:
- Not applicable.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.6 Other adverse effects No further relevant information available.

(continued on page 10)



2801101

		Reviewed on: 23.09.20 Printing date: 23.09.20
PRODUCT :	AGRESTIC BLEND ORGANIC	
 General Toxic for Danger to 	mined. fish al ecological information:	(continued of page 9) < into the ground. nent.
SECTION 13	: Disposal considerations	
 Recomm Must be s Uncleand Recomm 	pecially treated adhering to official regulations. ed packaging:	
SECTION 14	: Transport information	
	Imber or ID number	
. ADR	UN1197	
. IMDG	UN1197	
IATA	UN1197	
	oper shipping name	
. ADR	1197 EXTRACTS, LIQUID	
. IMDG	EXTRACTS, LIQUID (CAMPH	ENE)
	EXTRACTS, LIQUID	
	port hazard class(es)	
Class	3 (F1) Flammable liquids.	
. Label	3	
. IMDG		
Class	3 Flammable liquids.	
. Label		
. IATA	•	
. Class	3 Flammable liquids.	
. Label	3	
14.4 Packi	ng group	
. ADR		



2801101

(continued of page 10) ts
ts
oous
ous
ous
DOUS
OUS
on specific for the substance or mixture
ertain hazardous substances in electrical
r limit value for the purpose of licensing
ponitoring of trade between the
nonitoring of trade between the
water.
e



2801101

Reviewed on: 23.09.2024 Printing date: 23.09.2024

	PRODUCT :	AGRESTIC BLEND ORGANIC
		(continued of page 11)
	SECTION 16:	Other information
* *	information in to be conside areas thereof. not be valid w of this docume The required applying all th • Relevant H226 H228 H302 H304 H315 H317 H318 H319 H331 H332 H336 H371 H400	information complies with EU regulations in force. It does not exempt the user from knowing and the national regulations in force. phrases Flammable liquid and vapour. Flammable solid. Harmful if swallowed. May be fatal if swallowed and enters airways. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Causes serious eye irritation. Toxic if inhaled. Harmful if inhaled. May cause drowsiness or dizziness. May cause damage to organs. Very toxic to aquatic life.
*	H410	Very toxic to aquatic life with long lasting effects.
*	H411 H412	Toxic to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects.
	purpose of labeling of Abbreviat IFRA:Intern ADR: Accon the Interna RID: Règle Concerning IMDG: Inte DOT: US D IATA: Inter ICAO: Inte GHS: Globa EINECS: EL ELINCS: EL CAS: Chem LC50: Leth LD50: Leth PBT: Persis	hints raining in occupational risk prevention is recommended for personnel who will handle this product, in the facilitating the understanding and interpretation of this form of safety data in the same way as the the product. ions and acronyms: national Fragrance Association IOFI:International Organization of the Flavor Industry rd européen sur le transport des marchandises dangereuses par Route (European Agreement concerning tional Carriage of Dangerous Goods by Road) ment international Concernant le transport des marchandises dangereuses par chemin de fer (Regulations the International Transport of Dangerous Goods by Rail) mational Maritime Code for Dangerous Goods by Rail) mational Air Transport Association mational Air Transport Association mational Air Transport Association ally Harmonised System of Classification and Labelling of Chemicals uropean Inventory of Existing Commercial Chemical Substances ical Abstracts Service (division of the American Chemical Society) al concentration, 50 percent al dose, 50 percent tent, Bioaccumulative and Toxic Persistent and very Bioaccumulative
	Sources IFRA/IOFI	Labelling Manual, REACH registration dossier, supplier information
	• * Data co	mpared to the previous version altered.

CHEMICAL SAFETY DATA SHEET

according to 2020/878/EC (1907/2006/EC Article 31)