

CHEMICAL SAFETY DATA SHEET  
according to 2020/878/EC (1907/2006/EC Article 31)

2793000

Reviewed on: 28.02.2023  
Printing date: 28.02.2023

**SECTION 01: Identification of the substance/mixture and of the company/undertaking**

## 1.1 Product identifier

- Trade name:  
WOODY BLEND ORGANIC
- Article number:  
CB075
- UFI:  
7VP0-D0PQ-Y00C-RWXQ

1.2 Relevant identified uses of the substance or mixture and uses advised against  
Application of the substance / the preparation  
Only for industrial use

## 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:  
GOLGEMMA TEL: +33(0)4.68.74.17.89  
Route de FA email: fds@golgemma.com  
11260 ESPERAZA  
FRANCE

1.4 Emergency telephone number:  
FR-ORFILA (INRS):+33(0)1 45 42 59 59

**SECTION 02: Hazards identification**

## 2.1 Classification of the substance or mixture

- Classification according to Regulation (EC) No 1272/2008



GHS08

Asp. Tox. 1 - H304 May be fatal if swallowed and enters airways.



GHS07

Skin Irrit. 2 - H315 Causes skin irritation.  
Eye Irrit. 2 - H319 Causes serious eye irritation.  
Skin Sens. 1B - H317 May cause an allergic skin reaction.



GHS09

Aquatic Acute 1 - H400 Very toxic to aquatic life.  
Aquatic Chronic 1 - H410 Very toxic to aquatic life with long lasting effects.

## 2.2 Label elements

- Labelling according to Regulation (EC) No 1272/2008
- Hazard pictograms



GHS08



GHS07



GHS09

- Signal word  
Danger

- Hazard-determining components of labelling:  
Eucalyptol / pin-2(3)-ene / beta-Pinene / (R)-p-mentha-1,8-diene /  
Eugenol / beta-Caryophyllene
- Hazard statements  
H304 May be fatal if swallowed and enters airways.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.

(continued on page 2)

2793000

Reviewed on: 28.02.2023  
Printing date: 28.02.2023

**PRODUCT : WOODY BLEND ORGANIC**

*(continued of page 1)*

- H410 Very toxic to aquatic life with long lasting effects.
- Precautionary statements
  - P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
  - P264 Wash thoroughly after handling.
  - P272 Contaminated work clothing should not be allowed out of the workplace.
  - P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
  - P405 Store locked up.
  - P501 Dispose of contents/container in accordance with local/regional/ national/international regulations.

2.3 Other hazards

- Results of PBT and vPvB assessment
- PBT:  
Not applicable.
- vPvB:  
Not applicable.
- Determination of endocrine-disrupting properties  
None of the ingredients is listed.

**SECTION 03: Composition/information on ingredients**

- 3.2 Mixtures
- Description:  
Mixture

- Dangerous components:

CAS Number		%
470-82-6	<b>Eucalyptol</b> EC number: 207-431-5 ⚠ Flam. Liq. 3 - H226; ⚠ Skin Sens. 1B - H317	20,001-50,00
80-56-8	<b>pin-2(3)-ene</b> EC number: 201-291-9 ⚠ Asp. Tox. 1 - H304; ⚠ Flam. Liq. 3 - H226; ⚠ Acute Tox. 4 - H302, Skin Irrit. 2 - H315, Skin Sens. 1B - H317	10,001-20,00
127-91-3	<b>beta-Pinene</b> EC number: 204-872-5 ⚠ Asp. Tox. 1 - H304; ⚠ Flam. Liq. 3 - H226; ⚠ Skin Irrit. 2 - H315, Skin Sens. 1B - H317	5,001-10,00
5989-27-5	<b>d-limonene</b> EC number: 227-813-5 ⚠ Asp. Tox. 1 - H304; ⚠ Flam. Liq. 3 - H226; ⚠ Skin Irrit. 2 - H315, Skin Sens. 1B - H317; ⚠ Aquatic Acute 1 - H400; Aquatic Chronic 3 - H412	5,001-10,00
97-53-0	<b>Eugenol</b> EC number: 202-589-1 ⚠ Eye Irrit. 2 - H319, Skin Sens. 1B - H317	5,001-10,00
99-87-6	<b>p-cymene</b> EC number: 202-796-7 ⚠ Acute Tox. 3 - H331; ⚠ Asp. Tox. 1 - H304; ⚠ Flam. Liq. 3 - H226; ⚠ Aquatic Chronic 2 - H411	1,001- 5,00
87-44-5	<b>beta-Caryophyllene</b>	1,001- 5,00

*(continued on page 3)*

























CHEMICAL SAFETY DATA SHEET  
according to 2020/878/EC (1907/2006/EC Article 31)

2793000

Reviewed on: 28.02.2023  
Printing date: 28.02.2023

**PRODUCT : WOODY BLEND ORGANIC**

(continued of page 2)

	EC number: 201-746-1	
	 Asp. Tox. 1 - H304;  Skin Sens.	
	1B - H317	
13877-91-3	3,7-Dimethyl-1,3,6-octatriene	1,001- 5,00
	EC number: 237-641-2	
	 Asp. Tox. 1 - H304;  Flam. Liq. 3	
	- H226;  Skin Irrit. 2 - H315	
123-35-3	Myrcene	1,001- 5,00
	EC number: 204-622-5	
	 Asp. Tox. 1 - H304;  Flam. Liq. 3	
	- H226;  Skin Irrit. 2 - H315, Eye	
	Irrit. 2 - H319	
98-55-5	p-menth-1-en-8-ol	1,001- 5,00
	EC number: 202-680-6	
	 Skin Irrit. 2 - H315, Eye Irrit. 2 -	
	H319	
475-20-7	longifolene	1,001- 5,00
	EC number: 207-491-2	
	 Asp. Tox. 1 - H304;  Skin Irrit.	
	2 - H315, Skin Sens. 1B - H317; 	
	Aquatic Acute 1 - H400 (M=10), Aquatic	
	Chronic 1 - H410 (M=10)	
79-92-5	camphene	1,001- 5,00
	EC number: 201-234-8	
	 Flam. Sol. 1 - H228;  Aquatic	
	Acute 1 - H400, Aquatic Chronic 1 - H410	
99-85-4	p-Mentha-1,4-diene	1,001- 5,00
	EC number: 202-794-6	
	 Asp. Tox. 1 - H304;  Flam. Liq. 3	
	- H226	
13466-78-9	delta-3-Carene	1,001- 5,00
	EC number: 236-719-3	
	 Asp. Tox. 1 - H304;  Flam. Liq. 3	
	- H226;  Skin Irrit. 2 - H315, Skin	
	Sens. 1B - H317	
469-61-4	alpha-Cedrene	1,001- 5,00
	EC number: 207-418-4	
	 Asp. Tox. 1 - H304;  Aquatic	
	Acute 1 - H400 (M=10), Aquatic Chronic 1 -	
	H410 (M=10)	
93-28-7	4-allyl-2-methoxyphenyl acetate	1,001- 5,00
	 Acute Tox. 4 - H302	
562-74-3	4-Carvomenthenol	1,001- 5,00
	EC number: 209-235-5	
	 Acute Tox. 4 - H302, Skin Irrit. 2 -	
	H315, Eye Irrit. 2 - H319	
99-83-2	Alpha phellandrene	1,001- 5,00
	EC number: 202-792-5	
	 Asp. Tox. 1 - H304;  Flam. Liq. 3	
	- H226	

(continued on page 4)

CHEMICAL SAFETY DATA SHEET  
according to 2020/878/EC (1907/2006/EC Article 31)

2793000

 Reviewed on: 28.02.2023  
 Printing date: 28.02.2023

**PRODUCT : WOODY BLEND ORGANIC**
*(continued of page 3)*

586-62-9	<b>Terpinolene</b> EC number: 209-578-0 ⚠ Asp. Tox. 1 - H304; ⚠ Skin Sens. 1B - H317; ⚠ Aquatic Acute 1 - H400, Aquatic Chronic 1 - H410	0,101-1,00
99-86-5	<b>1-isopropyl-4-methylcyclohexa-1,3-diene</b> EC number: 202-795-1 ⚠ Asp. Tox. 1 - H304; ⚠ Flam. Liq. 3 - H226; ⚠ Acute Tox. 4 - H302, Skin Sens. 1 - H317; ⚠ Aquatic Chronic 2 - H411 Oral: ATE = 1680 mg/kg	0,101-1,00
106-24-1	<b>geraniol</b> EC number: 203-377-1 ⚠ Eye Dam. 1 - H318; ⚠ Skin Irrit. 2 - H315, Skin Sens. 1 - H317	0,101-1,00
10458-14-7	<b>Menthone</b> EC number: 233-944-9 ⚠ Skin Irrit. 2 - H315, Skin Sens. 1B - H317	0,101-1,00
590-86-3	<b>3-Methylbutyraldehyde</b> EC number: 209-691-5 ⚠ Flam. Liq. 2 - H225; ⚠ Eye Irrit. 2 - H319, Skin Sens. 1B - H317, STOT SE 3 - H335; ⚠ Aquatic Chronic 2 - H411	0,101-1,00
78-70-6	<b>Linalool</b> EC number: 201-134-4 ⚠ Skin Irrit. 2 - H315, Eye Irrit. 2 - H319, Skin Sens. 1B - H317	0,101-1,00
105-87-3	<b>Geranyl acetate</b> EC number: 203-341-5 ⚠ Skin Irrit. 2 - H315, Skin Sens. 1B - H317; Aquatic Chronic 3 - H412	0,101-1,00
97-54-1	<b>isoeugenol</b> EC number: 202-590-7 ⚠ Acute Tox. 4 - H302, Acute Tox. 4 - H312, Skin Irrit. 2 - H315, Eye Irrit. 2 - H319, Skin Sens. 1A - H317; Skin Sens. 1A; H317: C >= 0,01 %	0,01-0,100

- Additional information:  
For the wording of the listed risk phrases refer to section 16.

**SECTION 04: First aid measures**
**4.1 Description of first aid measures**

- General information:  
Seek immediate medical advice.
- After inhalation:  
Supply fresh air and to be sure call for a doctor.
- After skin contact:  
If skin irritation continues, consult a doctor.  
Immediately wash with water and soap and rinse thoroughly.

*(continued on page 5)*

CHEMICAL SAFETY DATA SHEET  
according to 2020/878/EC (1907/2006/EC Article 31)

2793000

Reviewed on: 28.02.2023  
Printing date: 28.02.2023

**PRODUCT : WOODY BLEND ORGANIC***(continued of page 4)*

- After eye contact:  
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing:  
Seek immediate medical advice.
- Information for doctor:

4.2 Most important symptoms and effects, both acute and delayed  
No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed  
No further relevant information available.

**SECTION 05: Firefighting measures****5.1 Extinguishing media**

- Suitable extinguishing agents:  
CO<sub>2</sub>, sand, extinguishing powder. Do not use water.  
Use fire extinguishing methods suitable to surrounding conditions.
- For safety reasons unsuitable extinguishing agents:  
Water with full jet

5.2 Special hazards arising from the substance or mixture  
Formation of toxic gases is possible during heating or in case of fire.

**5.3 Advice for firefighters**

- Protective equipment:  
Do not inhale explosion gases or combustion gases.
- Additional information  
Cool endangered receptacles with water spray.

**SECTION 06: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.  
Ensure adequate ventilation  
Keep away from ignition sources.

**6.2 Environmental precautions:**

Do not allow product to reach sewage system or any water course.  
Inform respective authorities in case of seepage into water course or sewage system.

**6.3 Methods and material for containment and cleaning up:**

Dispose contaminated material as waste according to item 13.  
Ensure adequate ventilation.

**6.4 Reference to other sections**

See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

**SECTION 07: Handling and storage****7.1 Precautions for safe handling**

Keep receptacles tightly sealed.  
Keep away from heat and direct sunlight.  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.  
Handle with care. Avoid jolting, friction and impact.

- Information about fire - and explosion protection:  
Keep ignition sources away - Do not smoke.  
Protect against electrostatic charges.

**7.2 Conditions for safe storage, including any incompatibilities**

Storage:

- Requirements to be met by storerooms and receptacles:

*(continued on page 6)*

**CHEMICAL SAFETY DATA SHEET**  
according to 2020/878/EC (1907/2006/EC Article 31)

2793000

Reviewed on: 28.02.2023  
Printing date: 28.02.2023

**PRODUCT : WOODY BLEND ORGANIC**

(continued of page 5)

- Store only in the original receptacle.  
Prevent any seepage into the ground.  
Use only receptacles specifically permitted for this substance/ product.
- Information about storage in one common storage facility:  
Not required.
  - Further information about storage conditions:  
Keep container tightly sealed.  
Protect from heat and direct sunlight.  
Store receptacle in a well ventilated area.

**7.3 Specific end use(s)**

No further relevant information available.

**SECTION 08: Exposure controls/personal protection**

**8.1 Control parameters**

- Ingredients with limit values that require monitoring at the workplace:  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- Additional information:  
The lists valid during the making were used as basis.

**8.2 Exposure controls**

- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:  
The usual precautionary measures are to be adhered to when handling chemicals.  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing  
Wash hands before breaks and at the end of work.  
Do not inhale gases / fumes / aerosols.  
Do not inhale dust / smoke / mist.  
Avoid contact with the eyes.
- Respiratory protection:  
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.  
Use suitable respiratory protective device in case of insufficient ventilation.
- Protection of hands:  
Protective gloves  
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- Material of gloves  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- Penetration time of glove material  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- Eye/face protection  
Safety glasses

**SECTION 09: Physical and chemical properties**

**9.1 Information on basic physical and chemical properties**

**General Information**

<b>Physical state</b>	Fluid
<b>Colour:</b>	colourless to dark yellow
<b>Odour:</b>	fresh
<b>Odour threshold:</b>	Not determined.
<b>Boiling point or initial boiling point and boiling range</b>	0,0 °C
<b>Flammability</b>	Not determined.
<b>Lower and upper explosion limit</b>	

(continued on page 7)

2793000

Reviewed on: 28.02.2023  
Printing date: 28.02.2023

**PRODUCT : WOODY BLEND ORGANIC**

*(continued of page 6)*

<b>Lower:</b>	Not determined.
<b>Upper:</b>	Not determined.
<b>Flash point:</b>	62,0 °C NFT 60-103 CC
<b>Decomposition temperature:</b>	Not determined.
<b>pH</b>	Not determined.
<b>Viscosity:</b>	
<b>Kinematic viscosity</b>	Not determined.
<b>Dynamic:</b>	Not determined.
<b>Solubility</b>	
<b>water:</b>	Not determined.
<b>Partition coefficient n-octanol/water (log value)</b>	Not determined.
<b>Vapour pressure:</b>	Not determined.
<b>Density and/or relative density</b>	
<b>Density:</b>	Not determined.
<b>Relative density</b>	0,9050 0,925 D20/20
<b>Vapour density</b>	Not determined.
<b>9.2 Other information</b>	No further relevant information available.
<b>Appearance:</b>	
<b>Form:</b>	fluid
<b>Important information on protection of health and environment, and on safety.</b>	
<b>Auto-ignition temperature:</b>	Not determined.
<b>Explosive properties:</b>	Not determined.
<b>Solvent content:</b>	
<b>Solids content:</b>	0,00 %
<b>Change in condition</b>	
<b>Evaporation rate</b>	Not determined.
<b>Information with regard to physical hazard classes</b>	
<b>Explosives</b>	not applicable
<b>Flammable gases</b>	not applicable
<b>Aerosols</b>	not applicable
<b>Oxidising gases</b>	not applicable
<b>Gases under pressure</b>	not applicable
<b>Flammable liquids</b>	not applicable
<b>Flammable solids</b>	not applicable
<b>Self-reactive substances and mixtures</b>	not applicable
<b>Pyrophoric liquids</b>	not applicable
<b>Pyrophoric solids</b>	not applicable
<b>Self-heating substances and mixtures</b>	not applicable
<b>Substances and mixtures, which emit flammable gases in contact with water</b>	not applicable
<b>Oxidising liquids</b>	not applicable
<b>Oxidising solids</b>	not applicable
<b>Organic peroxides</b>	not applicable
<b>Corrosive to metals</b>	not applicable
<b>Desensitised explosives</b>	not applicable

EU

*(continued on page 8)*

2793000

Reviewed on: 28.02.2023  
Printing date: 28.02.2023

**PRODUCT : WOODY BLEND ORGANIC**

*(continued of page 7)*

### SECTION 10: Stability and reactivity

**10.1 Reactivity**

No further relevant information available.

**10.2 Chemical stability**

**10.3 Possibility of hazardous reactions**

No dangerous reactions known.

**10.4 Conditions to avoid**

No further relevant information available.

**10.5 Incompatible materials:**

No further relevant information available.

**10.6 Hazardous decomposition products:**

Not determined.

### SECTION 11: Toxicological information

**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

- Acute toxicity
- LD/LC50 values relevant for classification:

**ISO LD/LC**

- |   |                               |
|---|-------------------------------|
| <b>470-82-6</b>                                     | <b>Eucalyptol</b>             |
| Oral, LD50: 3849 mg/kg (mouse) (Jiao Xu, 2014)      |                               |
| <b>5989-27-5</b>                                    | <b>(R)-p-mentha-1,8-diene</b> |
| Oral, LD50: 4400 mg/kg (rat)                        |                               |
| <b>97-53-0</b>                                      | <b>Eugenol</b>                |
| Oral, LD50: 1930 mg/kg (rat)                        |                               |
| <b>87-44-5</b>                                      | <b>beta-Caryophyllene</b>     |
| Oral, LD50: > 5000 mg/kg (rat) (Hart and Wong 1971) |                               |
| <b>98-55-5</b>                                      | <b>p-menth-1-en-8-ol</b>      |
| Oral, LD50: 4300 mg/kg (rat)                        |                               |
| <b>79-92-5</b>                                      | <b>camphene</b>               |
| Oral, LD50: 5000 mg/kg (rat)                        |                               |
| Dermal, LD50: 2500 mg/kg (Rabbit)                   |                               |
| <b>13466-78-9</b>                                   | <b>delta-3-Carene</b>         |
| Oral, LD50: 4800 mg/kg (rat) (Moreno 1975)          |                               |
| <b>99-83-2</b>                                      | <b>Alpha phellandrene</b>     |
| Oral, LD50: > 5700 mg/kg (rat) (Moreno 1972)        |                               |
| <b>99-86-5</b>                                      | <b>p-mentha-1,3-diene</b>     |
| Oral, LD50: 1680 mg/kg (ATE)                        |                               |
| <b>590-86-3</b>                                     | <b>3-Methylbutyraldehyde</b>  |
| Oral, LD50: 5600 mg/kg (rat)                        |                               |
| Dermal, LD50: 3180 mg/kg (Rabbit)                   |                               |
| <b>78-70-6</b>                                      | <b>Linalool</b>               |
| Oral, LD50: 2790 mg/kg (rat)                        |                               |
| Dermal, LD50: 5610 mg/kg (Rabbit)                   |                               |
| <b>105-87-3</b>                                     | <b>Geranyl acetate</b>        |
| Oral, LD50: >4000 mg/kg (rat) (NTP 1987)            |                               |
| <b>97-54-1</b>                                      | <b>isoeugenol</b>             |
| Oral, LD50: 1560 mg/kg (rat)                        |                               |
- Primary irritant effect:
  - Skin corrosion/irritation  
Irritant to skin and mucous membranes.  
Causes skin irritation.
  - Serious eye damage/irritation  
Irritating effect.  
Causes serious eye irritation.
  - Respiratory or skin sensitisation  
No sensitizing effects known.
  - Germ cell mutagenicity

*(continued on page 9)*



2793000

Reviewed on: 28.02.2023  
Printing date: 28.02.2023

**PRODUCT : WOODY BLEND ORGANIC**

*(continued of page 8)*

- 470-82-6 Eucalyptol**  
OECD 471 AMES: NEGATIVE (in vitro) (Haworth, 1983)
- 87-44-5 beta-Caryophyllene**  
OECD 471 AMES: NEGATIVE (in vitro) (Heck and al., 1989)
- 78-70-6 Linalool**  
OECD 471 AMES: NEGATIVE (in vitro) (Letizia and al., 2007)
- 105-87-3 Geranyl acetate**  
OECD 471 AMES: NEGATIVE (in vitro) (NTP 1987)
- Carcinogenicity
- 78-70-6 Linalool**  
Micronoyau: NEGATIVE (mouse) (in vivo, Letizia and al., 2007)  
Micronoyau: NEGATIVE (in vitro) (DiSotto and al., 2011)
- 105-87-3 Geranyl acetate**  
Micronoyau: NEGATIVE (mouse) (in vivo, Shelby 1993)
- Reproductive toxicity  
Not determined.
  - STOT-single exposure  
Not determined.
  - STOT-repeated exposure  
Not determined.
  - Aspiration hazard  
May be fatal if swallowed and enters airways.  
May be fatal if swallowed and enters airways.
  - Subacute to chronic toxicity:
- 87-44-5 beta-Caryophyllene**  
Oral, NOAEL: 700 mg/kg (rat) (90 days Schmitt 2016)
- Additional toxicological information:  
The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:  
Harmful  
Irritant  
Carcinogenic if inhaled.
  - 11.2 Information on other hazards
  - Endocrine disrupting properties  
None of the ingredients is listed.

**SECTION 12: Ecological information**

- 12.1 Toxicity
- Aquatic toxicity:
- 5989-27-5 (R)-p-mentha-1,8-diene**  
LD50: 0,71 mg/l (fish) (OECD 203)
- 99-87-6 p-cymene**  
LD50: 1,63 mg/l (fish) (OECD 203)
- 123-35-3 Myrcene**  
LD50: 0,51 mg/l (fish) (OECD 203)  
CE50/48h: 0,65 mg/l (daphnia)
- 469-61-4 alpha-Cedrene**  
LD50: 0,099 mg/l (daphnia)
- 78-70-6 Linalool**  
LD50: 27,8 mg/l (fish) ((OECD 203) RIFM 1991)  
ErC50(0-72h): 156,7 mg/l (algae)  
ErC50(0-48h): 59 mg/l (daphnia) ((OECD 202)
- 12.2 Persistence and degradability  
No further relevant information available.
- Behaviour in environmental systems:  
Not determined.
- 12.3 Bioaccumulative potential  
No further relevant information available.
- 12.4 Mobility in soil  
No further relevant information available.

*(continued on page 10)*

2793000

Reviewed on: 28.02.2023  
Printing date: 28.02.2023

**PRODUCT : WOODY BLEND ORGANIC**

*(continued of page 9)*

12.5 Results of PBT and vPvB assessment

- PBT:  
Not applicable.
- vPvB:  
Not applicable.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.6 Other adverse effects

No further relevant information available.

- Ecotoxicological effects:  
Not determined.
- Remark:  
Very toxic for fish
- Additional ecological information:
- General notes:  
Very toxic for aquatic organisms  
Danger to drinking water if even extremely small quantities leak into the ground.  
The product contains materials that are harmful to the environment.

**SECTION 13: Disposal considerations**

13.1 Waste treatment methods

- Recommendation  
Must be specially treated adhering to official regulations.
- Uncleaned packaging:
- Recommendation:  
Disposal must be made according to official regulations.

**SECTION 14: Transport information**

14.1 UN number or ID number

**ADR** UN3082  
**IMDG** UN3082  
**IATA** UN3082


14.2 UN proper shipping name

**ADR** 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
**IMDG** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
**IATA** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

14.3 Transport hazard class(es)

**ADR**  
**Class** 9 (M6) Miscellaneous dangerous substances and articles.


**Label**



**IMDG**

**Class** 9 Miscellaneous dangerous substances and articles.

**Label**



**IATA**


**Class** 9 Miscellaneous dangerous substances and articles.

*(continued on page 11)*

CHEMICAL SAFETY DATA SHEET  
according to 2020/878/EC (1907/2006/EC Article 31)

2793000

 Reviewed on: 28.02.2023  
 Printing date: 28.02.2023

**PRODUCT : WOODY BLEND ORGANIC**
*(continued of page 10)*
**Label**


14.4 Packing group

**ADR** III

**IMDG** III

**IATA** III

14.5 Environmental hazards:

**Marine pollutant:** Yes

14.6 Special precautions for user

Warning: Miscellaneous dangerous substances and articles.

**Danger code (Kemler):** 90

**EMS Number:** F-A,S-F

14.7 Maritime transport in bulk according to IMO instruments

Not applicable.

- Transport/Additional information:  
Not applicable.

**ADR**
**Excepted quantities (EQ):** E1

**Limited quantities (LQ)** 5L

**Transport category** 3

- UN "Model Regulation":  
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III

### SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- REGULATION (EC) No 1907/2006 ANNEX XVII  
Conditions of restriction: 3, 40
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II  
None of the ingredients is listed.
- REGULATION (EU) 2019/1148
- Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))  
None of the ingredients is listed.
- Annex II - REPORTABLE EXPLOSIVES PRECURSORS  
None of the ingredients is listed.
- Regulation (EC) No 273/2004 on drug precursors  
None of the ingredients is listed.
- Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors  
None of the ingredients is listed.

- National regulations:

- Technical instructions (air):

- Class Share in %  
I 0,13

- Waterhazard class:

Water hazard class 3 (Self-assessment): extremely hazardous for water.

15.2 Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

EU

*(continued on page 12)*

CHEMICAL SAFETY DATA SHEET  
according to 2020/878/EC (1907/2006/EC Article 31)

2793000

 Reviewed on: 28.02.2023  
 Printing date: 28.02.2023

**PRODUCT : WOODY BLEND ORGANIC**
*(continued of page 11)*
**SECTION 16: Other information**

The information in this safety data sheet is based on the state of our knowledge at the date indicated. The information in this sheet must be regarded as a description of the safety requirements for the product, they are not to be considered a warranty or quality specification and have no contractual value on properties and application areas thereof. The information contained in this safety data sheet relate to the specific material designated and may not be valid with respect to the product associated with another product or process, unless it is specified in the text of this document.

The required information complies with EU regulations in force. It does not exempt the user from knowing and applying all the national regulations in force.

- Relevant phrases

H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H228	Flammable solid.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

- Training hints

Minimum training in occupational risk prevention is recommended for personnel who will handle this product, in the purpose of facilitating the understanding and interpretation of this form of safety data in the same way as the labeling of the product.

- Abbreviations and acronyms:

IFRA: International Fragrance Association IOFI: International Organization of the Flavor Industry  
 ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
 RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)  
 IMDG: International Maritime Code for Dangerous Goods  
 DOT: US Department of Transportation  
 IATA: International Air Transport Association  
 ICAO: International Civil Aviation Organisation  
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
 EINECS: European Inventory of Existing Commercial Chemical Substances  
 ELINCS: European List of Notified Chemical Substances  
 CAS: Chemical Abstracts Service (division of the American Chemical Society)  
 LC50: Lethal concentration, 50 percent  
 LD50: Lethal dose, 50 percent  
 PBT: Persistent, Bioaccumulative and Toxic  
 vPvB: very Persistent and very Bioaccumulative

- Sources

IFRA/IOFI Labelling Manual, REACH registration dossier, supplier information

- \* Data compared to the previous version altered.